



Natural Hazards Mitigation Plan

ADOPTED JANUARY 2, 2007



Prepared By:

EMERGENCY MANAGEMENT SERVICES

TABLE OF CONTENTS

FEMA CROSSWALK

EXECUTIVE SUMMARY

SECTION 1

Introduction

SECTION 2

Community Profile

SECTION 3

Risk Assessment

SECTION 4

Multi-Hazard Goals and Action Items

SECTION 5

Plan Maintenance

SECTION 6

Earthquakes

SECTION 7

Floods

SECTION 8

Landslides

SECTION 9

Wildfires

SECTION 10

Windstorms/Severe Weather

APPENDIX A

Resource Directory

APPENDIX B

Public Participation

APPENDIX C

Cost/Benefit Analysis

APPENDIX D

Acronyms

APPENDIX E

Glossary

APPENDIX F

Major California Disasters Since 1950

APPENDIX G

Maps are located in the City’s Emergency Operations Plan in the Emergency Operations Center

APPENDIX H

References

APPENDIX I

Formal Adoption of the Plan

EXECUTIVE SUMMARY:

Five -Year Action Plan Matrix

The City of Mission Viejo Natural Hazards Mitigation Action Plan includes resources and information to assist City residents, public and private sector organizations, and others interested in participating in planning for natural hazards. The Mitigation Plan provides a list of activities that may assist Mission Viejo in reducing risk and preventing loss from future natural hazard events. The action items address multi-hazard issues, as well as activities for earthquakes, earth movements, flooding, wildfires and wind storms.

How is the Plan Organized?

The Mitigation Plan contains a five-year action plan matrix, background on the purpose and methodology used to develop the mitigation plan, a profile of Mission Viejo, sections on five natural hazards that occur within the City, and a number of appendices. All of the sections are described in detail in Section 1, the plan introduction.

Who Participated in Developing the Plan?

The City of Mission Viejo Natural Hazards Mitigation Action Plan is the result of a collaborative effort between Mission Viejo citizens, public agencies, non-profit organizations, the private sector, and regional and state organizations. Public participation played a key role in development of goals and action items. Interviews were conducted with stakeholders across the City, and two public workshops were held to include City of Mission Viejo residents in plan development. A project Steering Committee guided the process of developing the plan.

The Steering Committee was comprised of representatives from:

- ✓ City of Mission Viejo Emergency Preparedness Division
- ✓ City of Mission Viejo Community Development Department
- ✓ City of Mission Viejo Public Works Department
- ✓ Federal Emergency Management Agency
- ✓ Governor’s Office of Emergency Services

What is the Plan Mission?

The mission of the City of Mission Viejo Natural Hazards Mitigation Plan is to promote sound public policy designed to protect citizens, critical facilities, infrastructure, private property, and the environment from natural hazards. This can be achieved by increasing public awareness, documenting the resources for risk reduction and loss-prevention, and identifying activities to guide the City towards building a safer, more sustainable community.

What are the Plan Goals?

The plan goals describe the overall direction Mission Viejo agencies, organizations, and citizens can take to work toward mitigating risk from natural hazards. The goals are stepping-stones between the broad direction of the mission statement and the specific recommendations outlined in the action items.

Protect Life and Property:

- ✓ Implement activities that assist in protecting lives by making homes, businesses, infrastructure, critical facilities, and other property more resistant to losses from natural hazards.
- ✓ Reduce losses and repetitive damages for chronic hazard events while promoting insurance coverage for catastrophic hazards.
- ✓ Improve hazard assessment information to make recommendations for discouraging new development in high hazard areas and encouraging preventative measures for existing development in areas vulnerable to natural hazards.

Public Awareness:

- ✓ Develop and implement education and outreach programs to increase public awareness of the risks associated with natural hazards.
- ✓ Provide information on tools; partnership opportunities, and funding resources to assist in implementing mitigation activities.

Natural Systems:

- ✓ Balance natural resource management, and land use planning with natural hazard mitigation to protect life, property, and the environment.
- ✓ Preserve, rehabilitate, and enhance natural systems to serve natural hazard mitigation functions.

Partnerships and Implementation:

- ✓ Strengthen communication and coordinate participation among and within public agencies, citizens, non-profit organizations, businesses, and industry to gain a vested interest in implementation.
- ✓ Encourage leadership within public and private sector organizations to prioritize and implement local and regional hazard mitigation activities.

Emergency Services:

- ✓ Establish policy to ensure mitigation projects for critical facilities, services, and infrastructure.
- ✓ Strengthen emergency operations by increasing collaboration and coordination among public agencies, non-profit organizations, businesses, and industry.
- ✓ Coordinate and integrate natural hazard mitigation activities, where appropriate, with emergency operations plans and procedures.

How are the Action Items Organized and Prioritized?

The action items are a listing of activities in which City agencies and citizens can be engaged to reduce risk. Each action item includes an estimate of the time line for implementation. Short-term action items are activities that City agencies may implement with existing resources and authorities within one to two years. Long-term action items may require new or additional resources or authorities, and may take between one and five years (or more) to implement.

The action items were organized and prioritized following the guidelines as listed below. In addition, the Hazard Mitigation Steering Committee met to prioritize the mitigation actions. The committee reviewed the identified hazards based on the hazard identification and risk analysis for the City of Mission Viejo and ranked the mitigation actions according to the risks and vulnerabilities. Consideration was also given to cost benefit review, social impact, technical feasibility, administrative capabilities, political and legal effects, as well as environmental issues.

Data collection, research and the public participation process was included in the development of these action items. (Refer to Appendix B for additional public participation process information).

Coordinating Organization:

The coordinating organization is the public agency with regulatory responsibility to address natural hazards, or that is willing and able to organize resources, find appropriate funding, or oversee activity implementation, monitoring, and evaluation. Coordinating organizations may include local, county, or regional agencies that are capable of or responsible for implementing activities and programs.

Timeline:

Action items include both short and long-term activities. Each action item includes an estimate of the time line for implementation. Short-term action items are activities which City agencies are capable of implementing with existing resources and authorities within one to two years. Long-term action items may require new or additional resources or authorities, and may take between one and five years (or more) to implement.

Ideas for Implementation:

Each action item includes ideas for implementation and potential resources, which may include grant programs or human resources. The matrix includes the page number within the mitigation plan where this information can be found.

Plan Goals Addressed:

The plan goals addressed by each action item are included as a way to monitor and evaluate how well the mitigation plan is achieving its goals once implementation begins. The plan goals are organized into the following five areas:

- ✓ Protect Life and Property
- ✓ Public Awareness
- ✓ Natural Systems
- ✓ Partnerships and Implementation
- ✓ Emergency Services

Partner Organizations:

The Partner organizations are not listed with the individual action items or in the plan matrix. Partner organizations are listed in Appendix A, of this plan and are agencies or public/private sector organizations that may be able to assist in the implementation of action items by providing relevant resources to the coordinating organization.

The partner organizations listed in the Resource Directory of the City of Mission Viejo Natural Hazards Mitigation Plan are potential partners recommended by the project steering committee, but were not necessarily contacted during the development of the Mitigation Plan. Partner organizations should be contacted by the coordinating organization to establish commitment of time and resources to action items.

Constraints:

Constraints may apply to some of the action items. These constraints may be a lack of City staff, lack of funds, or vested property rights which might expose the City to legal action as a result of adverse impacts on private property.

How Will the Plan be Implemented, Monitored, and Evaluated?

The Plan Maintenance Section of this document details the formal process that will ensure that the City of Mission Viejo Natural Hazards Mitigation Plan remains an active and relevant document. The plan maintenance process includes a schedule for monitoring and evaluating the Plan annually and producing a Plan revision every five years. This section describes how the City will integrate public participation throughout the plan maintenance process. Finally, this section includes an explanation of how the City of Mission Viejo government intends to incorporate the mitigation strategies outlined in this Plan into existing planning mechanisms such as the City’s General Plan, Capital Improvement Plans, and Building & Safety Codes.

Plan Adoption

Adoption of the Natural Hazard Mitigation Plan by the local jurisdiction’s governing body is one of the prime requirements for approval of the Plan. Once the Plan is completed, the City Council will be responsible for adopting the City of Mission Viejo Natural Hazards Mitigation Plan. The local agency governing body has the responsibility and authority to promote sound public policy regarding natural hazards. The City Council will periodically need to re-adopt the Plan as it is revised to meet changes in the natural hazard risks and exposures in the community. The approved Natural Hazard Mitigation Plan will be significant in the future growth and development of the community.

Coordinating Body

A City of Mission Viejo Hazard Mitigation Advisory Committee will be responsible for coordinating implementation of Plan action items and undertaking the formal review process. The City Manager, or designee, will assign representatives from City agencies, including, but not limited to, the current Hazard Mitigation Advisory Committee members.

Convener

The City Council will adopt the City of Mission Viejo Natural Hazard Mitigation Plan, and the Hazard Mitigation Advisory Committee will take responsibility for Plan implementation. The City Manager, or designee, will serve as a convener to facilitate the Hazard Mitigation Advisory Committee meetings, and will assign tasks such as updating and presenting the Plan to the members of the committee.

Plan implementation and evaluation will be a shared responsibility among all of the Natural Hazard Advisory Committee Members.

Implementation through Existing Programs

The City of Mission Viejo addresses statewide planning goals and legislative requirements through its General Plan, Emergency Operations Plan, Capital Improvement Plans, and City Building & Safety Codes. The Natural Hazard Mitigation Plan provides a series of recommendations that are closely related to the goals and objectives of these existing planning programs. The City of Mission Viejo will have the opportunity to implement recommended mitigation action items through existing programs and procedures.

Economic Analysis of Mitigation Projects

The Federal Emergency Management Agency's approaches to identify costs and benefits associated with natural hazard mitigation strategies or projects fall into two general categories: benefit/cost analysis and cost-effectiveness analysis. Conducting benefit/cost analysis for a mitigation activity can assist communities in determining whether a project is worth undertaking now, in order to avoid disaster-related damages later. Cost-effectiveness analysis evaluates how best to spend a given amount of money to achieve a specific goal. Determining the economic feasibility of mitigating natural hazards can provide decision makers with an understanding of the potential benefits and costs of an activity, as well as a basis upon which to compare alternative projects.

Formal Review Process

The City of Mission Viejo Natural Hazards Mitigation Plan will be evaluated on an annual basis to determine the effectiveness of programs, and to reflect changes in land development or programs that may affect mitigation priorities. The evaluation process includes a firm schedule and time line, and identifies the local agencies and organizations participating in Plan evaluation. The convener will be responsible for contacting the Hazard Mitigation Advisory Committee members and organizing the annual meeting. Committee members will be responsible for monitoring and evaluating the progress of the mitigation strategies in the Plan.

Continued Public Involvement

The City of Mission Viejo is dedicated to involving the public directly in the continual review and updates of the Hazard Mitigation Plan. Copies of the Plan will be catalogued and made available at City Hall and at all City operated public libraries. The existence and location of these copies will be publicized in City newsletters. The Plan also includes the address and the phone number of the City Planning Division, responsible for keeping track of public comments on the Plan. In addition, copies of the Plan and any proposed changes will be posted on the City website.

This site will also contain an email address and phone number to which people can direct their comments and concerns.

SECTION 1:

- Introduction -

Throughout history, the residents of the City of Mission Viejo have dealt with the various natural hazards affecting the area. Photos, journal entries, and newspapers from the 1800's show that the residents of the area dealt with earthquakes, earth movements, flooding, wildfire, and wind storms.

Although there were fewer people in the area, the natural hazards adversely affected the lives of those who depended on the land and climate conditions for food and welfare. As the population of the City continues to increase, the exposure to natural hazards creates an even higher risk than previously experienced.

The City of Mission Viejo is located in southern Orange County, with a population of approximately 92,780 (2000 Census). It offers the benefits of living in a mild, Mediterranean, type of climate, and the City is characterized by the unique and attractive landscape that makes the area so popular. However, the potential impacts of natural hazards associated with the terrain make the environment and population vulnerable to natural disaster situations.



The City is subject to earthquakes, earth movements, flooding, wildfire, and wind storms/severe weather. It is impossible to predict exactly when these disasters will occur, or the extent to which they will affect the City.

City of Mission Viejo

Natural Hazards Mitigation Plan - Introduction

However, with careful planning and collaboration among public agencies, private sector organizations, and citizens within the community, it is possible to minimize the losses that can result from these natural disasters.

The City of Mission Viejo most recently experienced some destruction during the following events:

Winter 2005 Storms

- **Landslide**
- **Embankment Failures**

Why Develop a Mitigation Plan?

As the costs of damage from natural disasters continues to increase, the community realizes the importance of identifying effective ways to reduce vulnerability to disasters. Natural hazard mitigation plans assist communities in reducing risk from natural hazards by identifying resources, information, and strategies for risk reduction, while helping to guide and coordinate mitigation activities throughout the City.

The Plan provides a set of action items to reduce risk from natural hazards through education and outreach programs and to foster the development of partnerships, and implementation of preventative activities such as land use programs that restrict and control development in areas subject to damage from natural hazards.

The resources and information within the Mitigation Plan:

- (1) Establish a basis for coordination and collaboration among agencies and the public in the City of Mission Viejo;
- (2) Identify and prioritize future mitigation projects; and
- (3) Assist in meeting the requirements of federal assistance programs.

The Mitigation Plan works in conjunction with other City plans, including the City General Plan and Emergency Operations Plans.

Whom Does the Mitigation Plan Affect?

The City of Mission Viejo Natural Hazards Mitigation Plan affects entire city. This Plan provides a framework for planning for natural hazards. The resources and background information in the Plan is applicable City-wide, and the goals and recommendations can lay groundwork for local mitigation plans and partnerships.

Natural Hazard Land Use Policy in California:

Planning for natural hazards should be an integral element of any city's land use planning program. All California cities and counties have General Plans and the implementing ordinances that are required to comply with the statewide planning regulations.

The continuing challenge faced by local officials and state government is to keep the network of local plans effective in responding to the changing conditions and needs of California's diverse communities, particularly in light of the very active seismic region in which we live.

This is particularly true in the case of planning for natural hazards where communities must balance development pressures with detailed information on the nature and extent of hazards.

Planning for Natural Hazards, calls for local plans to include inventories, policies, and ordinances to guide development in hazard areas. These inventories should include the compendium of hazards facing the community, the built environment at risk, the personal property that may be damaged by hazard events, and most of all, the people who live in the shadow of these hazards.

Support for Natural Hazard Mitigation:

All mitigation is local, and the primary responsibility for development and implementation of risk reduction strategies and policies lies with local jurisdictions. Local jurisdictions, however, are not alone. Partners and resources exist at the regional, state and federal levels. Numerous California state agencies have a role in natural hazards and natural hazard mitigation. Some of the key agencies include:

- ✓ The Governor's Office of Emergency Services (OES) is responsible for disaster mitigation, preparedness, response, recovery, and the administration of federal funds after a major disaster declaration;
- ✓ The Southern California Earthquake Center (SCEC), gathers information about earthquakes, integrates this information on earthquake phenomena, and communicates this to end-users and the general public to increase earthquake awareness, reduce economic losses, and save lives.
- ✓ The California Division of Forestry (CDF) is responsible for all aspects of wildland fire protection on private, state, and administers forest practices regulations, including landslide mitigation, on non-federal lands.
- ✓ The California Division of Mines and Geology (DMG) is responsible for geologic hazard characterization, public education, the development of partnerships aimed at reducing risk, and exceptions (based on science-based refinement of tsunami inundation zone delineation) to state mandated tsunami zone restrictions; and
- ✓ The California Division of Water Resources (DWR) plans, designs, constructs, operates, and maintains the State Water Project; regulates dams; provides flood protection and assists in emergency management. It also educates the public, serves local water needs by providing technical assistance

Plan Methodology:

Information in the Mitigation Plan is based on research from a variety of sources. Staff from the City of Mission Viejo conducted data research and analysis, facilitated steering committee meetings and public workshops, and developed the final Mitigation Plan. The research methods and various contributions to the Plan include:

Input From the Steering Committee:

The Hazard Mitigation Advisory Committee convened meetings to guide development of the Mitigation Plan. The committee played an integral role in developing the mission, goals, and action items for the Mitigation Plan. The committee consisted of representatives of public agencies and organizations in City of Mission Viejo, including:

- ✓ City of Mission Viejo Emergency Preparedness Division
- ✓ Orange County Fire Authority
- ✓ Orange County Sheriff's Department
- ✓ City of Mission Viejo Community Development Department
- ✓ City of Mission Viejo Public Works

Stakeholder Interviews

City staff conducted interviews with individuals and specialists from organizations interested in natural hazards planning. The interviews identified common concerns related to natural hazards and identified key long and short-term activities to reduce risk from natural hazards. A complete listing of all stakeholders is located in Appendix B. Stakeholders interviewed for the Plan included representatives from:

- ✓ Water Emergency Response Organization of Orange County (WEROC)
- ✓ Orange County Department of Education
- ✓ Orange County Sheriff's Department – Emergency Management
- ✓ Orange County Fire Authority
- ✓ American Red Cross
- ✓ Unified School District

State and Federal Guidelines and Requirements for Mitigation Plans

Following are the Federal requirements for approval of a Natural Hazard Mitigation Plan:

- ✓ Open public involvement, with public meetings that introduce the process and project requirements.
- ✓ The public must be afforded opportunities for involvement in: identifying and assessing risk, drafting a Plan, and public involvement in approval stages of the Plan.
- ✓ Community cooperation, with opportunity for other local government agencies, the business community, educational institutions, and non-profits to participate in the process.
- ✓ Incorporation of local documents, including the City's General Plan, the Zoning Ordinance, the Building Codes, and other pertinent documents.

The following components must be part of the planning process:

- ✓ Complete documentation of the planning process;
- ✓ A detailed risk assessment on hazard exposures in the community;
- ✓ A comprehensive mitigation strategy, which describes the goals & objectives, including proposed strategies, programs & actions to avoid long-term vulnerabilities;
- ✓ A plan maintenance process, which describes the method and schedule of monitoring, evaluating and updating the Plan and integration of the All Hazard Mitigation Plan into other planning mechanisms;
- ✓ Formal adoption by the City Council; and
- ✓ Plan Review by both State OES and FEMA.

These requirements are spelled out in greater detail in the following Plan sections and supporting documentation.

A minimum of two public workshops (or other public forums) is recommended to meet the requirement for public participation, in addition to the inclusion of representatives from outside organizations on the planning committee itself. The timing and scheduling of the workshops may vary from one community to another depending on how each city's committee organizes its work and the particular needs of the community.

City of Mission Viejo

Natural Hazards Mitigation Plan - Introduction

City of Mission Viejo staff examined existing mitigation plans from around the country, current FEMA hazard mitigation planning standards (386 series) and the State of California Natural Hazards Mitigation Plan Guidance.

Other reference materials consisted of county and city mitigation plans, including:

- ✓ Clackamas County (Oregon) Natural Hazards Mitigation Plan
- ✓ State of Washington Natural Hazards Mitigation Plan
- ✓ Orange County Specific Planning Guidebook provided by the DMAC's of Area's D,E, and F

Hazard Specific Research:

Mission Viejo staff collected data and compiled research on five hazards: earthquakes, earth movements (landslides), flooding, wildfires and wind storms. Research materials came from federal agencies including FEMA; state agencies including OES, and CDF; City level such as the Emergency Operations Plan, and other sources.

The City of Mission Viejo staff identified current mitigation activities, resources and programs, and potential action items from research materials and stakeholder interviews.

Public Workshops:

City of Mission Viejo staff facilitated two public workshops to gather comments and ideas from City of Mission Viejo citizens about mitigation planning and priorities for mitigation plan goals.

The resources and information cited in the Mitigation Plan provide a strong local perspective and help identify strategies and activities to make City of Mission Viejo more disaster resilient.

How the Plan is Used:

Each section of the Mitigation Plan provides information and resources to assist people in understanding the City and the hazard-related issues facing citizens, businesses, and the environment. Combined, the sections of the Plan work together to create a document that guides the mission to reduce risk and prevent loss from future natural hazard events.

The structure of the Plan enables people to use a section of interest to them. It also allows City government to review and update sections when new data becomes available. The ability to update individual sections of the Mitigation Plan places less of a financial burden on the City.

Decision-makers can allocate funding and staff resources to selected pieces in need of review, thereby avoiding a full update, which can be costly and time-consuming.

City of Mission Viejo

Natural Hazards Mitigation Plan - Introduction

New data can be easily incorporated, resulting in a Natural Hazards Mitigation Plan that remains current and relevant to City of Mission Viejo.

The Mitigation Plan is organized in three volumes. Volume I contains an executive summary, introduction, community profile, risk assessment, multi-hazard goals and action items, and Plan maintenance. Volume II contains the five natural hazard sections and Volume III includes the appendices. Each section of the Plan is described below.

Volume I: Mitigation Action Plan:

Executive Summary: Five-Year Action Plan

The Five-Year Action Plan provides an overview of the Mitigation Plan mission, goals, and action items. The Plan action items are included in this section, and address multi-hazard issues, as well as hazard-specific activities that can be implemented to reduce risk and prevent loss from future natural hazard events.

Section 1: Introduction

The Introduction describes the background and purpose of developing the Mitigation Plan for the City of Mission Viejo.

Section 2: Community Profile

This section presents the history, geography, demographics, and socioeconomics of the City of Mission Viejo. It serves as a tool to provide an historical perspective of natural hazards in the City.

Section 3: Risk Assessment

This section provides information on hazard identification, vulnerability and risk associated with natural hazards in the City of Mission Viejo.

Section 4: Multi-Hazard Goals and Action Items

This section provides information on the process used to develop goals and action items that cut across the five natural hazards addressed in the Mitigation Plan.

Section 5: Plan Maintenance

This section provides information on Plan implementation, monitoring and evaluation.

Volume II: Hazard Specific Information:

Hazard-Specific Information on the five chronic hazards are addressed in this Plan. Chronic hazards occur with some regularity and may be predicted through historic evidence and scientific methods. The chronic hazards addressed in the Plan include:

- Section 6: Earthquake**
- Section 7: Earth Movement (Landslide / Debris Flow)**
- Section 8: Flooding**
- Section 9: Wildfire**
- Section 10: Windstorm**

Catastrophic hazards do not occur with the frequency of chronic hazards, but can have devastating impacts on life, property, and the environment. In southern California, because of the geology and terrain, earthquake, earth movement, flooding and wildfire also have the potential to be catastrophic as well as chronic hazards. For the coastal areas of southern California, tsunamis, while very rare, have the potential to calamitously devastate low-lying coastal areas.

Each of the hazard-specific sections includes information on the history, hazard causes and characteristics, hazard assessment, goals and action items, and local, state, and national resources.

Volume III: Resources:

The Plan appendices are designed to provide users of the City of Mission Viejo Natural Hazards Mitigation Plan with additional information to assist them in understanding the contents of the Mitigation Plan, and potential resources to assist them with implementation.

Appendix A: Plan Resource Directory

This appendix provides a resource directory which includes City, regional, state, and national resources and programs that may be of technical and/or financial assistance to the City of Mission Viejo during Plan implementation.

Appendix B: Public Participation Process

This appendix includes specific information on the various public processes used during development of the Plan.

Appendix C: Benefit Cost Analysis

This appendix describes FEMA's requirements for benefit cost analysis in natural hazards mitigation, as well as various approaches for conducting economic analysis of proposed mitigation activities.

Appendix D: List of Acronyms

This appendix provides a list of acronyms for City, regional, state, and federal agencies and organizations that may be referred to within the City of Mission Viejo Natural Hazards Mitigation Plan.

Appendix E: Glossary

This appendix provides a glossary of terms used throughout the Plan.

Appendix F: California Disasters

This appendix lists Major California Disasters Since 1950.

Appendix G: Maps

This appendix contains maps as referenced throughout the Plan.

Appendix H: References

This appendix contains a listing of references used in the preparation of the Plan.

Appendix I: Plan Adoption

Formal Plan adoption documentation.

SECTION 2: - Community Profile -

Why Plan for Natural Hazards in the City of Mission Viejo?

Natural hazards impact citizens, property, the environment, and the economy of the City of Mission Viejo. Earthquakes, earth movements, flooding, wildfires, and wind storms have exposed Mission Viejo residents and businesses to the financial and emotional costs of recovering after natural disasters. The risk associated with natural hazards increases as more people move to areas affected by natural hazards.

Even in those communities that are essentially “built-out” i.e., have little or no vacant land remaining for development, population density continues to increase when low density housing is replaced with medium and high density development projects.

The inevitability of natural hazards, and the growing population and activity within the City create an urgent need to develop strategies, coordinate resources, and increase public awareness to reduce risk and prevent loss from future natural hazard events. Identifying the risks posed by natural hazards, and developing strategies to reduce the impact of a hazard event can assist in protecting life and property of citizens and communities. Local residents and businesses can work together with the City to create a natural hazards mitigation plan that addresses the potential impacts of hazard events.

Community Profile

The City of Mission Viejo recognizes that the planning process must address each hazard that threatens the City. The City of Mission Viejo is vulnerable to a wide range of threats. There are three broad categories of hazards: natural, technological or man-made and national security.

The City of Mission Viejo is located in Orange County, Region I, Southern Administrative Region of State Office of Emergency Services. It covers an area of approximately 18.7 square miles and has a population of approximately 92,780 people (2000 Census).

Mission Viejo is well-situated adjacent to the merger of the Interstate 5 and 405 Freeways and the Foothill and Eastern Transportation Corridors, which provide easy access to Los Angeles, San Diego, and the Inland Empire.

Orange County Airport and an Amtrak station are only minutes away. Los Angeles, Long Beach, and San Diego are major ports for Pacific Rim business, and they're also less than an hour away.

City of Mission Viejo

Natural Hazards Mitigation Plan – Community Profile

The city's neighborhoods are set among parks, lakes and forests against the backdrop of the Cleveland National Forest and Saddleback Mountains. Mission Viejo has safe, stable neighborhoods with a strong family orientation that provide a place for living very well.

The City does not have its own police or fire department, but contracts with the Orange County Sheriff's Department and the Orange County Fire Authority for provision of these services. The City also contracts for city attorney services.

The land upon which Mission Viejo is developed was part of the 52,000-acre Rancho Mission Viejo. The chain of title to the land dates back to July 27, 1769, when a Spaniard named Gaspar de Portola led an expeditionary force from Mexico across the southern border of the ranch and claimed the land for Spain.

Seven years later, the ranch witnessed the first attempt to found Mission San Juan Capistrano. Although lack of water forced the friars to relocate and the whereabouts of this old mission remain a mystery, the name Mission Viejo bears testimony to this structure's sojourn in San Juan Canyon more than two hundred years ago.

After Mexico won its independence from Spain in 1821, a new flag flew over California and a new spirit filled the air. The missions, which had been established to further the spread of the Christian faith, became secularized, and their vast landholdings were granted as ranches to prominent citizens.

One man who happened to be standing in the right place at the right time was an English trader named John Forster. John or Juan, as the name reads on the old land grant, married the Mexican governor's sister and acquired the three ranchos historically known as El Trabuco, Mission Viejo, and Los Potreros. But fate frowned on Don Juan Forster. Fencing 205,000 acres drained his capital, droughts destroyed his cattle, and futile efforts to attract settlers dried up his last remaining credit. When Forster died, his estate was in shambles, and his sons were forced to sell.

In 1907, an Irish cattleman named Richard O'Neill acquired an undivided interest in Rancho El Trabuco and Rancho Mission Viejo. When a 1963 study indicated that urbanization was spreading south from the Los Angeles area, his grandchildren, Richard O'Neill and Alice O'Neill Avery, decided to sell 10,000 acres. Donald Bren, Philip J. Reilly, and James Toepfer purchased the property and organized the Mission Viejo Company.

In 1965, a master plan for Mission Viejo was approved by the Orange County Board of Supervisors. One year later, Forster's dream of attracting settlers became a reality as families stood in line to pay \$21,000 for homes on his former cattle range. In April 1966, these pioneering residents moved into the new neighborhoods near the intersection of La Paz Road and Chrisanta Drive.

Freeway Map of Orange County



Map of Mission Viejo




Table 2-1: Average Temperature in Degrees Fahrenheit

Temperatures in the City of Mission Viejo range from a low of 45 degrees in the winter months to a high of 78+ degrees in the summer months. However the temperatures can vary over a wide range, particularly when the Santa Ana winds blow, bringing higher temperatures and very low humidity. Temperatures rarely exceed 80 degrees F in the summer months (June - September), and rarely drop below 40 degrees F in the winter months (November-March).





Table 2-2: Average Yearly Rainfall in Inches



Rainfall in the City averages 13.1 inches of rain per year. However the term “average rainfall” is misleading because over the recorded history of rainfall in the City of Mission Viejo rainfall amounts have ranged from one-third the normal amount to more than double the normal amount.

There are three types of storms that produce precipitation in the southern California area, which includes Mission Viejo: winter storms, locally generated thunderstorms, and summer tropical storms.

Furthermore actual rainfall in southern California tends to fall in large amounts during sporadic and often heavy storms rather than consistently over storms at somewhat regular intervals. In short, rainfall in southern California might be characterized as feast or famine within a single year. Flash floods in this desert area are not uncommon and have caused damage in the past.

Minerals and Soils

The characteristics of the minerals and soils present in City of Mission Viejo indicate the potential types of hazards that may occur. Rock hardness and soil characteristics can determine whether or not an area will be prone to geologic hazards such as earthquakes, liquefaction, and landslides.

The surface material includes unconsolidated, fine-grained deposits of silt, sand, gravel, and recent flood plain deposits. Torrential flood events can introduce large deposits of sand and gravel. Sandy silt and silt containing clay are moderately dense and firm, and are primarily considered to be prone to liquefaction, and earthquake related hazard. Basaltic lava consists mainly of weathered and non-weathered, dense, fine-grained basalt. Though the characteristics of this lava may offer solid foundation support, landslides are common in many of these areas where weathered residual soil overlies the basalt.

Understanding the geologic characteristics of Mission Viejo is an important step in hazard mitigation and avoiding at-risk development.

Other Significant Geologic Features

The City of Mission Viejo, like most of Orange County and southern California, lie over the area of one or more known earthquake faults, and potentially many more unknown faults, particularly so-called lateral or blind thrust faults.

The major faults that have the potential to affect the greater Orange County, and therefore the City of Mission Viejo are the:

- ✓ San Andreas
- ✓ Newport / Inglewood
- ✓ Palos Verdes
- ✓ Whittier
- ✓ Santa Monica
- ✓ Sierra Madre
- ✓ Verdugo
- ✓ Elysian Park
- ✓ Raymond
- ✓ San Joaquin Hills

Orange County and thus the City of Mission Viejo, has a history of powerful and relatively frequent earthquakes, dating back to the powerful 8.0+ San Andreas earthquake of 1857, which did substantial damage to the relatively few buildings that existed at the time. Paleoseismological research indicates that large (8.0+) earthquakes occur on the San Andreas fault at intervals between 45 and 332 years with an average interval of 140 years. Other lesser faults have also caused very damaging earthquakes since 1857.

Notable earthquakes include the Long Beach earthquake of 1933, the San Fernando earthquake of 1971, the 1987 Whittier earthquake, and the 1994 Northridge earthquake. In addition, many areas in Orange County and Mission Viejo have sandy soils that are subject to liquefaction. The City has liquefaction zones as shown on the attached map.

Population and Demographics

The increase of people living in City of Mission Viejo creates more community exposure, and changes how agencies prepare for and respond to natural hazards. For example, more people living on the urban fringe can increase risk of fire. Wildfire has an increased chance of starting due to human activities in the urban/rural interface, and has the potential to injure more people and cause more property damage. But an Urban/wildland fire is not the only exposure to the city of Mission Viejo. In the 1987 publication, Fire Following Earthquake issued by the All Industry Research Advisory Council, Charles Scawthorn explains how a post-earthquake urban conflagration would develop. The conflagration would be started by fires resulting from earthquake damage, but made much worse by the loss of pressure in the fire mains, caused by either lack of electricity to power water pumps, and /or loss of water pressure resulting from broken water mains.

Furthermore, increased density can affect risk. For example, narrower streets are more difficult for emergency service vehicles to navigate, the higher ratio of residents to emergency responders affects response times, and homes located closer together increase the chances of fires spreading.

Over the years, the City of Mission Viejo has experienced a great deal of in-fill development, which is increasing the population density creating greater service loads on the built infrastructure, including roads, water supply, sewer services and storm drains.

Natural hazards do not discriminate, but the impacts in terms of vulnerability and the ability to recover vary greatly among the population.

According to Peggy Stahl of the Federal Emergency Management Agency (FEMA) Preparedness, Training, and Exercise Directorate, 80% of the disaster burden falls on the public, and within that number, a disproportionate burden is placed upon special needs groups: women, children, minorities, and the poor.

**Table 2-3: Year 2000 Census Figures -
 Demographic Make Up of the City:**

RACE	PERCENT
White	76.0
Hispanic or Latino (of any race)	12.1
African-American	1.1
Asian and Pacific Islander	7.9
All Other Races	3.8

**Table 2-4: Percentage of Poverty in the City of Mission Viejo
 per the 2000 Census:**

POVERTY STATUS	PERCENT
<i>Families</i>	
Percent below poverty level	2.3
With related children under 18 years	
Percent below poverty level	3.3
With related children under 5 years	
Percent below poverty level	2.4
<i>Families with female householder, no husband present</i>	
Percent below poverty level	8.5
With related children under 18 years	
Percent below poverty level	12.3
With related children under 5 years	
Percent below poverty level	7.0
<i>Individuals</i>	
Percent below poverty level	3.8
18 years and over	
Percent below poverty level	3.8
65 years and over	
Percent below poverty level	4.8
Related children under 18 years	
Percent below poverty level	3.4
Related children 5 to 17 years	
Percent below poverty level	3.8
Unrelated individuals 15 years and over	
Percent below poverty level	13.9

Vulnerable populations, including seniors, disabled citizens, women, and children, as well as those people living in poverty, may be disproportionately impacted by natural hazards.

Examining the reach of hazard mitigation policies to special needs populations may assist in increasing access to services and programs. FEMA's Office of Equal Rights addresses this need by suggesting that agencies and organizations planning for natural disasters identify special needs populations, make recovery centers more accessible, and review practices and procedures to remedy any discrimination in relief application or assistance.

The cost of natural hazards recovery can place an unequal financial responsibility on the general population when only a small proportion may benefit from governmental funds used to rebuild private structures. Discussions about natural hazards that include local citizen groups, insurance companies, and other public and private sector organizations can help ensure that all members of the population are a part of the decision-making processes.

Land and Development

Development in Southern California from the earliest days was a cycle of boom and bust. The Second World War however dramatically changed that cycle. Military personnel and defense workers came to Southern California to fill the logistical needs created by the war effort. The available housing was rapidly exhausted and existing commercial centers proved inadequate for the influx of people. Immediately after the war, construction began on the freeway system, and the face of Southern California was forever changed. Home developments and shopping centers sprung up everywhere and within a few decades the central basin of Los Angeles County was virtually built out. This pushed new development further and further away from the urban center, into Orange County and cities such as Mission Viejo.

The City of Mission Viejo General Plan addresses the use and development of private land, including residential and commercial areas. This plan is one of the City's most important tools in addressing environmental challenges including transportation and air quality; growth management; conservation of natural resources; clean water and open spaces

The environment of most Orange County cities is nearly identical with that of their immediate neighbors and the transition from one incorporated municipality to another is seamless to most people.

Housing and Community Development

In the City of Mission Viejo, the demand for housing outstrips the available supply, and the recent low interest rates have further fueled a pent up demand. Demand for available housing is extremely high with few existing homes available. Demand for low to medium priced homes continues to be strong. The median value of homes in the City of

Mission Viejo was estimated at \$293,300, according to the 2000 Census. As of July 2005, the median home price in Mission Viejo was estimated to be over \$724,000. This climb in valuation is expected to continue into the foreseeable future.

City of Mission Viejo

Natural Hazards Mitigation Plan – Community Profile

To address development issues, the Planning and Development Department has engaged in activities that promote the quality of life for the citizens of the City of Mission Viejo. The large-scale effort is termed the City of Mission Viejo Community Program, and includes neighborhood and other public facility improvements, rehabilitation of existing housing, and new housing development.

HUD provides funding for the City of Mission Viejo's Community Program.

The City participates in the Community Development Block Grant (CDBG) program.

Subtle but very measurable changes occur constantly in communities that increase the potential loss that will occur in a major disaster. There are a number of factors that contribute to this increasing loss potential.

First, populations continue to increase, putting more people at risk within a defined geographic space. Second, inflation constantly increases the worth of real property and permanent improvements. Third, the amount of property owned per capita increases over time.

Employment and Industry

Service industries such as retail trade, professional management, and educational/health/social services, are the population's principal employment activities. Median Household Income (2000 Census) was \$78,248. The City business climate has been strong and growing. Occupations of persons 16 years and older who were employed in 2000 (per the 2000 Census) is apportioned as follows:

Table 2-5: Employment by Industry

EMPLOYMENT BY INDUSTRY	PERCENT
Agriculture, forestry, fishing and hunting, and mining	0.1
Construction	4.7
Manufacturing	14.2
Wholesale trade	5.1
Retail trade	12.7
Transportation and warehousing, and utilities	3.3
Information	3.0
Finance, insurance, real estate, and rental and leasing	10.2
Professional, scientific, management, administrative and waste mgt.	14.1
Educational, health and social services	18.4
Arts, entertainment, recreation, accommodation and food services	6.0
Other services (except public administration)	4.8
Public administration	3.3

Mitigation activities are needed at the business level to ensure the safety and welfare of workers and limit damage to industrial infrastructure. Employees are highly mobile, commuting from surrounding areas to industrial and business centers.

This creates a greater dependency on roads, communications, accessibility and emergency plans to reunite people with their families. Before a natural hazard event, large and small businesses can develop strategies to prepare for natural hazards, respond efficiently, and prevent loss of life and property.

Transportation and Commuting Patterns

Over the past decade, the Orange County area experienced rapid growth in employment and population. There has been a constant increase in vehicle licensing transactions in the Orange County region.

Table 2-6: Auto Registration in Orange County

Year	Automobiles	Trucks	Trailers	Motorcycles	Total
2002	1,816,481	390,691	119,539	40,484	2,367,195
2001	1,763,180	377,729	130,214	37,404	2,308,527
2000	1,718,057	373,340	119,647	34,155	2,245,199
1999	1,660,907	358,159	109,233	32,503	2,160,802

Private automobiles are the dominant means of transportation in Southern California and in the City of Mission Viejo.

However, the City of Mission Viejo meets its public transportation needs through a mixture of a regional transit system (OCTA), Metrolink rail system, and various city contracted bus systems.

SECTION 3:

- Risk Assessment -

What is a Risk Assessment?

Conducting a risk assessment can provide information: on the location of hazards, the value of existing land and property in hazard locations, an analysis of risk to life, property, and the environment that may result from natural hazard events. Specifically, the three levels of a risk assessment are as follows:

1) Hazard Identification

This is the description of the geographic extent, potential intensity and the probability of occurrence of a given hazard. Maps are frequently used to display hazard identification data. The City of Mission Viejo identified five major hazards that affect this geographic area. These hazards - earthquakes, earth movements, flooding, wildfires and wind storms - were identified through an extensive process that utilized input from the Hazard Mitigation Advisory Committee. The geographic extent of each of the identified hazards has been identified by the City of Mission Viejo's General Plan Safety Element using the best available data, and is illustrated by the charts/map listed in Appendix G.

2) Profiling Hazard Events

This process describes the causes and characteristics of each hazard, how it has affected the City of Mission Viejo in the past, and what part of the City of Mission Viejo's population, infrastructure, and environment has historically been vulnerable to each specific hazard. A profile of each hazard discussed in this Plan is provided in each hazard section. For a full description of the history of hazard specific events, please see the appropriate hazard chapter.

3) Vulnerability Assessment/Inventorying Assets

This is a combination of hazard identification with an inventory of the existing (or planned) property development(s) and population(s) exposed to a hazard. Critical facilities are of particular concern because these entities provide essential products and services to the general public that are necessary to preserve the welfare and quality of life in the City and fulfill important public safety, emergency response, and/or disaster recovery functions. The critical facilities have been identified, charted, and are illustrated in the chart in Appendix G. A description of the critical facilities in the City is also provided in this section. In addition, this Plan includes a community issues summary in each hazard section to identify the most vulnerable and problematic areas in the City, including critical facilities, and other public and private property.

4) Risk Analysis

Estimating potential losses involves assessing the damage, injuries, and financial costs likely to be sustained in a geographic area over a given period of time. This level of analysis involves using mathematical models. The two measurable components of risk analysis are magnitude of the harm that may result and the likelihood of the harm occurring. Describing vulnerability in terms of dollar losses provides the community and the state with a common framework in which to measure the effects of hazards on assets.

5) Assessing Vulnerability/ Analyzing Development Trends

This step provides a general description of land uses and development trends within the community so that mitigation options can be considered in land use planning and future land use decisions. This Plan provides comprehensive description of the character of Mission Viejo in the Community Profile. This description includes the geography and environment, population and demographics, land use and development, housing and community development, employment and industry, and transportation and commuting patterns. Analyzing these components of Mission Viejo can help in identifying potential problem areas, and can serve as a guide for incorporating the goals and ideas contained in this Mitigation Plan into other community development plans.

Hazard assessments are subject to the availability of hazard-specific data. Gathering data for a hazard assessment requires a commitment of resources on the part of participating organizations and agencies. Each hazard-specific section of the Plan includes a section on hazard identification using data and information from City, County or State agency sources.

The City of Mission Viejo conducted a vulnerability assessment for the flood hazard to identify the geographic extent of the hazard and assess the land use and value at risk from the flood hazard. Insufficient data exists to conduct vulnerability assessments and risk analyses for the other hazards addressed in the Plan: earth movements, flooding, wildfires and wind storms.

Regardless of the data available for hazard assessments, there are numerous strategies the City can take to reduce risk. These strategies are described in the action items detailed in each hazard section of this Plan. Mitigation strategies can further reduce disruption to critical services, reduce the risk to human life, and alleviate damage to personal and public property and infrastructure. Action items throughout the hazard sections provide recommendations to collect further data to map hazard locations and conduct hazard assessments.

Federal Requirements for Risk Assessment:

Recent federal regulations for hazard mitigation plans outlined in 44 CFR Part 201 include a requirement for risk assessment. This risk assessment requirement is intended to provide information that will help communities to identify and prioritize mitigation activities that will reduce losses from the identified hazards. There are five hazards profiled in the Mitigation Plan, including earthquakes, earth movements, flooding, wildfire and wind storms. The Federal criteria for risk assessment and information on how the City of Mission Viejo’s Natural Hazard Mitigation Plan meets those criteria is outlined in the table:

Federal Criteria for Risk Assessment:

Section 322 Plan Requirement	How is this addressed?
Identifying Hazards	Each hazard section includes an inventory of the best available data sources that identify hazard areas. To the extent GIS data are available, the City developed maps identifying the location of the hazard in the City. The Executive Summary and the Risk Assessment sections of the plan include a list of the hazard maps.
Profiling Hazard Events	Each hazard section includes documentation of the history, and causes and characteristics of the hazard in the City.
Assessing Vulnerability: Identifying Assets	Where data is available, the vulnerability assessment for each hazard addressed in the mitigation plan includes an inventory of all publicly owned land within hazardous areas. Each hazard section provides information on vulnerable areas in the City in the Community Issues section. Each hazard section also identifies potential mitigation strategies.
Assessing Vulnerability: Estimating Potential Losses:	The Risk Assessment Section of this mitigation plan identifies key critical facilities and lifelines in the City and includes a map of these facilities. Vulnerability assessments have been completed for the hazards addressed in the plan, and quantitative estimates were made for each hazard where data was available.
Assessing Vulnerability: Analyzing Development Trends	The City of Mission Viejo Profile Section of this plan provides a description of the development trends in the City, including the geography and environment, population and demographics, land use and development, housing and community development, employment and industry, and transportation and commuting patterns.

Critical Facilities and Infrastructure:

Facilities critical to government response and recovery activities (i.e., life safety and property and environmental protection) include: 911 centers, emergency operations centers, police and fire stations, public works facilities, communications centers, sewer and water facilities, hospitals, bridges, roads, and shelters. Facilities that, if damaged, could cause serious secondary impacts may also be considered "critical."

Critical and essential facilities are those facilities that are vital to the continued delivery of key government services or that may significantly impact the public's ability to recover from the emergency. These facilities may include: buildings such as the jail, law enforcement center, public services building, community corrections center, the courthouse, and juvenile services building and other public facilities such as schools.

Summary:

Natural hazard mitigation strategies can reduce the impacts concentrated at large employment and industrial centers, public infrastructure, and critical facilities. Natural hazard mitigation for industries and employers may include developing relationships with emergency management services and their employees before disaster strikes, and establishing mitigation strategies together. Collaboration among the public and private sector to create mitigation plans and actions can reduce the impacts of natural hazards.

SECTION 4: - Multi-Hazard Goals and Action Items -

This section provides information on the process used to develop goals and action items that pertain to the five natural hazards addressed in the Mitigation Plan. It also describes the framework that focuses the Plan on developing successful mitigation strategies. The framework is made up of three parts: the Mission, Goals, and Action Items.

Mission:

The mission of the City of Mission Viejo Natural Hazards Mitigation Plan is to promote sound public policy designed to protect citizens, critical facilities, infrastructure, private property, and the environment from natural hazards. This can be achieved by increasing public awareness, documenting the resources for risk reduction and loss-prevention, and identifying activities to guide the City towards building a safer, more sustainable community.

Goals:

The Plan goals describe the overall direction that City of Mission Viejo agencies, organizations, and citizens can take to minimize the impacts of natural hazards. The goals are stepping-stones between the broad direction of the mission statement and the specific recommendations that are outlined in the action items.

Action Items:

The action items are a listing of activities in which City agencies and citizens can be engaged to reduce risk. Each action item includes an estimate of the time line for implementation. Short-term action items are activities that City agencies may implement with existing resources and authorities within one to two years. Long-term action items may require new or additional resources or authorities, and may take between one and five years (or more) to implement.

Mitigation Plan Goals and Public Participation:

The Plan goals help to guide direction of future activities aimed at reducing risk and preventing loss from natural hazards. The goals listed here serve as checkpoints as agencies and organizations begin implementing mitigation action items.

Protect Life and Property:

- ✓ Implement activities that assist in protecting lives by making homes, businesses, infrastructure, critical facilities, and other property more resistant to natural hazards.

- ✓ Reduce losses and repetitive damages for chronic hazard events while promoting insurance coverage for catastrophic hazards.
- ✓ Improve hazard assessment information to make recommendations for discouraging new development and encouraging preventative measures for existing development in areas vulnerable to natural hazards.

Public Awareness:

- ✓ Develop and implement education and outreach programs to increase public awareness of the risks associated with natural hazards.
- ✓ Provide information on tools, partnership opportunities, and funding resources to assist in implementing mitigation activities.

Natural Systems:

- ✓ Balance watershed planning, natural resource management, and land use planning with natural hazard mitigation to protect life, property, and the environment.
- ✓ Preserve, rehabilitate, and enhance natural systems to serve natural hazard mitigation functions.

Partnerships and Implementation:

- ✓ Strengthen communication and coordinate participation among and within public agencies, citizens, non-profit organizations, business, and industry to gain a vested interest in implementation.
- ✓ Encourage leadership within public and private sector organizations to prioritize and implement local, county, and regional hazard mitigation activities.

Emergency Services:

- ✓ Establish policy to ensure mitigation projects for critical facilities, services, and infrastructure.
- ✓ Strengthen emergency operations by increasing collaboration and coordination among public agencies, non-profit organizations, business, and industry.
- ✓ Coordinate and integrate natural hazard mitigation activities, where appropriate, with emergency operations plans and procedures.

Public Participation:

Public input during development of the Mitigation Plan assisted in creating Plan goals. Meetings with the project steering committee, stakeholder interviews, and a public workshop served as methods to obtain input and identify priorities in developing goals for reducing risk and preventing loss from natural hazards in the City of Mission Viejo.

Natural Hazard Mitigation Plan Action Items

The Mitigation Plan identifies short and long-term action items developed through data collection and research, and the public participation process. Mitigation Plan activities may be considered for funding through Federal and State grant programs, and when other funds are made available through the City. Action items address multi-hazard (MH) and hazard specific issues. To help ensure activity implementation, each action item includes information on the time line and coordinating organizations. Upon implementation, the coordinating organizations may look to partner organizations for resources and technical assistance.

A description of the partner organizations is provided in Appendix A, the resource directory of this Plan.

Coordinating Organization:

The coordinating organization is the organization that is willing and able to organize resources, find appropriate funding, or oversee activity implementation, monitoring, and evaluation. Coordinating organizations may include local, City, or regional agencies that are capable of or responsible for implementing activities and programs.

Time Line:

Action items include both short and long-term activities. Each action item includes an estimate of the time line for implementation. Short-term action items are activities that City agencies may implement with existing resources and authorities within one to two years. Long-term action items may require new or additional resources or authorities, and may take between one and five years (or more) to implement.

Ideas for Implementation:

Each action item includes ideas for implementation and potential resources, which may include grant programs or human resources.

Plan Goals Addressed:

The Plan goals addressed by each action item are included as a way to monitor and evaluate how well the Mitigation Plan is achieving its goals once implementation begins.

Constraints:

Constraints may apply to some of the action items. These constraints may be a lack of City staff, lack of funds, or vested property rights which might expose the City to legal action as a result of adverse impacts on private property.

Mitigation Project Evaluation:

Each jurisdiction will have some limitations on the number and cost of mitigation activities that can be completed within a given period of time. There are likely to be multiple ideas to mitigate the effects of a given hazard. Therefore it will be necessary for the committee to select the most cost effective mitigation projects and to further prioritize them.

Multi-Hazard Action Items

Multi-hazard action items are those activities that pertain to two or more of the five hazards in the Mitigation Plan: flood, landslide, wildfire, windstorm and earthquake. There are six short-term and three long-term multi-hazard action items described below.

Action items were selected by the Natural Hazards Mitigation Committee as they were deemed the most feasible after consideration of a range of factors such as costs, benefits, expected degree of public support, local capabilities, and potential environmental impacts.

Short Term Activity- Multi Hazard #1:

Integrate the goals and action items from the City of Mission Viejo Natural Hazard Mitigation Plan into existing regulatory documents and programs, where appropriate.

Ideas for Implementation:

- ◆ Use the Mitigation Plan to help the City's General Plan institutionalize guidelines for sustainable development in all new construction and development projects according to the hazards that impact the City of Mission Viejo
- ◆ Integrate the City's Mitigation Plan into current capital improvement plans to ensure that development does not encroach on known hazard areas: and
- ◆ Partner with other organizations and agencies with similar goals to promote Building & Safety Codes that are more disaster resistant at the state level.

Coordinating Organization:

Hazard Mitigation Advisory Committee

Time line:

Ongoing

Plan Goals Addressed:

Partnerships and Implementation

Constraints:

Pending Funding and Available Personnel

Short Term Activity - Multi Hazard #2:

Identify and pursue funding opportunities to develop and implement local and City mitigation activities.

Ideas for Implementation:

- ◆ Develop incentives for local governments, citizens, and businesses to pursue hazard mitigation projects:

Coordinating Organization:

City Planning Department

Time line:

Ongoing

Plan Goals Addressed:

Partnerships and Implementation

Constraints:

Pending Funding and Available Personnel

Short Term Activity - Multi Hazard #3:

Establish a formal role for the City of Mission Viejo Natural Hazards Mitigation Committee to develop a sustainable process for implementing, monitoring, and evaluating citywide mitigation activities.

Ideas for Implementation:

- ◆ Establish clear roles for participants, meeting regularly to pursue and evaluate implementation of mitigation strategies.
- ◆ Oversee implementation of the Mitigation Plan.
- ◆ Establish measurable standards to evaluate mitigation policies and programs and provide a mechanism to update and revise the Mitigation Plan.
- ◆ Monitor hazard mitigation implementation by jurisdictions and participating organizations through surveys and other reporting methods.
- ◆ Develop updates for the Natural Hazards Mitigation Action Plan based on new information.
- ◆ Conduct a full review of the Natural Hazards Mitigation Action Plan every 5 years by evaluating mitigation successes, failures, and areas that were not addressed.
- ◆ Provide training for Committee members to remain current on developing issues in the natural hazard loss reduction field.

Coordinating Organization:

Hazard Mitigation Advisory Committee

Time line:

Ongoing

Plan Goals Addressed:

Partnerships and Implementation

Constraints:

Pending Funding and Available Personnel

Short Term Activity - Multi Hazard #4:

Identify, improve, and sustain collaborative programs focusing on the real estate and insurance industries, public and private sector organizations, and individuals to avoid activity that increases risk to natural hazards.

Ideas for Implementation:

- ◆ Distribute information about flood, fire, earthquake, and other forms of natural hazards insurance to property owners in areas identified to be at risk through hazard mapping.
- ◆ Develop a one-page handout on types of insurance and deliver through City utility or service agencies.
- ◆ Educate individuals and businesses on the benefit of engaging in mitigation activities such as developing impact analyses.
- ◆ Pinpoint areas of high risk and transfer the cost of risk to property owners through insurance (rather than to the public).
- ◆ Encourage the development of unifying organizations to ensure communication and dissemination of natural hazard mitigation information.

Multi hazard Action Items:

- ◆ Identify activities for private sector and citizen involvement such as nonstructural seismic daycare retrofits.

Coordinating Organization:

City Planning Department

Time line:

Ongoing

Plan Goals Addressed:

Protect Life and Property, Public Awareness, Partnerships and Implementation

Constraints:

Pending Funding and Available Personnel

Short Term Activity - Multi Hazard #5:

Develop public and private partnerships to foster natural hazard mitigation program coordination and collaboration in City of Mission Viejo.

Ideas for Implementation:

- ◆ Work with city governments to develop local Natural Hazards Mitigation Plans that are consistent with the goals and framework of the City Plan.
- ◆ Identify all organizations within City of Mission Viejo that have programs or interests in natural hazards mitigation.
- ◆ Involve private businesses throughout the City in mitigation planning.
- ◆ Improve communication between CalTrans and City road departments, and work together to prioritize and identify strategies to deal with road problems.
- ◆ Establish protocol for communication electric providers and the Department of Transportation and Development to assure rapid restoration of transportation capabilities.

Coordinating Organization:

City Planning Department

Time line:

Ongoing

Plan Goals Addressed:

Partnerships and Implementation

Constraints:

Pending Funding and Available Personnel

Short Term Activity - Multi Hazard #6:

Develop inventories of at-risk buildings and infrastructure and prioritize mitigation projects.

Ideas for Implementation:

- ◆ Identify critical facilities at risk from natural hazards events.
- ◆ Develop strategies to mitigate risk to these facilities, or to utilize alternative facilities should natural hazards events cause damages to the facilities in question.
- ◆ Identify bridges at risk from flood or earthquake hazards, identify enhancements, and implement projects needed to reduce the risks.

Coordinating Organization:

City Planning Department

Time line:

1-2 Years

Plan Goals Addressed:

Protect Life and Property, Partnerships and Implementation

Constraints:

Pending Funding and Available Personnel

Long Term Activity - Multi Hazard #1:

Strengthen emergency services preparedness and response by linking emergency services with natural hazard mitigation programs, and enhancing public education on a regional scale.

Ideas for Implementation:

- ◆ Educate private property owners on limitations of bridges and dangers associated with them.
- ◆ Develop a process to encourage private property owners to upgrade their bridges to support weight of fire trucks and emergency vehicles.
- ◆ Encourage individual and family preparedness through public education projects such as safety fairs.
- ◆ Coordinate the maintenance of emergency transportation routes through communication among the Department of Public Works, Department of Transportation, neighboring jurisdictions, and the California Department of Transportation.
- ◆ Identify opportunities for partnering with citizens, private contractors, and other jurisdictions to increase availability of equipment and manpower for efficiency of response efforts.
- ◆ Work with Community Planning Organizations (CPO's) and other neighborhood groups to establish community response teams.
- ◆ Familiarize public officials of requirements regarding public assistance for disaster response.

Coordinating Organization:

City Planning Department

Time line:

Ongoing

Plan Goals Addressed:

Emergency Services

Constraints:

Pending Funding and Available Personnel

Long Term Activity - Multi Hazard #2:

Develop, enhance, and implement education programs aimed at mitigating natural hazards, and reducing the risk to citizens, public agencies, private property owners, businesses, and schools.

Ideas for Implementation:

- ◆ Make the City of Mission Viejo Natural Hazards Mitigation Plan available to the public by publishing the Plan electronically on the City and emergency management websites.
- ◆ Enhance C-map capabilities by creating a website that includes information specific to City of Mission Viejo residents, including site-specific hazards information, Building & Safety Codes information, insurance companies that provide earthquake insurance for City residents, and educational information on damage prevention.
- ◆ Enhance City web page to facilitate Internet discussions and information sharing.
- ◆ Enhance baseline survey to gather perceptions of private citizens and the business community regarding natural hazard risks and identify mitigation needs. Repeat the survey in five years to monitor successes and failures of natural hazard mitigation programs.
- ◆ Enhance outreach programs to business organizations that must prepare for flooding events.
- ◆ Enhance adult and child educational programs to be used by local media outlets.
- ◆ Use local radio and cable stations as a conduit for advertising public forums.
- ◆ Education: Develop curriculum for school programs and adult education on reducing risk and preventing loss from natural hazards.
- ◆ Conduct natural hazards awareness programs in schools and community centers.
- ◆ Conduct workshops for public and private sector organizations to raise awareness of mitigation activities and programs.
- ◆ Enhance outreach materials for mitigation, preparedness, response and recovery.

Coordinating Organization:

Emergency Preparedness Division, City Public Relations Consultant and City GIS

Time line:

Ongoing

Plan Goals Addressed:

Public Awareness, Protect Life and Property

Constraints:

Pending Funding and Available Personnel

Long Term Activity - Multi Hazard #3:

Use technical knowledge of natural ecosystems and events to link natural resource management and land use organizations to mitigation activities and technical assistance.

Ideas for Implementation:

- ◆ Review ordinances that protect natural systems and resources to mitigate for natural hazards for possible enhancements.
- ◆ Pursue vegetation and restoration practices that assist in enhancing and restoring the natural and beneficial functions of the watershed.
- ◆ Develop education and outreach programs that focus on protecting natural systems as a mitigation activity.

Coordinating Organization:

City Planning Department

Time line:

Ongoing

Plan Goals Addressed:

Natural Systems

Constraints:

Pending Funding and Available Personnel

SECTION 5:

- Plan Maintenance -

The plan maintenance section of this document details the formal process that will ensure that the City of Mission Viejo Natural Hazards Mitigation Plan remains an active and relevant document. The plan maintenance process includes a schedule for monitoring and evaluating the Plan annually and producing a Plan revision every five years. This section describes how the City will integrate public participation throughout the plan maintenance process. Finally, this section includes an explanation of how the City of Mission Viejo government intends to incorporate the mitigation strategies outlined in this Plan into existing planning mechanisms such as the City General Plan, Emergency Operations Plan, Capital Improvement Plans, and Building and Safety Codes.

Monitoring and Implementing the Plan

Plan Adoption:

The City Council will be responsible for adopting the City of Mission Viejo Natural Hazards Mitigation Plan. This governing body has the authority to promote sound public policy regarding natural hazards. Once the Plan has been adopted, the City Emergency Services Coordinator will be responsible for submitting it to the State Hazard Mitigation Officer at The Governor’s Office of Emergency Services. The Governor’s Office of Emergency Services will then submit the Plan to the Federal Emergency Management Agency (FEMA) for review. This review will address the federal criteria outlined in FEMA Interim Final Rule 44 CFR Part 201. Upon acceptance by FEMA, the City of Mission Viejo will gain eligibility for Hazard Mitigation Grant Program funds.

Coordinating Body:

A City of Mission Viejo Hazard Mitigation Committee will be responsible for coordinating implementation of Plan action items and undertaking the formal review process. The City Manager, or designee, will assign representatives from City agencies, including, but not limited to, the current Hazard Mitigation Advisory Committee members. The City has formed a Hazard Mitigation Committee that consists of members from local agencies, organizations, and citizens, and includes the following:

- ✓ City of Mission Viejo Public Works Department
- ✓ City of Mission Viejo Public Services Department
- ✓ Orange County Sheriff’s Department
- ✓ Orange County Fire Authority
- ✓ City of Mission Viejo Community Development Department
- ✓ Federal Emergency Management Agency (Plan Review)
- ✓ The Governor’s Office of Emergency Services (Plan Review)

City of Mission Viejo

Natural Hazards Mitigation Plan – Plan Maintenance

In order to make this committee as broad and useful as possible, the City Manager, or designee, will engage other relevant organizations and agencies in hazard mitigation. The recommendations for adding to the Hazard Mitigation Advisory Committee include:

- ✓ A representative from the Chamber of Commerce
- ✓ An insurance company representative
- ✓ Community Planning Organization representatives
- ✓ A representative from the City Manager's office
- ✓ Representation from professional organizations such as the Home Builders Association

The Hazard Mitigation Advisory Committee will meet, at a minimum, on a yearly basis. Meeting dates will be scheduled once the final Hazard Mitigation Advisory Committee has been established. These meetings will provide an opportunity to discuss the progress of the action items and maintain the partnerships that are essential for the sustainability of the Mitigation Plan.

Convener:

The City Council will adopt the City of Mission Viejo Natural Hazard Mitigation Plan, and the Hazard Mitigation Advisory Committee will take responsibility for Plan implementation. The City Manager, or designee, will serve as a convener to facilitate the Hazard Mitigation Advisory Committee meetings, and will assign tasks such as updating and presenting the Plan to the members of the committee. Plan implementation and evaluation will be a shared responsibility among all of the Natural Hazard Advisory Committee Members.

Implementation through Existing Programs:

The City of Mission Viejo addresses statewide planning goals and legislative requirements through its General Plan, Emergency Operations Plan, Capital Improvement Plans, and City Building and Safety Codes. The Natural Hazard Mitigation Plan provides a series of recommendations - many of which are closely related to the goals and objectives of existing planning programs. The City of Mission Viejo will have the opportunity to implement recommended mitigation action items through existing programs and procedures.

The City of Mission Viejo Engineering and Building Department is responsible for administering the Building & Safety Codes. In addition, the Hazard Advisory Committee will work with other agencies at the state level to review, develop and ensure Building & Safety Codes that are adequate to mitigate or prevent damage by natural hazards. This is to ensure that life-safety criteria are met for new construction.

The goals and action items in the Mitigation Plan may be achieved through activities recommended in the City's Capital Improvement Plans (CIP). Various City departments develop CIP plans, and review them on an annual basis.

Upon annual review of the CIPs, the Hazard Mitigation Advisory Committee will work with the City departments to identify areas that the Hazard Mitigation Plan action items are consistent with CIP planning goals and integrate them where appropriate.

Within six months of formal adoption of the Mitigation Plan, the recommendations listed above will be incorporated into the process of existing planning mechanisms at the City level. The meetings of the Hazard Mitigation Advisory Committee will provide an opportunity for committee members to report back on the progress made on the integration of mitigation planning elements into City planning documents and procedures.

Economic Analysis of Mitigation Projects:

FEMA's approaches to identify the costs and benefits associated with natural hazard mitigation strategies, measures, or projects fall into two general categories: benefit/cost analysis and cost-effectiveness analysis.

Conducting benefit/cost analysis for a mitigation activity can assist communities in determining whether a project is worth undertaking now, in order to avoid disaster-related damages later.

Cost-effectiveness analysis evaluates how best to spend a given amount of money to achieve a specific goal. Determining the economic feasibility of mitigating natural hazards can provide decision-makers with an understanding of the potential benefits and costs of an activity, as well as a basis upon which to compare alternative projects.

Given federal funding, the Hazard Mitigation Advisory Committee will use a FEMA-approved benefit/cost analysis approach to identify and prioritize mitigation action items. For other projects and funding sources, the Hazard Mitigation Advisory Committee will use other approaches to understand the costs and benefits of each action item and develop a prioritized list. For more information regarding economic analysis of mitigation action items, please see Appendix C of the Plan.

Evaluating and Updating the Plan:

Formal Review Process –

The City of Mission Viejo Natural Hazards Mitigation Plan will be evaluated on an annual basis to determine the effectiveness of programs, and to reflect changes in land development or programs that may affect mitigation priorities. The evaluation process includes a firm schedule and time line, and identifies the local agencies and organizations participating in Plan evaluation. The convener or designee will be responsible for contacting the Hazard Mitigation Advisory Committee members and organizing the annual meeting.

Committee members will be responsible for monitoring and evaluating the progress of the mitigation strategies in the Plan.

The committee will review the goals and action items to determine their relevance to changing situations in the City, as well as changes in State or Federal policy, and to ensure they are addressing current and expected conditions. The committee will also review the risk assessment portion of the Plan to determine if this information should be updated or modified, given any new available data. The coordinating organizations responsible for the various action items will report on the status of their projects, the success of various implementation processes, difficulties encountered, success of coordination efforts, and which strategies should be revised.

The convener will assign the duty of updating the Plan to one or more of the committee members. The designated committee members will have three months to make appropriate changes to the Plan before submitting it to the Hazard Committee members, and presenting it to the City Council. The Hazard Mitigation Advisory Committee will also notify all holders of the City Plan when changes have been made. Every five years the updated Plan will be submitted to the State Hazard Mitigation Officer and the Federal Emergency Management Agency for review.

Continued Public Involvement –

Mission Viejo is dedicated to involving the public directly in review and updates of the Hazard Mitigation Plan. The Hazard Mitigation Committee members are responsible for the annual review and update of the Plan.

The public will also have the opportunity to provide feedback about the Plan. The existence and location of the Plan will be publicized in the Orange County Register.

In addition, information on how to view copies of the Plan and any proposed changes will be posted on the City website. This site will also contain an email address and phone number to which people can direct their comments and concerns.

A public meeting will also be held after each annual evaluation or when deemed necessary by the Hazard Mitigation Advisory Committee. The meetings will provide the public a forum for which they can express its concerns, opinions, or ideas about the Plan. The City’s Emergency Services Coordinator will be responsible for using City resources to publicize the annual public meetings and maintain public involvement through the public access channel, web page, and newspapers.

SECTION 6: - EARTHQUAKE -

Table of Contents

WHY ARE EARTHQUAKES A THREAT TO THE CITY OF MISSION VIEJO?	6-2
History of Earthquake Events in Southern California	6-4
Causes and Characteristics of Earthquakes in Southern California	6-5
Earthquake Related Hazards	6-9
EARTHQUAKE HAZARD ASSESSMENT	6-12
Hazard Identification	6-12
Vulnerability Assessment	6-25
Risk Analysis	6-26
COMMUNITY EARTHQUAKE ISSUES	6-27
What is Susceptible to Earthquakes?	6-27
Existing Mitigation Activities	6-31
EARTHQUAKE MITIGATION ITEMS	6-36
EARTHQUAKE RESOURCE DIRECTORY	6-41
Local and Regional Resources	6-41
State Resources	6-42
Federal Resources	6-44
Publications	6-46

Why Are Earthquakes a Threat to the City of Mission Viejo?

The most recent significant earthquake event affecting Southern California was the January 17, 1994 Northridge Earthquake. At 4:31 A.M. on Monday, January 17, a moderate but very damaging earthquake with a magnitude of 6.7 struck the San Fernando Valley. In the following days and weeks, thousands of aftershocks occurred, causing additional damage to affected structures.

57 people were killed and more than 1,500 people seriously injured. For days afterward, thousands of homes and businesses were without electricity; tens of thousands had no gas; and nearly 50,000 had little or no water. Approximately 15,000 structures were moderately to severely damaged, which left thousands of people temporarily homeless. 66,500 buildings were inspected. Nearly 4,000 were severely damaged and over 11,000 were moderately damaged. Several collapsed bridges and overpasses created commuter havoc on the freeway system. Extensive damage was caused by ground shaking, but earthquake triggered liquefaction and dozens of fires also caused additional severe damage. This extremely strong ground motion in large portions of Los Angeles County resulted in record economic losses.

However, the earthquake occurred early in the morning on a holiday. This circumstance considerably reduced the potential effects. Many collapsed buildings were unoccupied, and most businesses were not yet open. The direct and indirect economic losses ran into the 10's of billions of dollars.

Historical and geological records show that California has a long history of seismic events. Southern California is probably best known for the San Andreas Fault, a 400 mile long fault running from the Mexican border to a point offshore, west of San Francisco. "Geologic studies show that over the past 1,400 to 1,500 years large earthquakes have occurred at about 130 year intervals on the southern San Andreas fault. As the last large earthquake on the southern San Andreas occurred in 1857, that section of the fault is considered a likely location for an earthquake within the next few decades.

But San Andreas is only one of dozens of known earthquake faults that criss-cross Southern California. Some of the better known faults include the Sierra Madre, Newport-Inglewood, Whittier, Chatsworth, Elsinore, Hollywood, Los Alamitos, and Palos Verdes faults. Beyond the known faults, there are a potentially large number of "blind" faults that underlie the surface of Southern California. One such blind fault was involved in the Whittier Narrows earthquake in October 1987.

Although the most famous of the faults, the San Andreas, is capable of producing an earthquake with a magnitude of 8+ on the Richter scale, some of the "lesser" faults have the potential to inflict greater damage on the urban core of the Los Angeles Basin. Seismologists believe that a 6.0 earthquake on the Newport-Inglewood would result in far more death and destruction than a "great" quake on the San Andreas, because the San Andreas is relatively remote from the urban centers of Southern California.

City of Mission Viejo

Natural Hazards Mitigation Plan - Earthquake

For decades, partnerships have flourished between the USGS, Cal Tech, the California Geological Survey and universities to share research and educational efforts with Californians. Tremendous earthquake mapping and mitigation efforts have been made in California in the past two decades, and public awareness has risen remarkably during this time. Major federal, state, and local government agencies and private organizations support earthquake risk reduction, and have made significant contributions in reducing the adverse impacts of earthquakes. Despite the progress, the majority of California communities remain unprepared because there is a general lack of understanding regarding earthquake hazards among Californians.

Table 6-1: Earthquake Events in the Southern California Region

Southern California Region Earthquakes with a Magnitude of 5.0 or Greater

1769	Los Angeles Basin	1916	Tejon Pass Region
1800	San Diego Region	1918	San Jacinto
1812	Wrightwood	1923	San Bernardino Region
1812	Santa Barbara Channel	1925	Santa Barbara
1827	Los Angeles Region	1933	Long Beach
1855	Los Angeles Region	1941	Carpenteria
1857	Great Fort Tejon Earthquake	1952	Kern County
1858	San Bernardino Region	1954	West of Wheeler Ridge
1862	San Diego Region	1971	San Fernando
1892	San Jacinto or Elsinore Fault	1973	Point Mugu
1893	Pico Canyon	1986	North Palm Springs
1894	Lytle Creek Region	1987	Whittier Narrows
1894	San Diego Region	1992	Landers
1899	Lytle Creek region	1992	Big Bear
1899	San Jacinto and Hemet	1994	Northridge
1907	San Bernardino region	1999	Hector Mine
1910	Glen Ivy Hot Springs		

The earthquake which occurred in 1812 is also known as the San Juan Capistrano earthquake as the Mission’s old stone church collapsed and 40 Native Americans died.

To better understand the earthquake hazard, the scientific community has looked at historical records and accelerated research on those faults that are the sources of the earthquakes occurring in the Southern California region. Historical earthquake records can generally be divided into records of the pre-instrumental period and the instrumental period. In the absence of instrumentation, the detection of earthquakes is based on observations and felt reports, and are dependent upon population density and distribution. Since California was sparsely populated in the 1800s, the detection of pre-instrumental earthquakes is relatively difficult. However, two very large earthquakes, the Fort Tejon in 1857 (7.9) and the Owens Valley in 1872 (7.6) are evidence of the tremendously damaging potential of earthquakes in Southern California. In more recent times two 7.3 earthquakes struck Southern California, in Kern County (1952) and Landers (1992). The damage from these four large earthquakes was limited because they occurred in areas which were sparsely populated at the time they happened. The seismic risk is much more severe today than in the past because the population at risk is in the millions, rather than a few hundred or a few thousand persons.


History of Earthquake Events in Southern California

Since seismologists started recording and measuring earthquakes, there have been tens of thousands of recorded earthquakes in Southern California, most with a magnitude below three. No community in Southern California is beyond the reach of a damaging earthquake. Table 6-1 describes the historical earthquake events that have affected Southern California.

Causes and Characteristics of Earthquakes in Southern California


Earthquake Faults

A fault is a fracture between blocks of the earth's crust where either side moves relative to the other along a parallel plane to the fracture.




Strike-slip

Strike-slip faults are vertical or almost vertical rifts where the earth's plates move mostly horizontally. From the observer's perspective, if the opposite block looking across the fault moves to the right, the slip style is called a right lateral fault; if the block moves left, the shift is called a left lateral fault.




Dip-slip


Dip-slip faults are slanted fractures where the blocks mostly shift vertically. If the earth above an inclined fault moves down, the fault is called a normal fault, but when the rock above the fault moves up, the fault is called a reverse fault. Thrust faults have a reverse fault with a dip of 45 ° or less.



Map 6-1: Southern California Earthquake Faults




Map 6-2: Major Faults – Orange/Los Angeles County Region



Map: Southern California Earthquake Data Center

Map 6-3: Major Earthquakes in Southern California since 1812



Dr. Kerry Sieh of Cal Tech has investigated the San Andreas fault at Pallett Creek. “The record at Pallett Creek shows that rupture has recurred about every 130 years, on average, over the past 1500 years. But actual intervals have varied greatly, from less than 50 years to more than 300. The physical cause of such irregular recurrence remains unknown”. Damage from a great quake on the San Andreas would be widespread throughout Southern California.

Earthquake Related Hazards

Ground shaking, landslides, liquefaction, and amplification are the specific hazards associated with earthquakes. The severity of these hazards depends on several factors, including soil and slope conditions, proximity to the fault, earthquake magnitude, and the type of earthquake.

Ground Shaking:

Ground shaking is the motion felt on the earth's surface caused by seismic waves generated by the earthquake. It is the primary cause of earthquake damage. The strength of ground shaking depends on the magnitude of the earthquake, the type of fault, and distance from the epicenter (where the earthquake originates). Buildings on poorly consolidated and thick soils will typically see more damage than buildings on consolidated soils and bedrock.

Earthquake Induced Landslides:


Earthquake induced landslides are secondary earthquake hazards that occur from ground shaking. They can destroy the roads, buildings, utilities, and other critical facilities necessary to respond and recover from an earthquake. Many communities in Southern California have a high likelihood of encountering such risks, especially in areas with steep slopes. Most earthquake induced landslides in Mission Viejo have occurred in the southeastern portion of the City (See Seismic Hazards Map in Appendix G).

Liquefaction:

Liquefaction occurs when ground shaking causes wet granular soils to change from a solid state to a liquid state. This results in the loss of soil strength and the soil's ability to support weight. Buildings and their occupants are at risk when the ground can no longer support these buildings and structures. Many communities in Southern California are built on ancient river bottoms and have sandy soil. In some cases this ground may be subject to liquefaction, depending on the depth of the water table. Liquefaction zones in the City of Mission Viejo are identified in Appendix G – City GIS Seismic Hazards Map. Liquefaction zones are located along the Oso Creek, Trabuco Creek and Aliso Creek areas, and along the Arroyo Tabuco Canyon area in the southern portion of the City.

Amplification:

Soils and soft sedimentary rocks near the earth's surface can modify ground shaking caused by earthquakes. One of these modifications is amplification. Amplification increases the magnitude of the seismic waves generated by the earthquake. The amount of amplification is influenced by the thickness of geologic materials and their physical properties. Buildings and structures built on soft and unconsolidated soils can face greater risk. Amplification can also occur in areas with deep sediment filled basins and on ridge tops.



Seismic Zones In California

Darker Shaded Areas indicate Greater Potential Shaking

Source: USGS Website

Abridged Modified Mercalli Intensity Scale

Intensity Value and Description	Average Peak Velocity (cm/sec)	Average Peak Acceleration (g = gravity)
Not felt except by a very few under especially favorable circumstances (I Rossi-Forel scale). Damage potential: None.	<0.1	<0.0017
II. Felt only by a few persons at rest, especially on upper floors of high-rise buildings. Delicately suspended objects may swing. (I to II Rossi-Forel scale). Damage potential: None.		
III. Felt quite noticeably indoors, especially on upper floors of buildings, but many people do not recognize it as an earthquake. Standing automobiles may rock slightly. Vibration like passing of truck. Duration estimated. (III Rossi-Forel scale). Damage potential: None.		
IV. During the day felt indoors by many, outdoors by few. At night some awakened. Dishes, windows, doors disturbed; walls make creaking sound. Sensation like a heavy truck striking building. Standing automobiles rocked noticeably. (IV to V Rossi-Forel scale). Damage potential: None. Perceived shaking: Light.	1.1 – 3.4	0.014 – 0.039
V. Felt by nearly everyone, many awakened. Some dishes, windows, and so on broken; cracked plaster in a few places; unstable objects overturned. Disturbances of trees, poles, and other tall objects sometimes noticed. Pendulum clocks may stop. (V to VI Rossi-Forel scale). Damage potential: Very light. Perceived shaking: Moderate.	3.4 – 8.1	0.039–0.092
VI. Felt by all, many frightened and run outdoors. Some heavy furniture moved, few instances of fallen plaster and damaged chimneys. Damage slight. (VI to VII Rossi-Forel scale). Damage potential: Light. Perceived shaking: Strong.	8.1 - 16	0.092 – 0.18
VII. Everybody runs outdoors. Damage negligible in buildings of good design and construction; slight to moderate in well-built ordinary structures; considerable in poorly built or badly designed structures; some chimneys broken. Noticed by persons driving cars. (VIII Rossi-Forel scale). Damage potential: Moderate. Perceived shaking: Very strong.	16 - 31	0.18 – 0.34
VIII. Damage slight in specially designed structures; considerable in ordinary substantial buildings with partial collapse; great in poorly built structures. Panel walls thrown out of frame structures. Fall of chimneys, factory stacks, columns, monuments, and walls. Heavy furniture overturned. Sand and mud ejected in small amounts. Changes in well water. Persons driving cars disturbed. (VIII+ to IX Rossi-Forel scale). Damage potential: Moderate to heavy. Perceived shaking: Severe.	31 - 60	0.34 – 0.65
IX. Damage considerable in specially designed structures; well-designed frame structures thrown out of plumb; great in substantial buildings with partial collapse. Buildings shifted off foundations. Ground cracked conspicuously. Underground pipes broken. (IX+ Rossi-Forel scale). Damage potential: Heavy. Perceived shaking: Violent.	60 - 116	0.65 – 1.24
X. Some well-built wooden structures destroyed; most masonry and frame structures destroyed; ground badly cracked. Rails bent. Landslides considerable from river banks and steep slopes. Shifted sand and mud. Water splashed, slopped over banks. (X Rossi-Forel scale). Damage potential: Very heavy. Perceived shaking: Extreme.	> 116	> 1.24
XI. Few, if any, (masonry) structures remain standing. Bridges destroyed. Broad fissures in ground. Underground pipelines completely out of service. Earth slumps and land slips in soft ground. Rails bent greatly.		
XII. Damage total. Waves seen on ground surface. Lines of sight and level distorted. Objects thrown into air.		

Earthquake Hazard Assessment

Hazard Identification

Mission Viejo is subject to damage citywide as the result of earthquakes. Much of the area is built on clay soil, such as Niguel and Capistrano formations, and is subject to liquefaction. Housing stock was constructed on rolling hills and slopes throughout the City and is subject to earthquake induced landslides.

Earthquakes are considered a threat to the City of Mission Viejo due to the proximity of fault zones that could influence the entire southern coastal portion of the State. Most notable of these is the Newport-Inglewood Fault, which trends southeast from the Malibu Fault in western Los Angeles County, along the northern section of the Orange County coastline, heading offshore at approximately Newport Beach. The San Joaquin Hills Fault is also a relatively new fault discovered in the area and poses a threat to Mission Viejo. These faults are described below, along with the other major faults impacting the region.

Depending on the magnitude and duration of an earthquake along one of the faults in the region, Mission Viejo, can expect to see varying degrees of damage citywide. Fortunately, most of the City's housing and commercial building stock is post 1970 construction. There are no unreinforced masonry buildings in the City. However, there are areas of the City that were constructed on engineered slopes that were built on 2:1 grades. These areas may be subject to earthquake induced landslides (see Appendix G – Seismic Map). Further, there are areas located primarily in the southwestern portion of the City that are located on liquefaction zones that would be more susceptible to damage in a medium to large earthquake.

In California, many agencies are focused on seismic safety issues: the State's Seismic Safety Commission, the Applied Technology Council, Governor's Office of Emergency Services, United States Geological Survey, Cal Tech, the California Geological Survey as well as a number of universities and private foundations.

These organizations, in partnership with other state and federal agencies, have undertaken a rigorous program in California to identify seismic hazards and risks including active fault identification, bedrock shaking, tsunami inundation zones, ground motion amplification, liquefaction, and earthquake induced landslides. Seismic hazard maps have been published and are available for many communities in California through the State Division of Mines and Geology. Map 6-1 illustrates the known earthquake faults in Southern California.

San Andreas Fault Zone:

The San Andreas fault is the principal boundary between the Pacific and North American plates, and as such, it is considered the "Master Fault" because it has frequent (geologically speaking), large, earthquakes, and it controls the seismic hazard in southern

City of Mission Viejo

Natural Hazards Mitigation Plan - Earthquake

California. The fault extends over 1,000 miles (1,600 kilometers) from near Cape Mendocino in northern California to the Salton Sea region in southern California. At its closest approach, the San Andreas fault is approximately 21 miles (33 km) north of Mission Viejo.

Large faults, such as the San Andreas fault, are generally divided into segments in order to evaluate their future earthquake potential. The segments are generally defined at discontinuities along the fault that may affect the rupture length. In central and southern California, the San Andreas fault zone is divided into five segments named, from north to south, the Cholame, Carrizo, Mojave, San Bernardino Mountains, and Coachella Valley segments (WGCEP, 1995). Each segment is assumed to have a characteristic slip rate (rate of movement averaged over time), recurrence interval (time between moderate to large earthquakes), and displacement (amount of offset during an earthquake). While this methodology has some value in predicting earthquakes, historical records and studies of prehistoric earthquakes show that it is possible for more than one segment to rupture during a large quake or for ruptures to overlap into adjacent segments.

The last major earthquake on the southern portion of the San Andreas fault was the 1857 Fort Tejon (M 8) event. This is the largest earthquake reported in California. The 1857 surface rupture broke the Cholame, Carrizo, and Mojave segments, resulting in displacements of as much as 27 feet (9 meters) along the rupture zone.

The Mojave segment of the San Andreas fault is 83 miles (133 km) long, extending from approximately Three Points southward to just northwest of Cajon Creek, at the southern limit of the 1857 rupture (WGCEP, 1995). Using a slip rate of 30 ± 8 millimeters per year (mm/yr) and a characteristic displacement of 4.5 ± 1.5 meters (m), the WGCEP (1995) derived a recurrence interval of 150 years for this segment. The Mojave segment is estimated to be capable of producing a magnitude 7.1 earthquake. The WGCEP (1995) calculated that this segment has a 26 percent probability of rupturing sometime between 1994 and 2024.

The San Bernardino Mountains segment extends approximately 49 miles (78 km) from Cajon Creek to the San Geronio Pass. This segment is a structurally complex zone that is poorly understood, and for which there are scant data on fault behavior. Using a slip rate of 24 ± 5 mm/yr and a characteristic displacement of 3.5 ± 1.0 m, the 1995 WGCEP derived a recurrence interval on this fault of 146 years. This fault segment is estimated capable of producing a magnitude 7.3 earthquake. In 1994, the WGCEP (1995) calculated that this fault segment had a 28 percent probability of rupturing sometime in the next 30 years.

The Coachella Valley segment is about 71 miles (114 km) long and extends from San Geronio Pass to the Salton Sea. This segment has not produced any large surface-rupturing earthquakes in historic times (Sieh and Williams, 1990). Paleoseismic studies suggest that the last surface-rupturing earthquake on this segment occurred around 1680. The data also suggest that during the 1680 earthquake, and the one prior to that, in 1450, both the Coachella Valley and San Bernardino Mountain segments ruptured simultaneously. Using a slip rate of 25 ± 5 mm/yr and a characteristic displacement of 4.0 (+4,-2) m, the 1995 WGCEP derived a recurrence interval for this fault of 220 ± 13 years.

City of Mission Viejo

Natural Hazards Mitigation Plan - Earthquake

The WGCEP (1995) also calculated a 22 percent probability that this fault segment will generate an earthquake sometime between 1994 and 2024.

Sierra Madre Fault:

The Sierra Madre fault zone is a north-dipping reverse fault zone approximately 47 miles (75 km) long that extends along the southern flank of the San Gabriel Mountains from San Fernando to San Antonio Canyon, where it continues southeastward as the Cucamonga fault. The Sierra Madre fault has been divided into five segments, and each segment seems to have a different rate of activity.

The northwestern-most segment of the Sierra Madre fault (the San Fernando segment) ruptured in 1971, causing the M_w 6.7 San Fernando (or Sylmar) earthquake. As a result of this earthquake, the Sierra Madre fault has been known to be active. In the 1980s, Crook and others (1987) studied the Transverse Ranges using general geologic and geomorphic mapping, coupled with a few trenching locations, and suggested that the segments of the Sierra Madre fault east of the San Fernando segment have not generated major earthquakes in several thousands of years, and possibly as long as 11,000 years. By California's definitions of active faulting, most of the Sierra Madre fault would therefore be classified as not active. Then, in the mid 1990s, Rubin and others (1998) trenched a section of the Sierra Madre fault in Altadena (at Loma Alta Park, see Plate 1-2), and determined that this segment has ruptured at least twice in the last 15,000 years, causing magnitude 7.2 to 7.6 earthquakes.

This suggests that the Los Angeles/Orange County area is susceptible to infrequent, but large near-field earthquakes on the Sierra Madre fault. Rubin et al.'s (1998) trenching data show that during the last earthquake, this fault trace shifted as much as 13 feet (4 meters) at the surface, and that total displacement in the last two events adds to more than 34 feet (10.5 meters)!

Although the fault seems to slip at a rate of only about 0.6 mm/yr, over time, it can accumulate a significant amount of strain. The paleoseismic data obtained at the Loma Alta Park site were insufficient to estimate the recurrence interval and the age of the last surface-rupturing event on this segment of the fault. However, Tucker and Dolan (2001) trenched the east Sierra Madre fault at Horsethief Canyon and obtained data consistent with Rubin et al.'s (1998) findings. At Horsethief Canyon, the Sierra Madre fault last ruptured more than 8,000 years ago. Thus, using a slip rate of 0.6 mm/yr and a slip per event of 5 meters, we can calculate a recurrence interval of about 8,000 years. If the last event occurred more than 8,000 years ago, it is possible that these segments of the Sierra Madre fault are near the end of their cycle, and therefore likely to generate an earthquake in the not too distant future.

Verdugo Fault:

The Verdugo fault is a 13-mile (21 km) long, southeast-striking fault that lies along the southern flank of the Verdugo Mountains, near Burbank. The fault has been interpreted as both a reverse fault (Wesnousky, 1986), and a left-lateral strike-slip fault (Walls et al., 1998). Weber et al. (1980) first reported southwest-facing scarps 2 to 3

City of Mission Viejo

Natural Hazards Mitigation Plan - Earthquake

meters high in the alluvial fan deposits in the Burbank and West Glendale areas, and other subsurface features indicative of faulting. Since Weber et al.'s study (1980), no additional surface data on this fault has been published. Recently, however, several investigators began reviewing the subsurface geology in this area (Tsutsumi and Yeats, 1999; Langenheim et al., 2000; Pujol et al., 2001). Results of these studies suggest that the Verdugo fault changes in character from a reverse fault adjacent to the Pacoima Hills, to a normal fault at the southwest edge of the Verdugo Mountains. Vertical separation on the fault is at least 1000 meters (Tsutsumi and Yeats, 1999).

Clearly, additional studies will be required to resolve these inconsistencies in the style of faulting. Given its location near highly populated portions of the Los Angeles metropolitan area, several investigations, including trenching of the fault, are likely to be conducted in the next few years to better define this fault's seismic hazard.

Slip rate on the Verdugo fault is poorly constrained, and currently estimated at about 0.5 mm/yr (CGS, previously CDMG, 1996). The fault's recurrence interval is unknown. The southern segment of the fault is thought to have ruptured during the Holocene, therefore, the fault is considered active (Jennings, 1994). Based on its length, the Verdugo fault is thought capable of generating magnitude 6.0 to 6.8 earthquakes.

Elysian Park Fault:

The Whittier Narrows earthquake of October 1, 1987 occurred on a previously unknown blind thrust fault underneath the eastern part of the Los Angeles basin. Davis et al. (1989) used oil field data to construct cross-sections showing the subsurface geology of the basin, and concluded that the Whittier Narrows earthquake occurred on a thrust ramp they called the Elysian Park thrust fault. They modeled the Elysian Park as a shallow-angle, reverse-motion fault 6 to 10 miles below the ground surface generally located between the Whittier fault to the southeast, and the Hollywood fault to the west-northwest. Although blind thrusts do not extend to the Earth's surface, they are typically expressed at the surface by a series of hills or mountains. Davis et al. (1989) indicated that the Elysian Park thrust ramp is expressed at the surface by the Santa Monica Mountains, and the Elysian, Repetto, Montebello and Puente Hills.

Davis et al. (1989) estimated a long-term slip rate on the Elysian Park of between 2.5 and 5.2 mm/yr. Dolan et al. (1995) used a different approach to estimate a slip rate on the Elysian Park fault of about 1.7 mm/yr with a recurrence interval of about 1,475 years. Then, in 1996, Shaw and Suppe re-interpreted the subsurface geology of the Los Angeles basin, proposed a new model for what they call the Elysian Park trend, and estimated a slip rate on the thrust ramp beneath the Elysian Park trend of 1.7 ± 0.4 mm/yr. More recently, Shaw and Shearer (1999) relocated the main shock and aftershocks of the 1987 Whittier Narrows earthquake, and showed that the earthquake sequence occurred on an east-west trending buried thrust they called the Puente Hills thrust (rather than the northwest-trending Elysian Park thrust).

Raymond Fault:

City of Mission Viejo

Natural Hazards Mitigation Plan - Earthquake

The Raymond fault is a left-lateral, strike-slip fault about 13 miles (20 km) long that extends across the San Gabriel Valley. The fault is arcuate in shape, trending east-west in its western section, and east-northeast in its eastern section. The fault produces a very obvious south-facing scarp along much of its length, which led many geologists to favor reverse-slip as the predominant sense of fault motion. However, left-deflected channels, shutter-ridges, sag ponds, and pressure ridges indicate that the Raymond fault is predominantly a left-lateral strike-slip fault.

The Raymond fault appears to transfer slip southward from the Sierra Madre fault zone to other fault systems.

The Raymond fault was recently trenched in San Marino, and at the Los Angeles Arboretum in Arcadia (Weaver and Dolan, 2000), where significant data on the recent history of this fault were collected. These studies indicate that the most recent surface-rupturing earthquake on this fault occurred 1,000 to 2,000 years ago, and that between three and five earthquakes occurred on this fault between 41,500 and 31,500 years ago. This suggests that the fault either breaks in cluster earthquakes, or that several more surface-rupturing earthquakes have occurred on this fault that have not been detected in the trenches.

Weaver and Dolan (2000) also indicate that the Raymond fault may rupture alone, or together with other nearby faults, such as the Hollywood fault. A strike-slip rate of 4 (+1, -0.5) mm/yr on the Raymond fault was recently estimated from paleoseismic data (Marin et al., 2000; Dolan et al., in review).

San Joaquin Hills Fault:

In 1999, researchers identified a previously undetected fault. It lies along the Orange County coastline in the area of a portion of the Newport-Inglewood fault. It runs roughly 24 miles between the 405 Freeway and the ocean from Huntington Beach to the intersection of the 405 and the I-5 Freeways at the El Toro Y, then south under the San Joaquin Hills to Dana Point.

The body of evidence that validates the San Joaquin Hills Fault continues to be researched and developed by scientists at the Southern California Earthquake Center. At this time, researchers indicate that it has the potential to produce moderate to large earthquakes up to 7.3 magnitude, but more evidence is forthcoming. The 1994 Northridge Earthquake (6.7 magnitude) occurred on a previously unknown blind thrust fault. As a result more research is being conducted on identifying blind thrust faults.

Previous Mitigation Activities:

In California, each earthquake is followed by revisions and improvements in the Building Codes.

The 1933 Long Beach resulted in the Field Act, affecting school construction. The 1971 Sylmar earthquake brought another set of increased structural standards. Similar re-

City of Mission Viejo

Natural Hazards Mitigation Plan - Earthquake

evaluations occurred after the 1989 Loma Prieta and 1994 Northridge earthquakes. These code changes have resulted in stronger and more earthquake resistant structures.

The Alquist-Priolo Earthquake Fault Zoning Act was passed in 1972 to mitigate the hazard of surface faulting to structures for human occupancy. This state law was a direct result of the 1971 San Fernando Earthquake, which was associated with extensive surface fault ruptures that damaged numerous homes, commercial buildings, and other structures. Surface rupture is the most easily avoided seismic hazard

The Seismic Hazards Mapping Act, passed in 1990, addresses non-surface fault rupture earthquake hazards, including liquefaction and seismically induced landslides. The State Department of Conservation operates the Seismic Mapping Program for California. Extensive information is available at their website:

<http://gmw.consrv.ca.gov/shmp/index.htm>


City of Mission Viejo

Natural Hazards Mitigation Plan - Earthquake

-- Earthquake Planning Scenario --

Rapid Instrumental Intensity Map for San Andreas 1857 rupture Scenario

Scenario Date: Fri Feb 15, 2002 08:00:00 AM PST M 7.8 N35.70 W120.30 Depth: 10.0km



PLANNING SCENARIO ONLY -- Processed: Mon Jan 12, 2004 04:55:46 PM PST

PERCEIVED SHAKING	Not felt	Weak	Light	Moderate	Strong	Very strong	Severe	Violent	Extreme
POTENTIAL DAMAGE	none	none	none	Very light	Light	Moderate	Moderate/Heavy	Heavy	Very Heavy
PEAK ACC.(%g)	<.17	.17-1.4	1.4-3.9	3.9-9.2	9.2-18	18-34	34-65	65-124	>124
PEAK VEL.(cm/s)	<0.1	0.1-1.1	1.1-3.4	3.4-8.1	8.1-16	16-31	31-60	60-116	>116
INSTRUMENTAL INTENSITY	I	II-III	IV	V	VI	VII	VIII	IX	X+


City of Mission Viejo

Natural Hazards Mitigation Plan - Earthquake

-- Earthquake Planning Scenario --

Rapid Instrumental Intensity Map for San Andreas southern rupture Scenario

Scenario Date: Wed Nov 14, 2001 04:00:00 AM PST M 7.4 N33.92 W116.47 Depth: 10.0km



PLANNING SCENARIO ONLY -- Processed: Mon Jan 12, 2004 10:55:42 AM PST

PERCEIVED SHAKING	Not felt	Weak	Light	Moderate	Strong	Very strong	Severe	Violent	Extreme
POTENTIAL DAMAGE	none	none	none	Very light	Light	Moderate	Moderate/Heavy	Heavy	Very Heavy
PEAK ACC. (%g)	<.17	.17-1.4	1.4-3.9	3.9-9.2	9.2-18	18-34	34-65	65-124	>124
PEAK VEL. (cm/s)	<0.1	0.1-1.1	1.1-3.4	3.4-8.1	8.1-16	16-31	31-60	60-116	>116
INSTRUMENTAL INTENSITY	I	II-III	IV	V	VI	VII	VIII	IX	X+


City of Mission Viejo

Natural Hazards Mitigation Plan - Earthquake

-- Earthquake Planning Scenario --

Rapid Instrumental Intensity Map for Raymond Fault M6.5 Scenario

Scenario Date: Thu Apr 4, 2002 09:15:00 AM PST M 6.5 N34.14 W118.06 Depth: 13.0km



PLANNING SCENARIO ONLY -- Processed: Wed Jul 7, 2004 10:51:50 PM PDT

PERCEIVED SHAKING	Not felt	Weak	Light	Moderate	Strong	Very strong	Severe	Violent	Extreme
POTENTIAL DAMAGE	none	none	none	Very light	Light	Moderate	Moderate/Heavy	Heavy	Very Heavy
PEAK ACC (%g)	<.17	.17-1.4	1.4-3.9	3.9-9.2	9.2-18	18-34	34-65	65-124	>124
PEAK VEL (cm/s)	<0.1	0.1-1.1	1.1-3.4	3.4-8.1	8.1-16	16-31	31-60	60-116	>116
INSTRUMENTAL INTENSITY	I	II-III	IV	V	VI	VII	VIII	IX	X+


City of Mission Viejo

Natural Hazards Mitigation Plan - Earthquake

-- Earthquake Planning Scenario --

Rapid Instrumental Intensity Map for Verdugo Fault M6.7 Scenario

Scenario Date: Tue Oct 30, 2001 04:00:00 AM PST M 6.7 N34.18 W118.25 Depth: 6.0km



PLANNING SCENARIO ONLY -- Processed: Wed Jul 7, 2004 11:01:41 PM PDT

PERCEIVED SHAKING	Not felt	Weak	Light	Moderate	Strong	Very strong	Severe	Violent	Extreme
POTENTIAL DAMAGE	none	none	none	Very light	Light	Moderate	Moderate/Heavy	Heavy	Very Heavy
PEAK ACC.(%g)	<.17	.17-1.4	1.4-3.9	3.9-9.2	9.2-18	18-34	34-65	65-124	>124
PEAK VEL.(cm/s)	<0.1	0.1-1.1	1.1-3.4	3.4-8.1	8.1-16	16-31	31-60	60-116	>116
INSTRUMENTAL INTENSITY	I	II-III	IV	V	VI	VII	VIII	IX	X+


City of Mission Viejo

Natural Hazards Mitigation Plan - Earthquake

-- Earthquake Planning Scenario --

Rapid Instrumental Intensity Map for Puente Hills Scenario

Scenario Date: Sat Jan 11, 2003 04:00:00 AM PST M 7.1 N33.93 W117.95 Depth: 12.5km



PLANNING SCENARIO ONLY -- Processed: Mon Jan 12, 2004 11:54:00 AM PST

PERCEIVED SHAKING	Not felt	Weak	Light	Moderate	Strong	Very strong	Severe	Violent	Extreme
POTENTIAL DAMAGE	none	none	none	Very light	Light	Moderate	Moderate/Heavy	Heavy	Very Heavy
PEAK ACC (%g)	<.17	.17-1.4	1.4-3.9	3.9-9.2	9.2-18	18-34	34-65	65-124	>124
PEAK VEL (cm/s)	<0.1	0.1-1.1	1.1-3.4	3.4-8.1	8.1-16	16-31	31-60	60-116	>116
INSTRUMENTAL INTENSITY	I	II-III	IV	V	VI	VII	VIII	IX	X+


City of Mission Viejo

Natural Hazards Mitigation Plan - Earthquake

-- Earthquake Planning Scenario --

Rapid Instrumental Intensity Map for Whittier M6.8 Fault Scenario

Scenario Date: Mon Mar 11, 2002 04:00:00 AM PST M 6.8 N33.96 W117.96 Depth: 10.0km



PLANNING SCENARIO ONLY -- Processed: Mon Jan 12, 2004 11:36:25 AM PST

PERCEIVED SHAKING	Not felt	Weak	Light	Moderate	Strong	Very strong	Severe	Violent	Extreme
POTENTIAL DAMAGE	none	none	none	Very light	Light	Moderate	Moderate/Heavy	Heavy	Very Heavy
PEAK ACC.(%g)	<.17	.17-1.4	1.4-3.9	3.9-9.2	9.2-18	18-34	34-65	65-124	>124
PEAK VEL.(cm/s)	<0.1	0.1-1.1	1.1-3.4	3.4-8.1	8.1-16	16-31	31-60	60-116	>116
INSTRUMENTAL INTENSITY	I	II-III	IV	V	VI	VII	VIII	IX	X+


City of Mission Viejo

Natural Hazards Mitigation Plan - Earthquake

-- Earthquake Planning Scenario --

Rapid Instrumental Intensity Map for Santa Monica M6.6 Scenario

Scenario Date: Mon Jul 16, 2001 05:00:00 AM PDT M 6.6 N34.03 W118.52 Depth: 13.0km



PLANNING SCENARIO ONLY -- Processed: Mon Jan 12, 2004 12:10:17 PM PST

PERCEIVED SHAKING	Not felt	Weak	Light	Moderate	Strong	Very strong	Severe	Violent	Extreme
POTENTIAL DAMAGE	none	none	none	Very light	Light	Moderate	Moderate/Heavy	Heavy	Very Heavy
PEAK ACC. (%g)	<.17	.17-1.4	1.4-3.9	3.9-9.2	9.2-18	18-34	34-65	65-124	>124
PEAK VEL. (cm/s)	<0.1	0.1-1.1	1.1-3.4	3.4-8.1	8.1-16	16-31	31-60	60-116	>116
INSTRUMENTAL INTENSITY	I	II-III	IV	V	VI	VII	VIII	IX	X+


City of Mission Viejo

Natural Hazards Mitigation Plan - Earthquake

-- Earthquake Planning Scenario --

Rapid Instrumental Intensity Map for Newport-Inglewood M6.9 Scenario

Scenario Date: Fri Aug 3, 2001 05:00:00 AM PDT M 6.9 N33.78 W118.13 Depth: 6.0km



PLANNING SCENARIO ONLY -- Processed: Wed Jul 7, 2004 10:40:47 PM PDT

PERCEIVED SHAKING	Not felt	Weak	Light	Moderate	Strong	Very strong	Severe	Violent	Extreme
POTENTIAL DAMAGE	none	none	none	Very light	Light	Moderate	Moderate/Heavy	Heavy	Very Heavy
PEAK ACC (%g)	<.17	.17-1.4	1.4-3.9	3.9-9.2	9.2-18	18-34	34-65	65-124	>124
PEAK VEL (cm/s)	<0.1	0.1-1.1	1.1-3.4	3.4-8.1	8.1-16	16-31	31-60	60-116	>116
INSTRUMENTAL INTENSITY	I	II-III	IV	V	VI	VII	VIII	IX	X+

Vulnerability Assessment

The effects of earthquakes span a large area, and large earthquakes occurring in many parts of the Southern California region would probably be felt throughout the region. However, the degree to which the earthquakes are felt, and the damages associated with them may vary. At risk from earthquake damage are large stocks of old buildings and bridges; many high tech and hazardous materials facilities; extensive sewer, water, and natural gas pipelines; earth dams; petroleum pipelines; and other critical facilities and private property located in the county. The relative or secondary earthquake hazards, which are liquefaction, ground shaking, amplification, and earthquake-induced landslides, can be just as devastating as the earthquake.

The California Geological Survey has identified areas most vulnerable to liquefaction. Liquefaction occurs when ground shaking causes wet granular soils to change from a solid state to a liquid state. This results in the loss of soil strength and the soil's ability to support weight. Buildings and their occupants are at risk when the ground can no longer support these buildings and structures.

Southern California has many active landslide areas, and a large earthquake could trigger accelerated movement in these slide areas, in addition to jarring loose other unknown areas of landslide risk.

A major earthquake occurring in or near the City of Mission Viejo may cause many deaths and casualties, extensive property damage, fires and hazardous material spills and other ensuing hazards. The effects could be aggravated by aftershocks and by the secondary affects of fire, hazardous material/chemical accidents and possible failure of the waterways and dams. The time of day and season of the year would have a profound effect on the number of dead and injured and the amount of property damage sustained. Such an earthquake would be catastrophic in its effect upon the population and could exceed the response capabilities of the individual cities, Orange County Operational Area and the State of California Emergency Services. Damage control and disaster relief support would be required from other local governmental and private organizations, and from the state and federal governments.

Extensive search and rescue operations would be required to assist trapped or injured persons. Injured or displaced persons could require emergency medical care, food and temporary shelter. Identification and burial of many dead persons would pose difficult problems; public health would be a major concern. Mass evacuation may be essential to save lives, particularly in areas downwind from hazardous material releases. Many families would be separated particularly if the earthquake should occur during working hours, and a personal inquiry or locator system could be essential to maintain morale. Emergency operations could be seriously hampered by the loss of communications and damage to transportation routes within, and to and from, the disaster area and by the disruption of public utilities and services.

The economic impact on the City of Mission Viejo from a major earthquake would be considerable in terms of loss of employment and loss of tax base. Also, a major earthquake could cause serious damage and/or outage of computer facilities. The loss of such facilities could curtail or seriously disrupt the operations of banks, insurance companies and other elements of the financial community. In turn, this could affect the ability of local government, business and the population to make payments and purchases.

Risk Analysis

Risk analysis is the third phase of a hazard assessment. Risk analysis involves estimating the damage and costs likely to be experienced in a geographic area over a period of time. Factors included in assessing earthquake risk include population and property distribution in the hazard area, the frequency of earthquake events, landslide susceptibility, buildings, infrastructure, and disaster preparedness of the region. This type of analysis can generate estimates of the damages to the region due to an earthquake event in a specific location. FEMA's software program, HAZUS, uses mathematical formulas and information about building stock, local geology and the location and size of potential earthquakes, economic data, and other information to estimate losses from a potential earthquake. The HAZUS software is available from FEMA at no cost.

For greater Southern California there are multiple worst case scenarios, depending on which fault might rupture, and which communities are in proximity to the fault. But damage will not necessarily be limited to immediately adjoining communities. Depending on the hypocenter of the earthquake, seismic waves may be transmitted through the ground to unsuspecting communities. In the Northridge 1994 earthquake, Santa Monica suffered extensive damage, even though there was a range of mountains between it and the origin of the earthquake.

Damages for a large earthquake almost anywhere in Southern California are likely to run into the billions of dollars. Although building codes are some of the most stringent in the world, ten's of thousands of older existing buildings were built under much less rigid codes. California has laws affecting unreinforced masonry buildings (URM's) and although many building owners have retrofitted their buildings, hundreds of pre-1933 buildings still have not been brought up to current standards. The City of Mission Viejo had no reinforced masonry buildings as of 2004.

Non-structural bracing of equipment and contents is often the most cost-effective type of seismic mitigation. Inexpensive bracing and anchoring may be the most cost effective way to protect expensive equipment. Non-structural bracing of equipment and furnishings will also reduce the chance of injury for the occupants of a building.

Community Earthquake Issues

What is Susceptible to Earthquakes?

Earthquake damage occurs because humans have built structures that cannot withstand severe shaking. Buildings, airports, schools, and lifelines (highways and utility lines) suffer damage in earthquakes and can cause death or injury to humans. The welfare of homes, major businesses, and public infrastructure is very important. Addressing the reliability of buildings, critical facilities, and infrastructure, and understanding the potential costs to government, businesses, and individuals as a result of an earthquake, are challenges faced by the City.

Dams:

Because of the current design and construction practices and ongoing programs of review and modification, catastrophic dam failure is considered unlikely. Many flood control channels are expected to suffer damage. Pumping stations in coastal communities might fail due to liquefaction. There is one dam located in the City of Mission Viejo.

Water Supply:

Southern California receives imported water via three aqueducts, i.e., the Colorado River, State Water Project and Los Angeles. The Los Angeles Aqueduct only serves the City of Los Angeles while the other two supply approximately 50% of Orange County's water. The balance comes from a large groundwater basin underlying the northern half of the county, recycled wastewater produced by several local water agencies and several smaller groundwater basins. The large groundwater basin in the northern county primarily serves the northern county. The majority of South County's water supply is based on imported resources. Water supplies are being increased through recycling, groundwater development, desalination and conservation. The City of Mission Viejo has two reservoirs. Following a major earthquake in Southern California, any or all of the aqueducts could be out of service for months depending upon the magnitude and epicenter of the earthquake. Anticipated damage to pipelines, service connections, and reservoirs could take weeks to repair. Loss of electricity, lack of backup power sources and physical damage could disable local wells for an indefinite period. To mitigate this threat, the Metropolitan Water District of Southern California which supplies imported water to Orange County via the Colorado River Aqueduct, recently completed construction of Diamond Valley Lake Reservoir in Riverside County, which nearly doubles the amount of reservoir storage in Southern California. However, the possibility of earthquake damage to miles of water distribution lines required to transport water to Orange County for needed life support, to treat the sick and injured and for fire suppression activities would still be a major concern to the City of Mission Viejo.

Sanitation Systems:

Many of the wastewater treatment facilities could be out of service for months depending on the damage caused by the severity of intensity and liquefaction. There is a limited volume of storage available in the wastewater treatment plants; if the treatment facilities cannot be restored before storage is exceeded, the wastewater will require discharge with emergency chlorination to reduce health hazards. Overflow of sewage through manholes and from ponds can be expected due to breakage in mains and loss of power. As a result, there will be a danger of excessive collection of explosive gas in sewer mains, and flow of untreated sewage in some street gutters. House sewer connections might break and plug. The City's wastewater treatment facilities are maintained by three separate water districts.

Buildings:

The built environment is susceptible to damage from earthquakes. Buildings that collapse can trap and bury people. Lives are at risk and the cost to clean up the damages is great. In most California communities, including the City of Mission Viejo, a number of buildings were built before the 1993 Northridge earthquake, when building codes were not as strict. In addition, retrofitting is not required except under certain conditions and can be expensive. Therefore, the number of buildings at risk remains high. The California Seismic Safety Commission makes annual reports on the progress of the retrofitting of unreinforced masonry buildings.

Infrastructure and Communication:

Residents in the City of Mission Viejo commute frequently by automobiles and public transportation such as buses and light rail. An earthquake can greatly damage bridges and roads, hampering emergency response efforts and the normal movement of people and goods.

Damaged infrastructure strongly affects the economy of the community because it disconnects people from work, school, food, and leisure, and separates businesses from their customers and suppliers,

Bridge Damage:

Even modern bridges can sustain damage during earthquakes, leaving them unsafe for use. Some bridges have failed completely due to strong ground motion. Bridges are a vital transportation link - with even minor damages making some areas inaccessible. Because bridges vary in size, materials, location and design, any given earthquake will affect them differently. Bridges built before the mid-1970's have a significantly higher risk of suffering structural damage during a moderate to large earthquake compared with those built after 1980 when design improvements were made.

Much of the interstate highway system was built in the mid to late 1960's. The bridges in the City of Mission Viejo are state, county or privately owned (including railroad bridges). Cal Trans has retrofitted most bridges on the freeway systems; however there are still some county maintained bridges that are not retrofitted. The FHWA requires that bridges on the National Bridge Inventory be inspected every 2 years. CalTrans checks when the bridges are inspected because they administer the Federal funds for bridge projects.

Damage to Lifelines:

Lifelines are the connections between communities and outside services. They include water and gas lines, transportation systems, electricity and communication networks. Ground shaking and amplification can cause pipes to break open, power lines to fall, roads and railways to crack or move, and radio and telephone communication to cease. Disruption to transportation makes it especially difficult to bring in supplies or services. Lifelines need to be usable after an earthquake to allow for rescue, recovery, and rebuilding efforts and to relay important information to the public.

Disruption of Critical Services:

Critical facilities include police stations, fire stations, hospitals, shelters, and other facilities that provide important services to the community. These facilities and their services need to be functional after an earthquake event. Critical facilities may be housed in older buildings that are not up to current seismic codes.

Businesses:

Seismic activity can cause great loss to businesses, both large-scale corporations and small retail shops. When a company is forced to stop production for just a day, the economic loss can be tremendous, especially when its market is at a national or global level. Seismic activity can create economic loss that presents a burden to large and small shop owners who may have difficulty recovering from their losses.

Forty percent of businesses do not reopen after a disaster and another twenty-five percent fail within one year according to the Federal Emergency Management Agency (FEMA). Similar statistics from the United States Small Business Administration indicate that over ninety percent of businesses fail within two years after being struck by a disaster.

Individual Preparedness:

Because the potential for earthquake occurrences and earthquake related property damage is relatively high in the City of Mission Viejo, increasing individual preparedness is a significant need. Strapping down heavy furniture, water heaters, and expensive personal property, as well as being earthquake insured, and anchoring buildings to foundations are just a few steps individuals can take to prepare for an earthquake.

Death and Injury:

Death and injury can occur both inside and outside of buildings due to collapsed buildings falling equipment, furniture, debris, and structural materials. Downed power lines and broken water and gas lines can also endanger human life,

Fire:

Although total collapse of fire stations is not expected, possible disruption of utilities and loss of power might create major problems. There might be numerous fires due to disruption of power and natural gas networks. Many connections to major water sources may be out and water reserves might be required. First response from fire personnel is expected to be assessment of the area to establish what is needed to determine response and recovery needs. Operations may take days because of the disruption of transportation routes for fire department personnel and equipment. The City contracts with Orange County Fire Authority for fire services and can expect the equipment located in the City at the time of the event to be available for the City.

Downed power lines or broken gas mains can trigger fires. When fire stations suffer building or lifeline damage, quick response to extinguish fires is less likely. Furthermore, major incidents will demand a larger share of resources, and initially smaller fires and problems will receive little or insufficient resources in the initial hours after a major earthquake event. Loss of electricity may cause a loss of water pressure in some communities, further hampering fire fighting ability.

Debris:

After damage to a variety of structures, much time is spent cleaning up brick, glass, wood, steel or concrete building elements, office and home contents, and other materials. Developing a strong debris management strategy is essential in post-disaster recovery. Occurrence of a disaster does not exempt the City of Mission Viejo from compliance with AB 939 regulations.

Existing Mitigation Activities

Existing mitigation activities include current mitigation programs and activities that are being implemented by county, regional, state, or federal agencies or organizations.

City of Mission Viejo Codes:

Implementation of earthquake mitigation policy most often takes place at the local government level. The City of Mission Viejo Engineering and Building Department enforces building codes pertaining to earthquake hazards.

The following sections of the UBC address the earthquake hazard:

- 1605, 1 (Distribution of Horizontal Sheer);
- 1605. 2 (Stability against Overturning);
- 1626 (Seismic);
- 1605. 3 (Anchorage); and
- 1632 , 1633, 1633. 9 deal with specific earthquake hazards.

The City of Mission Viejo Planning Department enforces the zoning and land use regulations relating to earthquake hazards.

Generally, these codes seek to discourage development in areas that could be prone to flooding, landslide, wildfire and / or seismic hazards; and where development is permitted, that the applicable construction standards are met. Developers in hazard-prone areas may be required to retain a qualified professional engineer to evaluate level of risk on the site and recommend appropriate mitigation measures.

Coordination Among Building Officials:

The City of Mission Viejo Building Code sets the minimum design and construction standards for new buildings. In September 2002 (FMC Ordinance 6909), the City of Mission Viejo adopted the most recent seismic standards in its building code, which requires that new buildings be built at a higher seismic standard. (2002 California Building Code).

Since 1968 (with Zaheer Plan), the City of Mission Viejo also requires that site-specific seismic hazard investigations be performed for new essential facilities, major structures, hazardous facilities, and special occupancy structures such as schools, hospitals, and emergency response facilities.

Businesses/Private Sector:

Natural hazards have a devastating impact on businesses. In fact, of all businesses which close following a disaster, more than forty-three percent never reopen, and an additional twenty-nine percent close for good within the next two years.

The Institute of Business and Home Safety has developed “Open for Business”, which is a disaster planning toolkit to help guide businesses in preparing for and dealing with the adverse affects natural hazards. The kit integrates protection from natural disasters into the company's risk reduction measures to safeguard employees, customers, and the investment itself. The guide helps businesses secure human and physical resources during disasters, and helps to develop strategies to maintain business continuity before, during, and after a disaster occurs.

Mission Viejo’s Shops at Mission Viejo is a regional mall that grosses over \$400,000,000 million in sales per year. Potential business interruption caused by a large magnitude earthquake would result in major economic losses to the businesses, the City and the residents.

Hospitals:

Mission Hospital is the only major medical facility located in Mission Viejo. Mission Hospital is an Acute Care Facility located on Crown Valley Parkway. Public service agencies and volunteer personnel would be used to assist in the care of the injured. Several of the acute care hospitals in Orange County are expected to be lost due to structural damage. This will impair the number of beds available and create the need for several field hospitals. Although a percentage of the remaining beds could be made available by discharging or transferring non-emergency patients, it will probably be necessary to receive an immediate influx of emergency medical aid and/or export some of the seriously injured to out-of-county facilities.

“The Alfred E. Alquist Hospital Seismic Safety Act (“Hospital Act”) was enacted in 1973 in response to the moderate Magnitude 6.6 Sylmar Earthquake in 1971 when four major hospital campuses were severely damaged and evacuated.

Two hospital buildings collapsed killing forty seven people. Three others were killed in another hospital that nearly collapsed.

In approving the Act, the Legislature noted that:

Hospitals, that house patients who have less than the capacity of normally healthy persons to protect themselves, and that must be reasonably capable of providing services to the public after a disaster, shall be designed and constructed to resist, insofar as practical, the forces generated by earthquakes, gravity and winds. (Health and Safety Code Section 129680)

When the Hospital Act was passed in 1973, the State anticipated that, based on the regular and timely replacement of aging hospital facilities, the majority of hospital buildings would be in compliance with the Act’s standards within 25 years. However, hospital buildings were not, and are not, being replaced at that anticipated rate. In fact, the great majority of the State’s urgent care facilities are now more than 40 years old.

The moderate Magnitude 6.7 Northridge Earthquake in 1994 caused \$3 billion in hospital-related damage and evacuations. Twelve hospital buildings constructed before

City of Mission Viejo

Natural Hazards Mitigation Plan - Earthquake

the Act were cited (red tagged) as unsafe for occupancy after the earthquake. Those hospitals that had been built in accordance with the 1973 Hospital Act were very successful in resisting structural damage. However, nonstructural damage (for example, plumbing and ceiling systems) was still extensive in those post-1973 buildings.

Senate Bill 1953 (“SB 1953”), enacted in 1994 after the Northridge Earthquake, expanded the scope of the 1973 Hospital Act. Under SB 1953, all hospitals are required, as of January 1, 2008, to survive earthquakes without collapsing or posing the threat of significant loss of life.

The 1994 Act further mandates that all existing hospitals be seismically evaluated, and retrofitted, if needed, by 2030, so that they are in substantial compliance with the Act (which requires that the hospital buildings be reasonably capable of providing services to the public after disasters). SB 1953 applies to all urgent care facilities (including those built prior to the 1973 Hospital Act) and affects approximately 2,500 buildings on 475 campuses.

SB 1953 directed the Office of Statewide Health Planning and Development (“OSHPD”), in consultation with the Hospital Building Safety Board, to develop emergency regulations including “...earthquake performance categories with subgradations for risk to life, structural soundness, building contents, and nonstructural systems that are critical to providing basic services to hospital inpatients and the public after a disaster.” (Health and Safety Code Section 130005)

It is the City’s intent to partner with Mission Hospital to seek out financial assistance opportunities, such as FEMA and State OES grant programs, in order to comply with the mandates of SB 1953.

The Seismic Safety Commission Evaluation of the State’s Hospital Seismic Safety Policies:

In 2001, recognizing the continuing need to assess the adequacy of policies, and the application of advances in technical knowledge and understanding, the California Seismic Safety Commission created an Ad Hoc Committee to re-examine the compliance with the Alquist Hospital Seismic Safety Act. The formation of the Committee was also prompted by the recent evaluations of hospital buildings reported to OSHPD that revealed that a large percentage (40%) of California’s operating hospitals are in the highest category of collapse risk.”

California Earthquake Mitigation Legislation

California is painfully aware of the threats it faces from earthquakes. Dating back to the 19th century, Californians have been killed, injured, and lost property as a result of earthquakes. As the State’s population continues to grow, and urban areas become even more densely built up, the risk will continue to increase. For decades the Legislature has passed laws to strengthen the built environment and protect the citizens. Table 6-2 provides a sampling of some of the 200 plus laws in the State’s codes.

Table 6-2: Partial List of the Over 200 California Laws on Earthquake Safety

Government Code Section 8870-8870.95	Creates Seismic Safety Commission.
Government Code Section 8876.1-8876.10	Established the California Center for Earthquake Engineering Research.
Public Resources Code Section 2800-2804.6	Authorized a prototype earthquake prediction system along the central San Andreas fault near the City of Parkfield.
Public Resources Code Section 2810-2815	Continued the Southern California Earthquake Preparedness Project and the Bay Area Regional Earthquake Preparedness Project.
Health and Safety Code Section 16100-16110	The Seismic Safety Commission and State Architect, will develop a state policy on acceptable levels of earthquake risk for new and existing state-owned buildings.
Government Code Section 8871-8871.5	Established the California Earthquake Hazards Reduction Act of 1986.
Health and Safety Code Section 130000-130025	Defined earthquake performance standards for hospitals.
Public Resources Code Section 2805-2808	Established the California Earthquake Education Project.
Government Code Section 8899.10-8899.16	Established the Earthquake Research Evaluation Conference.
Public Resources Code Section 2621-2630 2621.	Established the Alquist-Priolo Earthquake Fault Zoning Act.
Government Code Section 8878.50-8878.52 8878.50.	Created the Earthquake Safety and Public Buildings Rehabilitation Bond Act of 1990.
Education Code Section 35295-35297 35295.	Established emergency procedure systems in kindergarten through grade 12 in all the public or private schools.
Health and Safety Code Section 19160-19169	Established standards for seismic retrofitting of unreinforced masonry buildings.
Health and Safety Code Section 1596.80-1596.879	Required all child day care facilities to include an Earthquake Preparedness Checklist as an attachment to their disaster plan.

Earthquake Education:

Earthquake research and education activities are conducted at several major universities in the Southern California region, including Cal Tech, USC, UCLA, UCSB, UCI, and UCSB. The local clearinghouse for earthquake information is the Southern California Earthquake Center located at the University of Southern California, Los Angeles, CA 90089, Telephone: (213) 740-5843, Fax: (213) 740-0011, Email: SCEinfo@usc.edu, Website: <http://www.scec.org>. The Southern California Earthquake Center (SCEC) is a community of scientists and specialists who actively coordinate research on earthquake hazards at nine core institutions, and communicate earthquake information to the public.

SCEC is a National Science Foundation (NSF) Science and Technology Center and is co-funded by the United States Geological Survey (USGS).

In addition, Los Angeles County along with other Southern California counties, sponsors the Emergency Survival Program (ESP), an educational program for learning how to prepare for earthquakes and other disasters. Many school districts have very active emergency preparedness programs that include earthquake drills and periodic disaster response team exercises.

Earthquake Mitigation Action Items

The Earthquake mitigation action items provide guidance on suggesting specific activities that agencies, organizations, and residents in the City of Mission Viejo can undertake to reduce risk and prevent loss from earthquake events. Each action item is followed by ideas for implementation, which can be used by the steering committee and local decision makers in pursuing strategies for implementation.

Action items were selected by the Natural Hazards Mitigation Committee as they were deemed the most feasible after consideration of a range of factors such as costs, benefits, expected degree of public support, local capabilities, and potential environmental impacts.

Short Term -Earthquake # 1:

Integrate new earthquake hazard mapping data for the City of Mission Viejo and improve technical analysis of earthquake hazards.

Ideas for Implementation:

- ✓ Update the City of Mission Viejo earthquake HAZUS data using more localized data including the building inventory to improve accuracy of the vulnerability assessment for the City of Mission Viejo.
- ✓ Conduct risk analysis incorporating HAZUS data and hazard maps using GIS technology to identify risk sites and further assist in prioritizing mitigation activities and assessing the adequacy of current land use requirements.

Coordinating Organization:	The City of Mission Viejo Geographic Information Systems
Timeline:	2 years
Plan Goals Addressed:	Partnerships and Implementation , Protect Life and Property
Constraints:	Pending Funding and Available Personnel

Short Term -Earthquake # 2:

Incorporate the Regional Earthquake Transportation Evacuation Routes developed by the Regional Emergency Managers Group into appropriate planning documents.

Ideas for Implementation:

- ✓ Update the transportation routes map in the City of Mission Viejo Natural Hazard Mitigation Plan with the evacuation routes data.
- ✓ Integrate the evacuation routes data into the City of Mission Viejo Emergency Operations Plan.

Coordinating Organization:	The City of Mission Viejo Emergency Management Planning Committee
Timeline:	2 years
Plan Goals Addressed:	Emergency Services
Constraints:	Pending Funding and Available Personnel

Long Term -Earthquake # 1:

Identify funding sources for structural and nonstructural retrofitting of structures that are identified as seismically vulnerable.

Ideas for Implementation:

- ✓ Provide information for property owners, small businesses, and organizations on sources of funds (loans, grants, etc.).
- ✓ Explore options for including seismic retrofitting in existing programs such as low-income housing, insurance reimbursements, and pre and post disaster repairs.
- ✓ Partner with Mission Hospital and other agencies, to receive funding assistance for the implementation of seismic retrofitting mandates (CA SB 1953).

Coordinating Organization: Hazard Mitigation Advisory Committee
Timeline: Ongoing
Plan Goals Addressed: Partnerships and Implementation , Public Awareness
Constraints: Pending Funding and Available Personnel

Long Term -Earthquake # 2:

Encourage purchase of earthquake hazard insurance.

Ideas for Implementation:

- ✓ Provide earthquake insurance information to the City of Mission Viejo residents.
- ✓ Coordinate with insurance companies to produce and distribute earthquake insurance information.

Coordinating Organization: Hazard Mitigation Advisory Committee
Timeline: Ongoing
Plan Goals Addressed: Protect Life and Property, Public Awareness
Constraints: Pending Funding and Available Personnel

Long Term -Earthquake # 3:

Encourage seismic strength evaluations of critical facilities in the City of Mission Viejo to identify vulnerabilities for mitigation of schools, public infrastructure, and critical facilities to meet current seismic standards.

Ideas for Implementation:

- ✓ Develop an inventory of critical facilities, including schools, that do not meet current seismic standards.
- ✓ Encourage owners of non-retrofitted structures to upgrade them to meet seismic standards.
- ✓ Encourage water providers to replace old cast iron pipes with more ductile iron, and identify partnership opportunities with other agencies for pipe replacement.

Coordinating Organization:

Hazard Mitigation Advisory Committee

Timeline:

5 years

Plan Goals Addressed:

Protect Life and Property, Emergency Services

Constraints:

Pending Funding and Available Personnel

Long Term -Earthquake # 4:

Encourage reduction of nonstructural and structural earthquake hazards in homes, schools, businesses, and government offices.

Ideas for Implementation:

- ✓ Provide information to government building and school facility managers and teachers on securing bookcases, filing cabinets, light fixtures, and other objects that can cause injuries and block exits.
- ✓ Encourage facility managers, business owners, and teachers to refer to FEMA's practical guidebook: "Reducing the Risks Nonstructural Earthquake Damage".
- ✓ Encourage homeowners and renters to use "Is Your Home Protected from Earthquake Disaster? A Homeowner's Guide to Earthquake Retrofit" (IBHS) for economic and efficient mitigation techniques.
- ✓ Explore partnerships to provide retrofitting classes for homeowners, renters, building professionals, and contractors.
- ✓ Target development located in potential fault zones or in unstable soils for intensive education and retrofitting resources.

Coordinating Organization:

Hazard Mitigation Advisory Committee

Timeline:

Ongoing

Plan Goals Addressed:

Protect Life and Property, Public Awareness

Constraints:

Pending Funding and Available Personnel

Earthquake Resource Directory

Local and Regional Resources

Southern California Earthquake Center (SCEC)

Level: Hazard: Earthquake www.scec.org

Regional

3651 Trousdale Parkway Suite 169

Los Angeles, CA 90089-0742 Ph: 213-740-5843 Fx: 213/740-0011

Notes: The Southern California Earthquake Center (SCEC) gathers new information about earthquakes in Southern California, integrates this information into a comprehensive and predictive understanding of earthquake phenomena, and communicates this understanding to end-users and the general public in order to increase earthquake awareness, reduce economic losses, and save lives.

State Resources

California Department of Transportation (CalTrans)

Level: State Hazard: Multi <http://www.dot.ca.gov/>

120 S. Spring Street

Los Angeles, CA 90012

Ph: 213-897-3656

Fx:

Notes: CalTrans is responsible for the design, construction, maintenance, and operation of the California State Highway System, as well as that portion of the Interstate Highway System within the state's boundaries. Alone and in partnership with Amtrak, CalTrans is also involved in the support of intercity passenger rail service in California.

California Resources Agency

Level: State Hazard: Multi <http://resources.ca.gov/>

1416 Ninth Street

Suite 1311

Sacramento, CA 95814

Ph: 916-653-5656

Fx:

Notes: The California Resources Agency restores, protects and manages the state's natural, historical and cultural resources for current and future generations using solutions based on science, collaboration and respect for all the communities and interests involved.

California Division of Mines and Geology (DMG)

Level: State Hazard: Multi www.consrv.ca.gov/cgs/index.htm

801 K Street

MS 12-30

Sacramento, CA 95814

Ph: 916-445-1825

Fx: 916-445-5718

Notes: The California Geological Survey develops and disseminates technical information and advice on California's geology, geologic hazards, and mineral resources.

California Department of Conservation: Southern California Regional Office

Level: State Hazard: Multi www.consrv.ca.gov

655 S. Hope Street

#700

Los Angeles, CA 90017-2321

Ph: 213-239-0878

Fx: 213-239-0984

Notes: The Department of Conservation provides services and information that promote environmental health, economic vitality, informed land-use decisions and sound management of our state's natural resources.

California Planning Information Network

Level: State Hazard: Multi www.calpin.ca.gov

Notes: The Governor's Office of Planning and Research (OPR) publishes basic information on local planning agencies, known as the California Planners' Book of Lists. This local planning information is available on-line with new search capabilities and up-to-the-minute updates.

Governor's Office of Emergency Services (OES)

Level: State Hazard: Multi www.oes.ca.gov

P.O. Box 419047

Rancho Cordova, CA 95741-9047 Ph: 916 845- 8911 Fx: 916 845- 8910

Notes: The Governor's Office of Emergency Services coordinates overall state agency response to major disasters in support of local government. The office is responsible for assuring the state's readiness to respond to and recover from natural, manmade, and war-caused emergencies, and for assisting local governments in their emergency preparedness, response and recovery efforts.

Federal and National Resources

Building Seismic Safety Council (BSSC)

Level: Hazard: Earthquake www.bssconline.org

National

1090 Vermont Ave., NW

Suite 700

Washington, DC 20005

Ph: 202-289-7800

Fx: 202-289-109

Notes: The Building Seismic Safety Council (BSSC) develops and promotes building earthquake risk mitigation regulatory provisions for the nation.

Federal Emergency Management Agency, Region IX

Level: Hazard: Multi www.fema.gov

Federal

1111 Broadway

Suite 1200

Oakland, CA 94607

Ph: 510-627-7100

Fx: 510-627-7112

Notes: The Federal Emergency Management Agency is tasked with responding to, planning for, recovering from and mitigating against disasters.

Federal Emergency Management Agency, Mitigation Division

Level: Hazard: Multi www.fema.gov/fima/planhowto.shtm

Federal

500 C Street, S.W.

Washington, D.C. 20472

Ph: 202-566-1600

Fx:

Notes: The Mitigation Division manages the National Flood Insurance Program and oversees FEMA's mitigation programs. It has a number of programs and activities which provide citizens Protection, with flood insurance; Prevention, with mitigation measures and Partnerships, with communities throughout the country.

United States Geological Survey

Level: Hazard: Multi <http://www.usgs.gov/>

Federal

345 Middlefield Road

Menlo Park, CA 94025

Ph: 650-853-8300

Fx:

Notes: The USGS provides reliable scientific information to describe and understand the Earth; minimize loss of life and property from natural disasters; manage water, biological, energy, and mineral resources; and enhance and protect our quality of life.

Western States Seismic Policy Council (WSSPC)

Level: Hazard: Earthquake www.wsspc.org/home.html

Regional

125 California Avenue

Suite D201, #1

Palo Alto, CA 94306

Ph: 650-330-1101

Fx: 650-326-1769

Notes: WSSPC is a regional earthquake consortium funded mainly by FEMA. Its website is a great resource, with information clearly categorized - from policy to engineering to education.

Institute for Business & Home Safety

Level: Hazard: Multi <http://www.ibhs.org/>

National

4775 E. Fowler Avenue

Tampa, FL 33617

Ph: 813-286-3400

Fx: 813-286-9960

The Institute for Business & Home Safety (IBHS) is a nonprofit association that engages in communication, education, engineering and research. The Institute works to reduce deaths, injuries, property damage, economic losses and human suffering caused by natural disasters.

Publications:

“Land Use Planning for Earthquake Hazard Mitigation: Handbook for Planners”
Wolfe, Myer R. et. al., (1986) University of Colorado, Institute of Behavioral Science,
National Science Foundation.

This handbook provides techniques that planners and others can utilize to help mitigate for seismic hazards, It provides information on the effects of earthquakes, sources on risk assessment, and effects of earthquakes on the built environment. The handbook also gives examples on application and implementation of planning techniques to be used by local communities.

Contact: Natural Hazards Research and Applications Information Center

Address: University of Colorado, 482 UCB,

Boulder, CO 80309-0482

Phone: (303) 492-6818

Fax: (303) 492-2151

Website: <http://www.colorado.edu/UCB/Research/IBS/hazards>

“Public Assistance Debris Management Guide”, FEMA (July 2000).

The Debris Management Guide was developed to assist local officials in planning, mobilizing, organizing, and controlling large-scale debris clearance, removal, and disposal operations, Debris management is generally associated with post-disaster recovery. While it should be compliant with local and county emergency operations plans, developing strategies to ensure strong debris management is a way to integrate debris management within mitigation activities. The “Public Assistance Debris Management Guide” is available in hard copy or on the FEMA website.

SECTION 7: - FLOOD -

Table of Contents

WHY ARE FLOODS A THREAT TO THE CITY OF MISSION VIEJO?	7-2
History of Flooding in the City of Mission Viejo	7-2
What Factors Create Flood Risk.....	7-4
Flood Terminology	7-6
Characteristics of Flooding.....	7-6
What Is the Effect of Development on Floods?.....	7-9
How Are Flood-Prone Areas Identified?	7-9
HAZARD ASSESSMENT	7-11
Hazard Identification	7-11
Vulnerability Assessment	7-12
COMMUNITY FLOOD ISSUES	7-12
Risk Analysis	7-12
Community Issues Summary	7-16
FLOOD MITIGATION ACTION ITEMS	7-17
FLOOD RESOURCE DIRECTORY	7-22
County Resources	7-22
State Resources	7-22
Federal Resources and Programs	7-23
Publications	7-27

Why are Floods a Threat to the City of Mission Viejo?

The unpredictable seasonal range in rainfall that is typical of coastal Southern California, coupled with geographic and geologic conditions, makes Orange County and Mission Viejo vulnerable to flooding, erosion, and mudflows during the winter storm season. Flood disaster in recent years, such as 1969, 1978, 1980, 1983, 1992, 1995, and 1998 have caused an increase in awareness of the potential for public and private losses, particularly in the highly urbanized parts of floodplains and alluvial fans. In population growth, Orange County is one of the top 10 counties in California, with an expected increase of about 16 percent in the next 10 years. This will result in an increase in new development and thus impervious surfaces such as asphalt. Water that used to be absorbed into the ground will become runoff to downstream areas, which can affect Mission Viejo. To date, this has not been an issue in the City, but unless strict guidelines are in place, it could become one in the future, as a result of pressure to site new development in flood prone areas.

Flooding poses a threat to life and safety, and can cause severe damage to public and private property.

Areas that are subject to flooding in Mission Viejo are identified based on the Flood Insurance Rate Maps for the area. These areas include Arroyo Trabuco and Tijeras Canyon in the eastern portion of the City, Oso Creek in the central, Aliso Creek along the northwest boundary, and the area along the Orange County Transportation Authority (OCTA) and Metro Link Railroad Line from Alicia Parkway south of the Oso Parkway/Interstate 5 interchange. Floods along any of these major creeks are possible. Although considerable development has occurred near the City's creeks over the years, most of the creeks have not been channelized with hard concrete sides or bottoms, which are designed to reduce the risk of flooding. Per the City's General Plan, channelizing is not adequate to mitigate a 100-year flood.

History of Flooding in the City of Mission Viejo:

Storm events are likely to generate debris flows in the upper reaches of the watershed. Debris laden water may move at relatively slow speeds of 3 to 5 miles per hour, but it can cause much damage along its way. Debris flows often occur in areas recently burned by wildfires, where vegetation has not yet formed a protective ground cover that helps keep the soil in place. Furthermore, the oils in the plants native to Southern California, when burned, react with the soils, making them water repellent. As a result, less rainwater than usual infiltrates the ground, and instead makes its way downslope as runoff, carrying ashes and other burned debris with it.

What Factors Create Flood Risk?

Flooding:

Occurs when climate, geology, and hydrology combine to create conditions where water flows outside of its usual course. In the City of Mission Viejo, geography and climate may combine to create seasonal flooding conditions.

Winter Rainfall:

Over the last 125 years, the average annual rainfall in Orange is 14.9 inches. But the term “average” means very little as the annual rainfall during this time period has ranged from only 4.35 inches in 2001-2002 to 38.2 inches in 1883-1884. In fact, in only fifteen of the past 125 years, has the annual rainfall been within plus or minus 10% of the 14.9 inch average. And in only 38 years has the annual rainfall been within plus or minus 20% of the 14.9 inch average. This makes the Orange basin a land of extremes in terms of annual precipitation.

Monsoons:

Another relatively regular source for heavy rainfall, particularly in the mountains and adjoining cities is from summer tropical storms. Table 7-2 lists tropical storms that have had significant rainfall in the past century, and the general areas affected by these storms. These tropical storms usually coincide with El Niño years.

Table 7-2: Tropical Storms/Cyclones That Have Affected Southern California During the 20th Century

Month-Year	Date(s)	Area(s) Affected	Rainfall
July 1902	20th & 21st	Deserts & Southern Mountains	up to 2"
Aug. 1906	18th & 19th	Deserts & Southern Mountains	up to 5"
Sept. 1910	15th	Mountains of Santa Barbara County	2"
Aug. 1921	20th & 21st	Deserts & Southern Mountains	up to 2"
Sept. 1921	30th	Deserts	up to 4"
Sept. 1929	18th	Southern Mountains & Deserts	up to 4"
Sept. 1932	28th - Oct 1st	Mountains & Deserts, 15 Fatalities	up to 7"
Aug. 1935	25th	Southern Valleys, Mountains & Deserts	up to 2"
Sept. 1939	4th - 7th	Southern Mountains, Southern & Eastern Deserts	up to 7"
	11th & 12th	Deserts, Central & Southern Mountains	up to 4"

City of Mission Viejo

Natural Hazards Mitigation Plan - Flood

	19th - 21st	Deserts, Central & Southern Mountains	up to 3"
	25th	Long Beach, W/ Sustained Winds of 50 Mph	5"
		Surrounding Mountains	6 to 12"
Sept. 1945	9th & 10th	Central & Southern Mountains	up to 2"
Sept. 1946	30th - Oct 1st	Southern Mountains	up to 4"
Aug. 1951	27th - 29th	Southern Mountains & Deserts	2 to 5"
Sept. 1952	19th - 21st	Central & Southern Mountains	up to 2"
July 1954	17th - 19th	Deserts & Southern Mountains	up to 2"
July 1958	28th & 29th	Deserts & Southern Mountains	up to 2"
Sept. 1960	9th & 10th	Julian	3.40"
Sept. 1963	17th - 19th	Central & Southern Mountains	up to 7"
Sept. 1967	1st - 3rd	Southern Mountains & Deserts	2"
Oct. 1972	6th	Southeast Deserts	up to 2"
Sept. 1976	10th & 11th	Central & Southern Mountains. Ocotillo, CA was Destroyed 3 Fatalities	6 to 12"
Aug. 1977	n/a	Los Angeles	2"
		Mountains	up to 8"
Oct. 1977	6th & 7th	Southern Mountains & Deserts	up to 2
Sept. 1978	5th & 6th	Mountains	3"
Sept. 1982	24th - 26th	Mountains	up to 4"
Sept. 1983	20th & 21st	Southern Mountains & Deserts	up to 3"
http://www.fema.gov/nwz97/el_nscal.shtm			

Geography and Geology:

The Mission Viejo area is the product of rainstorms and erosion for millennia. Most of the mountains that ring the valleys and coastal plain are deeply fractured faults and, as they (the mountains) grew taller, their brittle slopes were continually eroded. Rivers and streams carried boulders, rocks, gravel, sand, and silt down these slopes to the valleys and coastal plain. In places these sediments are as much as twenty thousand feet thick.

Much of the coastal plain rests on the ancient rock debris and sediment washed down from the mountains. This sediment can act as a sponge, absorbing vast quantities of rain in those years when heavy rains follow a dry period. But like a sponge that is near saturation, the same soil fills up rapidly when a heavy rain follows a period of relatively wet weather.

So even in some years of heavy rain, flooding is minimal because the ground is relatively dry. The same amount of rain following a wet period of time can cause extensive flooding.

Development in Mission Viejo has reduced the amount of open land left to absorb rainfall. This lack of open ground forces water to remain on the surface and rapidly accumulate. If it were not for the massive flood control system with its concrete lined river and stream beds, flooding would be a much more common occurrence.

And the tendency is towards even less and less open land. In-fill building is becoming a much more common practice in many areas. Developers tear down an older home which typically covers up to 40% of the lot size and replacing it with three or four town homes or apartments which may cover 90-95% of the lot.

Another potential source of flooding is “asphalt creep.” The street space between the curbs of a street is a part of the flood control system. Water leaves property and accumulates in the streets, where it is directed towards the underground portion of the flood control system. The carrying capacity of the street is determined by the width of the street and the height of the curbs along the street. Often, when streets are being resurfaced, a one to two inch layer of asphalt is laid down over the existing asphalt. This added layer of asphalt subtracts from the rated capacity of the street to carry water. Thus the original engineered capacity of the entire storm drain system is marginally reduced over time. Subsequent re-paving of the street will further reduce the engineered capacity even more.

Flood Terminology

Floodplain:

A floodplain is a land area adjacent to a river, stream, lake, estuary, or other water body that is subject to flooding. This area, if left undisturbed, acts to store excess flood water. The floodplain is made up of two sections: the floodway and the flood fringe.

100-Year Flood:

The 100-year flooding event is the flood having a one percent chance of being equaled or exceeded in magnitude in any given year. Contrary to popular belief, it is not a flood occurring once every 100 years. The 100-year floodplain is the area adjoining a river, stream, or watercourse covered by water in the event of a 100-year flood.

Floodway:

The floodway is one of two main sections that make up the floodplain. Floodways are defined for regulatory purposes. Unlike floodplains, floodways do not reflect a recognizable geologic feature. For NFIP purposes, floodways are defined as the channel of a river or stream, and the overbank areas adjacent to the channel.

The floodway carries the bulk of the flood water downstream and is usually the area where water velocities and forces are the greatest. NFIP regulations require that the

floodway be kept open and free from development or other structures that would obstruct or divert flood flows onto other properties.

The City of Mission Viejo regulations prohibit all development in the floodway. The NFIP floodway definition is "the channel of a river or other watercourse and adjacent land areas that must be reserved in order to discharge the base flood without cumulatively increasing the water surface elevation more than one foot.

Floodways are not mapped for all rivers and streams but are generally mapped in developed areas.

Flood Fringe:

The flood fringe refers to the outer portions of the floodplain, beginning at the edge of the floodway and continuing outward. Generally, the flood fringe is defined as "the land area, which is outside of the stream flood way, but is subject to periodic inundation by regular flooding." This is the area where development is most likely to occur, and where precautions to protect life and property need to be taken.

Development:

For floodplain ordinance purposes, development is broadly defined by the City of Mission Viejo Municipal Code to mean "*any manmade change to improved, including but not limited to buildings or other structures, mining, dredging, filling, grading, paving, excavation, or drilling operations.*" The definition of development for floodplain purposes is generally broader and includes more activities than the definition of development used in other sections of local land use ordinances.

Base Flood Elevation (BFE):

The term "Base Flood Elevation" refers to the elevation (normally measured in feet above sea level) that the base flood is expected to reach. Base flood elevations can be set at levels other than the 100-year flood. Some communities choose to use higher frequency flood events as their base flood elevation for certain activities, while using lower frequency events for others. For example, for the purpose of storm water management, a 25-year flood event might serve as the base flood elevation; while the 500-year flood event may serve as base flood elevation for the tie down of mobile homes. The regulations of the NFIP focus on development in the 100-year floodplain.

Characteristics of Flooding:

Two types of flooding primarily affect the City of Mission Viejo: riverine flooding and urban flooding (see descriptions below). In addition, any low-lying area has the potential to flood. The flooding of developed areas may occur when the amount of water generated from rainfall and runoff exceeds a storm water system's capability to remove it.

Riverine Flooding:

Riverine flooding is the overbank flooding of rivers and streams. The natural processes of riverine flooding add sediment and nutrients to fertile floodplain areas.

Flooding in large river systems typically results from large-scale weather systems that generate prolonged rainfall over a wide geographic area, causing flooding in hundreds of smaller streams, which then drain into the major rivers.

Shallow area flooding is a special type of riverine flooding. FEMA defines shallow flood hazards as areas that are inundated by the 100-year flood with flood depths of only one to three feet. These areas are generally flooded by low velocity sheet flows of water.

Urban Flooding:

As land is converted from fields or woodlands to roads and parking lots, it loses its ability to absorb rainfall. Urbanization of a watershed changes the hydrologic systems of the basin. Heavy rainfall collects and flows faster on impervious concrete and asphalt surfaces. The water moves from the clouds, to the ground, and into streams at a much faster rate in urban areas. Adding these elements to the hydrological systems can result in flood waters that rise very rapidly and peak with violent force.

Over 40 percent of the area in the City of Mission Viejo has a high concentration of impermeable surfaces that either collect water, or concentrate the flow of water in unnatural channels. During periods of urban flooding, streets can become swift moving rivers and basements can fill with water. Storm drains often back up with vegetative debris causing additional, localized flooding.

Dam Failure Flooding:

Loss of life and damage to structures, roads, and utilities may result from a dam failure. Economic losses can also result from a lowered tax base and lack of utility profits. These effects would certainly accompany the failure of one of the major water retention structures in the City of Mission Viejo. There is one dam in Mission Viejo. There are two reservoir structures in the City. The El Toro Reservoir's capacity is approximately 233 million gallons and the Oso Reservoir is a 1.3 billion gallon facility. Because dam failure can have severe consequences, FEMA requires that all dam owners develop Emergency Action Plans (EAP) for warning, evacuation, and post-flood actions.

Although there may be coordination with county officials in the development of the EAP, the responsibility for developing potential flood inundation maps and facilitation of emergency response is the responsibility of the dam owner.

There have been a total of 45 dam failures in California, since the 19th century. The significant dam failures in Southern California are listed in Table 7-3.

Table 7-3: Dam Failures in Southern California

Dam Failures in Southern California			
Sheffield	Santa Barbara	1925	Earthquake slide
Puddings tone	Pomona	1926	Overtopping during construction
Lake Hemet	Palm Springs	1927	Overtopping
Saint Francis	San Francisquito Canyon	1928	Sudden failure at full capacity through foundation, 426 deaths
Cogswell	Monrovia	1934	Breaching of concrete cover
Baldwin Hills	Los Angeles	1963	Leak through embankment turned into washout, 3 deaths

The two most significant dam failures are the St. Francis Dam in 1928 and the Baldwin Hills Dam in 1963.

The dam that might impact the City of Mission Viejo in the event of a dam failure is the Lake Mission Viejo Dam. This dam is located on Alicia Parkway in the City of Mission Viejo and might result in loss of life, damage to property and other ensuing hazards, as well as the displacement of persons residing in the inundation path. The inundation studies for the Lake Mission Viejo Dam, the Upper Oso Reservoir, and the El Toro Reservoir are based on the worst-case scenarios. The City’s Emergency Operation Plan includes inundation areas and general evacuation routes for these three facilities. Updated inundation studies should be completed by the water districts that manage the facilities and this information should be incorporated into the City’s emergency plans.

Debris Flows:

Another flood related hazard that can affect certain parts of the Southern California region are debris flows. Most typically debris flows occur in mountain canyons and the foothills. However, any hilly or mountainous area with intense rainfall and the proper geologic conditions may experience one of these very sudden and devastating events.

Debris flows, sometimes referred to as mudslides, mudflows, lahars, or debris avalanches, are common types of fast-moving landslides. These flows generally occur during periods of intense rainfall or rapid snow melt. They usually start on steep hillsides as shallow landslides that liquefy and accelerate to speeds that are typically about 10 miles per hour, but can exceed 35 miles per hour. The consistency of debris flows ranges from watery mud to thick, rocky mud that can carry large items such as boulders, trees, and cars. Debris flows from many different sources can combine in channels, and their destructive power may be greatly

increased. They continue flowing down hills and through channels, growing in volume with the addition of water, sand, mud, boulders, trees, and other materials.

When the flows reach flatter ground, the debris spreads over a broad area, sometimes accumulating in thick deposits that can wreak havoc in developed areas.

Coastal Flooding:

Low lying coastal communities of Southern California have one other source of flooding, coastal flooding. This occurs most often during storms which bring higher than normal tides. Storms, the time of year and the tidal cycle can sometimes work to bring much higher than normal tides which cause flooding in low lying coastal areas. This hazard however is limited to those areas.

The Effect of Development on Floods:

When structures or fill are placed in the floodway or floodplain, water is displaced. Development raises the river levels by forcing the river to compensate for the flow space obstructed by the inserted structures and/or fill. When structures or materials are added to the floodway or floodplain and no fill is removed to compensate, serious problems can arise. Flood waters may be forced away from historic floodplain areas.

As a result, other existing floodplain areas may experience flood waters that rise above historic levels. *Local governments must require engineer certification to ensure that proposed developments will not adversely affect the flood carrying capacity of the Special Flood Hazard Area (SFHA).* Displacement of only a few inches of water can mean the difference between no structural damage occurring in a given flood event, and the inundation of many homes, businesses, and other facilities. Careful attention should be given to development that occurs within the floodway to ensure that structures are prepared to withstand base flood events.

In highly urbanized areas, increased paving can lead to an increase in volume and velocity of runoff after a rainfall event, exacerbating the potential flood hazards. Care should be taken in the development and implementation of storm water management systems to ensure that these runoff waters are dealt with effectively.

How Flood-Prone Areas Are Identified:

Flood maps and Flood Insurance Studies (FIS) are often used to identify flood-prone areas. The NFIP was established in 1968 as a means of providing low-cost flood insurance to the nation's flood-prone communities. The NFIP also reduces flood losses through regulations that focus on building codes and sound floodplain management. The City incorporated in March 1988, and the NFIP and related building code regulations were in effect prior to this date. NFIP regulations (44 Code of Federal Regulations

(CFR) Chapter 1, Section 60, 3) require that all new construction in floodplains must be elevated at or above base flood level.

How Building Codes Address Building In Identified Flood Prone Areas:

Flood Insurance Rate Maps (FIRM) and Flood Insurance Studies (FIS) Floodplain maps are the basis for implementing floodplain regulations and for delineating flood insurance purchase requirements. A Flood Insurance Rate Map (FIRM) is the official map produced by FEMA which delineates SFHA in communities where NFIP regulations apply. FIRMs are also used by insurance agents and mortgage lenders to determine if flood insurance is required and what insurance rates should apply.

Water surface elevations are combined with topographic data to develop FIRMs. FIRMs illustrate areas that would be inundated during a 100-year flood, floodway areas, and elevations marking the 100-year-flood level. In some cases they also include base flood elevations (BFEs) and areas located within the 500-year floodplain. Flood Insurance

Studies and FIRMs produced for the NFIP provide assessments of the probability of flooding at a given location. FEMA conducted many Flood Insurance Studies in the late 1970s and early 1980s. These studies and maps represent flood risk at the point in time when FEMA completed the studies. However, it is important to note that not all 100-year or 500-year floodplains have been mapped by FEMA.

FEMA flood maps are not entirely accurate. These studies and maps represent flood risk at the point in time when FEMA completed the studies, and does not incorporate planning for floodplain changes in the future due to new development. Although FEMA is considering changing that policy, it is optional for local communities.

Flood Mapping Methods and Techniques:

Although many communities rely exclusively on FIRMs to characterize the risk of flooding in their area, there are some flood-prone areas that are not mapped but remain susceptible to flooding. These areas include locations next to small creeks, local drainage areas, and areas susceptible to manmade flooding.

In order to address this lack of data, the City of Mission Viejo, as well as other jurisdictions, has taken efforts to develop more localized flood hazard maps. One method that has been employed includes using highwater marks from flood events or aerial photos, in conjunction with the FEMA maps, to better reflect the true flood risk. The use of GIS (Geographic Information System) is becoming an important tool for flood hazard mapping. FIRM maps can be imported directly into GIS, which allows for GIS analysis of flood hazard areas.

Communities find it particularly useful to overlay flood hazard areas on tax assessment parcel maps. This allows a community to evaluate the flood hazard risk for a specific parcel during review of a development request. Coordination between FEMA and local planning jurisdictions is the key to making a strong connection with GIS technology for

the purpose of flood hazard mapping.

FEMA and the Environmental Systems Research Institute (ESRI), a private company, have formed a partnership to provide multi-hazard maps and information to the public via the Internet. ESRI produces GIS software, including ArcViewC9 and ArcInfoC9 . The ESRI web site has information on GIS technology and downloadable maps. The hazards maps provided on the ESRI site are intended to assist communities in evaluating geographic information about natural hazards. Flood information for most communities is available on the ESRI web site. Visit www.esri.com for more information.

Hazard Assessment

Hazard Identification:

Hazard identification is the first phase of flood-hazard assessment. Identification is the process of estimating: (1) the geographic extent of the floodplain (i.e., the area at risk from flooding); (2) the intensity of the flooding that can be expected in specific areas of the floodplain; and (3) the probability of occurrence of flood events. This process usually results in the creation of a floodplain map. Floodplain maps provide detailed information that can assist jurisdictions in making policies and land-use decisions.

How Flood Hazard Maps for the City of Mission Viejo Were Developed:

Data Sources:

FEMA mapped the 100 -year and 500-year floodplains through the Flood Insurance Study (FIS) in conjunction with the United States Army Corps of Engineers (USACE) in August of 1987. There were previous studies done, including a Housing and Urban Development (HUD) study, which mapped the floodplain in March of 1978. This is when the City of Mission Viejo initially entered into the NFIP. The county has updated portions of the USACE and FEMA maps through smaller drainage studies in the county since that time.

Vulnerability Assessment:

Vulnerability assessment is the second step of flood-hazard assessment. It combines the floodplain boundary, generated through hazard identification, with an inventory of the property within the floodplain. Understanding the population and property exposed to natural hazards will assist in reducing risk and preventing loss from future events. Because site-specific inventory data and inundation levels given for a particular flood event (10-year, 25-year, 50-year, 100-year, 500-year) are not readily available, calculating a community's vulnerability to flood events is not straightforward. The amount of property in the floodplain, as well as the type and value of structures on those properties, should be calculated to provide a working estimate for potential flood losses.

Community Flood Issues:

What is Susceptible to Damage During a Flood Event?

The largest impact on communities from flood events is the loss of life and property. During certain years, property losses resulting from flood damage are extensive. Development in the floodplains of the City of Mission Viejo will continue to be at risk from flooding because flood damage occurs on a regular basis throughout the county. Property loss from floods strikes both private and public property.

There have been no major floods in Mission Viejo since incorporation of the City in 1988. However, the City has experienced localized damage to portions of the Oso Creek as recently as the 2005 winter storms. Several areas along the Oso Creek were eroded and threatened to undermine the Oso Creek Trail (See Maps Section). Repeat damage to these areas is likely to occur during events exceeding 50-year floods.

The City has no residential or commercial buildings in the FEMA 100-year flood zone. Damage during large rain events would most likely be isolated to trails located near the channel embankments or structures, such as culverts and other drainage facilities within City waterways.

Property Loss Resulting from Flooding Events:

The type of property damage caused by flood events depends on the depth and velocity of the flood waters. Faster moving flood waters can wash buildings off their foundations and sweep cars downstream. Pipelines, bridges, and other infrastructure can be damaged when high waters combine with flood debris. Extensive damage can be caused by basement flooding and landslide damage related to soil saturation from flood events. Most flood damage is caused by water saturating materials susceptible to loss (i.e., wood, insulation, wallboard, fabric, furnishings, floor coverings, and appliances). Most of the damage sustained by large flood events would impact the waterways sited previously.

In many cases, flood damage to homes renders them unlivable.

Risk Analysis:

Risk analysis is the third and most advanced phase of a hazard assessment. It builds upon the hazard identification and vulnerability assessment. A flood risk analysis for the City of Mission Viejo should include two components: (1) the life and value of property that may incur losses from a flood event (defined through the vulnerability assessment); and (2) the number and type of flood events expected to occur over time. Within the broad components of a risk analysis, it is possible to predict the severity of damage from a range of events. Flow velocity models can assist in predicting the amount of damage expected from different magnitudes of flood events.

The data used to develop these models is based on hydrological analysis of landscape features. Changes in the landscape, often associated with human development, can alter

City of Mission Viejo

Natural Hazards Mitigation Plan - Flood

the flow velocity and the severity of damage that can be expected from a flood event.

Using GIS technology and flow velocity models, it is possible to map the damage that can be expected from flood events over time. It is also possible to pinpoint the effects of certain flood events on individual properties. At the time of publication of this Plan, data was insufficient to conduct a risk analysis for flood events in the City of Mission Viejo.

However, it is known that “El Nino” type weather events occur approximately every seven to ten years in the City. It is highly probable that the City will experience minor to moderate flood damage along City creeks and waterways during such periods.

Mapping projects, both currently underway and planned, will result in better data that will assist in understanding risk. This Plan includes recommendations for building partnerships that will support the development of a flood risk analysis in the City of Mission Viejo

Manufactured Homes:

Statewide, the 1996 floods destroyed 156 housing units. Of those units, 61 % were mobile homes and trailers. Many older manufactured home parks are located in floodplain areas. Manufactured homes have a lower level of structural stability than stick-built homes, and must be anchored to provide additional structural stability during flood events. Because of confusion in the late 1980s resulting from multiple changes in NFIP regulations, there are some communities that do not actively enforce anchoring requirements.

Lack of enforcement of manufactured home construction standards in floodplains can contribute to severe damages from flood events.

Business/Industry:

Flood events impact businesses by damaging property and by interrupting business. Flood events can cut off customer access to a business as well as close a business for repairs.

A quick response to the needs of businesses affected by flood events can help a community maintain economic vitality in the face of flood damage. Responses to business damages can include funding to assist owners in elevating or relocating flood-prone business structures.

Public Infrastructure:

Publicly owned facilities are a key component of daily life for all citizens of the county. Damage to public water and sewer systems, transportation networks, flood control facilities, emergency facilities, and offices can hinder the ability of the government to deliver services. Government can take action to reduce risk to public infrastructure from flood events, as well as craft public policy that reduces risk to private property from flood

events.

Roads:

During natural hazard events, or any type of emergency or disaster, dependable road connections are critical for providing emergency services. Roads systems in the City of Mission Viejo are maintained by multiple jurisdictions. Federal, state, county, and city governments all have a stake in protecting roads from flood damage. Road networks often traverse floodplain and floodway areas. Transportation agencies responsible for road maintenance are typically aware of roads at risk from flooding.

Bridges:

Bridges are key points of concern during flood events because they are important links in road networks, river crossings, and they can be obstructions in watercourses, inhibiting the flow of water during flood events. The bridges in the City of Mission Viejo are state, county, city, or privately owned. A state-designated inspector must inspect all state, county, and city bridges every two years; but private bridges are not inspected, and can be very dangerous. The inspections are rigorous, looking at everything from seismic capability to erosion and scour.

Storm Water Systems:

Local drainage problems are common throughout the City of Mission Viejo. There is a drainage master plan, and City of Mission Viejo Public Works staff are aware of no local drainage threats. The problems are often present where storm water runoff enters culverts or goes underground into storm sewers. Inadequate maintenance can also contribute to the flood hazard in urban areas.

Water/Wastewater Treatment Facilities:

The City of Mission Viejo is served by three separate water districts. There are 2 wastewater treatment facilities in the City.

Water Quality:

Environmental quality problems include bacteria, toxins, and pollution.

Existing Flood Mitigation Activities:

Flood mitigation activities listed here include current mitigation programs and activities that are being implemented by the City of Mission Viejo agencies or organizations.

The City of Mission Viejo uses building codes, zoning codes, and various planning strategies to address the goals which aim at restricting development in areas of known hazards, and applying the appropriate safeguards.

Acquisition and Protection of Open Space in the Floodplain:

Current efforts to increase public open space in the City of Mission Viejo have been paired with the need to restore and preserve natural systems that provide wildlife habitat and help to mitigate flood events. Public parks and publicly owned open spaces can provide a buffer between flood hazards and private property.

Municipal Water System:

The City of Mission Viejo Water System utilizes on-going preventative maintenance and repair programs to assure the proper and reliable operation of the Municipal Water System during routine operation as well as emergency situations. This includes upgrades and replacement of equipment such as pumps, motors, and regulating valves. The City has emergency inter-ties with neighboring communities that can be activated based on need.

Riparian Areas:

Riparian areas are important transitional areas that link water and land ecosystems. Vegetation in riparian areas is dependent on stream processes, such as flooding, and often is composed of plants that require large amounts of water, such as willows and cottonwood trees. Healthy vegetation in riparian buffers can reduce streamside erosion. During flood events, high water can cause significant erosion.

Wastewater Management:

The City of Mission Viejo is a part of the Sanitation Districts of Orange County. There are 2 wastewater treatment facilities in the City.

Wetlands:

Many floodplain and stream-associated wetlands absorb and store storm water flows, which reduces flood velocities and stream bank erosion. Preserving these wetlands reduces flood damage and the need for expensive flood control devices such as levees. When the storms are over, many wetlands augment summer stream flows by slowly releasing the stored water back to the stream system. Wetlands are highly effective at removing nitrogen, phosphorous, heavy metals, and other pollutants from water. For this reason, artificial wetlands are often constructed for cleaning storm water runoff and for tertiary treatment (polishing) of wastewater.

Storm Water Systems:

There are a variety of surface water management providers in the county that manage water quality and storm water runoff from new development, the primary one being the

City of Mission Viejo

Natural Hazards Mitigation Plan - Flood

County of Orange Resources Development Management Department.

Flood Management Projects:

Flood management structures can assist in regulating flood levels by adjusting water flows upstream of flood-prone areas. There is one dam in the City of Mission Viejo, but there is one other dam (Prado Dam) outside the City that have the potential to indirectly impact the City. The City has two open impoundment reservoirs within its boundaries.

Local and/or County flood control efforts include drainage basins, pumping stations and other flood control measures.

Community Issues Summary:

The City of Mission Viejo works to mitigate problems regarding flood issues when they arise. However, funding, time and manpower are often unavailable, causing the problems to go unresolved. Some areas in the City of Mission Viejo may be more susceptible to flooding issues, mainly, urban/heavy rain fall run off.

Flood Mitigation Action Items

The flood mitigation action items provide direction on specific activities that organizations and residents in the City of Mission Viejo can undertake to reduce risk and prevent loss from flood events. Each action item is followed by ideas for implementation, which can be used by the steering committee and local decision makers in pursuing strategies for implementation.

Action items were selected by the Natural Hazards Mitigation Committee as they were deemed the most feasible after consideration of a range of factors such as costs, benefits, expected degree of public support, local capabilities, and potential environmental impacts.

Short Term – Flood #1:

Analyze each repetitive flood property within the City of Mission Viejo and identify feasible mitigation options.

Ideas for Implementation:

- § Identify appropriate and feasible mitigation activities for identified repetitive flood properties. Funding may be available through FEMA's Hazard Mitigation Grant and Flood Mitigation Assistance Programs and the Pre-disaster Mitigation Program.
- § Contact repetitive loss property owners to discuss mitigation opportunities, and determine interest should future project opportunities arise.
- § Explore options for incentives to encourage property owners to engage in mitigation.

Coordinating Organization:	Hazard Mitigation Advisory Committee
Timeline:	1-2 years
Plan Goals Addressed:	Protect Life and Property, Partnerships and Implementation
Constraints:	Pending Funding and Available Personnel

Short Term – Flood #2:

Recommend revisions to requirements for development within the floodplain, where appropriate

Ideas for Implementation:

- § Evaluate elevation requirements for new residential and nonresidential structures in the unincorporated floodplain area.
- § Explore raising the base elevation requirement for new residential construction to two or three feet above base flood elevation, or greater. An increased elevation standard is one activity the county can engage in to receive credit from the NFIP Community Rating System Program.
- § Identify opportunities to upgrade Federal Insurance Rate Map, and arrange for Cooperative Technical Partnership mapping upgrades for select areas.
- § Identify alternatives to reduce development in the floodplain.

Coordinating Organization: Mission Viejo Public Works, County Geographic Information Services, Orange County Resources and Development Management – Flood Control
Timeline: 2 years
Plan Goals Addressed: Protect Life and Property
Constraints: Pending Funding and Available Personnel

Short Term – Flood #3:

Develop better flood warning systems.

Ideas for Implementation:

- § Coordinate with appropriate organizations to evaluate the need for more stream gauges.
- § Distribute information regarding flooding to the general public efficiently.

Coordinating Organization: Mission Viejo Public Works, County Public and Government Relations, Orange County Resources and Development Management – Flood Control
Timeline: 2 years
Plan Goals Addressed: Protect Life and Property, Emergency Services
Constraints: Pending Funding and Available Personnel

Long Term – Flood #1:

Enhance data and mapping for floodplain information within the county, and identify and map flood-prone areas outside of designated floodplains.

Ideas for Implementation:

- § Apply for FEMA's cooperative technical partnership using the 2-foot contour interval floodplain mapping data acquired by the City of Mission Viejo GIS.
- § Use WES inventory and mapping data to update the flood-loss estimates for the City of Mission Viejo.
- § Encourage the development of floodplain maps for all local streams not currently mapped on Flood Insurance Rate Maps or county maps, with special attention focused on mapping rural and unincorporated areas. The maps should show the expected frequency of flooding, the level of flooding, and the areas subject to inundation. The maps will be used developing a more thorough vulnerability **assessment** and for planning, risk analysis, and emergency management.

Coordinating Organization:	County Geographic Information Services, Mission Viejo Public Works, Orange County Resources and Development Management – Flood Control
Timeline:	3 years (as funding allows)
Plan Goals Addressed:	Protect Life and Property
Constraints:	Pending Funding and Available Personnel

Long Term – Flood #2:

Encourage development of acquisition and management strategies to preserve open space for flood mitigation, fish habitat, and water quality in the floodplain.

Ideas for Implementation:

- § Develop a comprehensive strategy for acquiring and managing floodplain open space in the City of Mission Viejo.
- § Explore funding for property acquisition from federal (e.g" FEMA Hazard Mitigation Grant Program), state, regional, and local governments, as well as private and non-profit organizations, trails programs, fish programs as well as options for special appropriations.
- § Develop a regional partnership between flood mitigation, fish habitat, and water quality enhancement organizations/programs to improve educational programs.
- § Identify sites where environmental restoration work can benefit flood mitigation, fish habitat, and water quality.
- § Work with landowners to develop flood management practices that provide healthy fish habitat.
- § Identify existing watershed education programs and determine which programs would support a flood education component.

Coordinating Organization:	Mission Viejo Public Works, Orange County Resources and Development Management – Flood Control
Timeline:	5 years
Plan Goals Addressed:	Natural Systems, Protect Life and Property
Constraints:	Pending Funding and Available Personnel

Long Term – Flood #3:

Identify surface water drainage obstructions for all parts of unincorporated the City of Mission Viejo.

Ideas for Implementation:

- § Map culverts in unincorporated areas of the county.
- § Prepare an inventory of culverts that historically create flooding problems and target them for retrofitting.
- § Prepare an inventory of major urban drainage problems, and identify causes and potential mitigation actions for urban drainage problem areas.

Coordinating Organization: Mission Viejo Public Works, Orange County
Resources and Development Management – Flood
Control

Timeline: 5 years

Plan Goals Addressed: Protect Life and Property

Constraints: Pending Funding and Available Personnel

Long Term - Flood #4:

Establish a framework to compile and coordinate surface water management plans and data throughout the county.

Ideas for Implementation:

- § Develop surface water management plans for areas that are not currently within surface water management plan boundaries.

Coordinating Organization: Mission Viejo Public Works, Orange County
Resources and Development Management – Flood
Control

Timeline: 5 years

Plan Goals Addressed: Protect Life and Property, Partnerships and
Implementation

Constraints: Pending Funding and Available Personnel

Flood Resource Directory

The following resource directory lists the resources and programs that can assist county communities and organizations. The resource directory will provide contact information for local, county, regional state and federal programs that deal with natural hazards.

County Resources:

County of Orange Resources and Development Management Department

300 North Flower Street
Santa Ana, CA 92703
Ph: 714-834-2300

Orange County Sanitation District

10844 Ellis Avenue
Fountain Valley, CA 92708
Ph: 714-962-2411

State Resources:

Governor's Office of Emergency Services (OES)

P.O. Box 419047
Rancho Cordova, CA 95741-9047
Ph: 916 845- 8911
Fx: 916 845- 8910

California Resources Agency

1416 Ninth Street, Suite 1311
Sacramento, CA 95814
Ph: 916-653-5656

California Department of Water Resources (DWR)

1416 9th Street
Sacramento, CA 95814
Ph: 916-653-6192

California Department of Conservation: Southern California Regional Office

655 S. Hope Street, #700
Los Angeles, CA 90017-2321
Ph: 213-239-0878
Fx: 213-239-0984

Federal Resources and Programs:

Federal Emergency Management Agency (FEMA)

FEMA provides maps of flood hazard areas, various publications related to flood mitigation, funding for flood mitigation projects, and technical assistance, FEMA also operates the National Flood Insurance Program. FEMA's mission is to reduce loss of life and property and protect the nation's critical infrastructure from all types of hazards through a comprehensive, risk-based, emergency management program of mitigation, preparedness, response and recovery.

Federal Emergency Management Agency, Region IX

1111 Broadway, Suite 1200

Oakland, CA 94607

Ph: 510-627-7100

Fx: 510-627-7112

Federal Emergency Management Agency, Mitigation Division

500 C Street, S.W.

Washington, D.C. 20472

Ph: 202-566-1600

FEMA's List of Flood Related Websites

This site contains a long list of flood related Internet sites from "American Heritage Rivers" to "The Weather Channel" and is a good starting point for flood information on the Internet.

Contact: Federal Emergency Management Agency, Phone: (800) 480-2520

Website: <http://www.fema.gov/nfip/related.htm>

National Flood Insurance Program (NFIP)

In Southern California many cities lie within flood zones as defined in FEMA Flood Maps. The City of Mission Viejo is not a community within a designated flood zone. Flood insurance is available to citizens in communities that adopt and implement NFIP building standards. The standards are applied to development that occurs within a delineated floodplain, a drainage hazard area, and properties' within 250 feet of a floodplain boundary. These areas are depicted on federal Flood Insurance Rate Maps available through the county.

National Floodplain Insurance Program (NFIP)

500 C Street, S.W.

Washington, D.C. 20472

Ph: 202-566-1600

City of Mission Viejo

Natural Hazards Mitigation Plan - Flood

The Floodplain Management Association

The Floodplain Management website was established by the Floodplain Management Association (FMA) to serve the entire floodplain management community. It includes full-text articles, a calendar of upcoming events, a list of positions available, an index of publications available free or at nominal cost, a list of associations, a list of firms and consultants in floodplain management, an index of newsletters dealing with flood issues (with hypertext links if available), a section on the basics of floodplain management, a list of frequently asked questions (FAQs) about the Website, and a catalog of Web links.

Floodplain Management Association

P.O. Box 50891

Sparks, NV 89435-0891

Ph: 775-626-6389

Fx: 775-626-6389

The Association of State Floodplain Managers

The Association of State Floodplain Managers is an organization of professionals involved in floodplain management, flood hazard mitigation, the National Flood Insurance Program, and flood preparedness, warning, and recovery. ASFPM fosters communication among those responsible for flood hazard activities, provides technical advice to governments and other entities about proposed actions or policies that will affect flood hazards, and encourages flood hazard research, education, and training. The ASFPM Web site includes information on how to become a member, the organization's constitution and bylaws, directories of officers and committees, a publications list, information on upcoming conferences, a history of the association, and other useful information and Internet links.

Contact: The Association of State Floodplain Managers

Address: 2809 Fish Hatchery Road, Madison, WI 53713 Phone: (608) 274-0123

Website: <http://www.floods.org>

National Weather Service

The National Weather Service provides flood watches, warnings, and informational statements for rivers in the City of Mission Viejo.

National Weather Service

520 North Elevar Street

Oxnard, CA 93030

Ph: 805-988- 6615

City of Mission Viejo

Natural Hazards Mitigation Plan - Flood

Office of Hydrology, National Weather Service

The National Weather Service's Office of Hydrology (OH) and its Hydrological Information Center offer information on floods and other aquatic disasters. This site offers current and historical data including an archive of past flood summaries, information on current hydrologic conditions, water supply outlooks, an Automated Local Flood Warning Systems Handbook, Natural Disaster Survey Reports, and other scientific publications on hydrology and flooding.

National Weather Service, Office of Hydrologic Development
1325 East West Highway, SSMC2
Silver Spring, MD 20910
Ph: 301-713-1658
Fx: 301-713-0963

National Resources Conservation Service (NRCS), US Department of Agriculture

NRCS provides a suite of federal programs designed to assist state and local governments and landowners in mitigating the impacts of flood events. The Watershed Surveys and Planning Program and the Small Watershed Program provide technical and financial assistance to help participants solve natural resource and related economic problems on a watershed basis. The Wetlands Reserve Program and the Flood Risk Reduction Program provide financial incentives to landowners to put aside land that is either a wetland resource, or that experiences frequent flooding. The Emergency Watershed Protection Program (EWP) provides technical and financial assistance to clear debris from clogged waterways, restore vegetation, and stabilizing riverbanks. The measures taken under EWP must be environmentally and economically sound and generally benefit more than one property.

National Resources Conservation Service
14th and Independence Ave., SW, Room 5105-A
Washington, DC 20250
Ph: 202-720-7246
Fx: 202-720-7690

USGS Water Resources

This web page offers current US water news; extensive current (including real-time) and historical water data; numerous fact sheets and other publications; various technical resources; descriptions of ongoing water survey programs; local water information; and connections to other sources of water information.

USGS Water Resources
6000 J Street Placer Hall
Sacramento, CA 95819-6129
Ph: 916-278-3000
Fx: 916-278-3070

City of Mission Viejo

Natural Hazards Mitigation Plan - Flood

Bureau of Reclamation

The mission of the Bureau of Reclamation is to manage, develop, and protect water and related resources in an environmentally and economically sound manner in the interest of the American public. The Bureau provides leadership and technical expertise in water resources development and in the efficient use of water through initiatives including conservation, reuse, and research. It protects the public and the environment through the adequate maintenance and appropriate operation of Reclamation's facilities and manages Reclamation's facilities to fulfill water user contracts and protect and/or enhance conditions for fish, wildlife, land, and cultural resources.

Mid Pacific Regional Office

Federal Office Building

2800 Cottage Way

Sacramento CA 95825-1898

Ph: 916- 978-5000

Fax 916- 978-5599

<http://www.usbr.gov/>

Army Corps of Engineers

The Corps of Engineers administers a permit program to ensure that the nation's waterways are used in the public interest. Any person, firm, or agency planning to work in waters of the United States must first obtain a permit from the Army Corps of Engineers. The Corps is responsible for the protection and development of the nation's water resources, including navigation, flood control, energy production through hydropower management, water supply storage and recreation.

US Army Corps of Engineers

P.O. Box 532711

Los Angeles CA 90053- 2325

Ph: 213-452- 3921

Other National Resources:

American Public Works Association

2345 Grand Boulevard, Suite 500

Kansas City, MO 64108-2641

Ph: 816-472-6100

Fx: 816-472-1610

Publications:

**NFIP Community Rating System Coordinator's Manual
Indianapolis, IN.**

This informative brochure explains how the Community Rating System works and what the benefits are to communities. It explains in detail the CRS point system, and what activities communities can pursue to earn points. These points then add up to the "rating" for the community, and flood insurance premium discounts are calculated based upon that "rating." The brochure also provides a table on the percent discount realized for each rating (1-10). Instructions on how to apply to be a CRS community are also included.

Contact: NFIP Community Rating System

Phone: (800) 480-2520 or (317) 848-2898

Website: <http://www.fema.gov/nfip/crs>

Floodplain Management: A Local Floodplain Administrator's Guide to the NFIP

This document discusses floodplain processes and terminology. It contains floodplain management and mitigation strategies, as well as information on the NFIP, CRS, Community Assistance Visits, and floodplain development standards.

Contact: National Flood Insurance Program Phone: (800) 480-2520

Website: <http://www.fema.gov/nfip/>

**Flood Hazard Mitigation Planning: A Community Guide, (June 1997).
Massachusetts Department of Environmental Management.**

This informative guide offers a 10-step process for successful flood hazard mitigation. Steps include: map hazards, determine potential damage areas, take an inventory of facilities in the flood zone, determine what is or is not being done about flooding, identify gaps in protection, brainstorm alternatives and actions, determine feasible actions, coordinate with others, prioritize actions, develop strategies for implementation, and adopt and monitor the plan.

Contact: Massachusetts Flood Hazard Management Program Phone: (617) 626-1250

Website: <http://www.magnetstate.ma.us/dem/programs/mitigate>

**Reducing Losses in High Risk Flood Hazard Areas: A Guidebook for Local
Officials, (February 1987), FEMA-116.**

This guidebook offers a table on actions that communities can take to reduce flood losses. It also offers a table with sources for floodplain mapping assistance for the various types of flooding hazards. There is information on various types of flood hazards with regard to existing mitigation efforts and options for action (policy and programs, mapping, regulatory, non-regulatory). Types of flooding which are covered include alluvial fan, areas behind levees, areas below unsafe dams, coastal flooding, flash floods, fluctuating lake level floods, ground failure triggered by earthquakes, ice jam flooding, and mudslides.

Contact: Federal Emergency Management Agency Phone: (800) 480-2520

Website: <http://www.fema.gov>

SECTION 8: - LANDSLIDES -

Table of Contents

WHY ARE LANDSLIDES A THREAT TO THE CITY OF MISSION VIEJO?	8-2
What is a Landslide?.....	8-5
History of Landslide Events and Impacts	8-6
Landslide Conditions	8-7
LANDSLIDE HAZARD ASSESSMENT	8-10
Hazard Identification	8-10
Vulnerability and Risk	8-10
COMMUNITY LANDSLIDE ISSUES	8-11
What Is Susceptible to Landslides?	8-11
Landslide Mitigation Activities	8-12
Community Issues Summary	8-12
LANDSLIDE MITIGATION ACTION ITEMS	8-13
LANDSLIDE RESOURCE DIRECTORY	8-16
County Resources	8-16
State Resources	8-16
Federal Resources and Programs	8-17
Publications	8-18

Why are Landslides a Threat to City of Mission Viejo

Landslides are a serious geologic hazard in almost every state in America. Nationally, landslides cause 25 to 50 deaths each year. The best estimate of direct and indirect costs of landslide damage in the United States range between \$1 and \$2 billion annually. As a seismically active region, California has had significant number of locations impacted by landslides. Some landslides result in private property damage, other landslides impact transportation corridors, fuel and energy conduits, and communication facilities. They can also pose a serious threat to human life.

Landslides can be broken down into two categories: (1) rapidly moving (generally known as debris flows), and (2) slow moving. Rapidly moving landslides or debris flows present the greatest risk to human life, and people living in or traveling through areas prone to rapidly moving landslides are at increased risk of serious injury. Slow moving landslides can cause significant property damage, but are less likely to result in serious human injuries.

In the City of Mission Viejo, landsliding and debris flows are the dominant geologic hazard risks. This is based on abundant shales and siltstones that underlie the City's hills that are highly porous and do not hold together well when wet. This can lead to slope instability and landslides. In addition, factors that contribute to slope instability and landslides include rainfall, the City's complex water distribution system and earthquakes. Debris flows can occur rapidly and without warning during periods of exceptionally high rainfall. Although rockfall hazards are low in the City, mudflows are more likely to occur.

Historic Southern California Landslides:

1928 St. Francis Dam Failure:

Los Angeles County, California. The dam gave way on March 12, and its waters swept through the Santa Clara Valley toward the Pacific Ocean, about 54 miles away. Sixty five miles of valley was devastated, and over 500 people were killed. Damages were estimated at \$672.1 million (year 2000 dollars).

1956 Portuguese Bend, California:

Cost, \$14.6 million (2000 dollars) California Highway 14, Palos Verdes Hills. Land use on the Palos Verdes Peninsula consists mostly of single-family homes built on large lots, many of which have panoramic ocean views. All of the houses were constructed with individual septic systems, generally consisting of septic tanks and seepage pits. Landslides have been active here for thousands of years, but recent landslide activity has been attributed in part to human activity. The Portuguese Bend landslide began its modern movement in August 1956, when displacement was noticed at its northeast margin. Movement gradually extended downslope so that the entire eastern edge of the slide mass was moving within 6 weeks.

By the summer of 1957, the entire slide mass was sliding towards the sea.

1958-1971 Pacific Palisades, California:

Cost, \$29.1 million (2000 dollars) California Highway 1 and house damaged.

1961 Mulholland Cut, California:

Cost, \$41.5 million (2000 dollars) On Interstate 405, 11 miles north of Santa Monica, Los Angeles County.

1963 Baldwin Hills Dam Failure:

On December 14, the 650 foot long by 155 foot high earth fill dam gave way and sent 360 million gallons of water in a fifty foot high wall cascading onto the community below, killing five persons, and damaging 50 million (1963 dollars) of dollars in property.

1969 Glendora, California:

Cost, \$26.9 million (2000 dollars) Los Angeles County, 175 houses damaged, mainly by debris flows.

1969 Seventh Ave., Los Angeles County, California:

Cost, \$14.6 million (2000 dollars) California Highway 60.

1970 Princess Park, California:

Cost, \$29.1 million (2000 dollars) California Highway 14, 10 miles north of Newhall, near Saugus, northern Los Angeles County.

1971 Upper and Lower Van Norman Dams, San Fernando, California:

Earthquake-induced landslides Cost, \$302.4 million (2000 dollars). Damage due to the February 9, 1971, magnitude 7.5 San Fernando, California, earthquake. The earthquake of February 9 severely damaged the Upper and Lower Van Norman Dams.

1971 Juvenile Hall, San Fernando, California:

Landslides caused by the February 9, 1971, San Fernando, California, earthquake Cost, \$266.6 million (2000 dollars). In addition to damaging the San Fernando Juvenile Hall, this 1.2 km-long slide damaged trunk lines of the Southern Pacific Railroad, San Fernando Boulevard, Interstate Highway 5, the Sylmar, California, electrical converter station, and several pipelines and canals.

1977-1980 Monterey Park, Repetto Hills, Los Angeles County, California:

Cost, \$14.6 million (2000 dollars) 100 houses damaged in 1980 due to debris flows.

1978 Bluebird Canyon Orange County:

California October 2, cost, \$52.7 million (2000 dollars) 60 houses destroyed or damaged. Unusually heavy rains in March of 1978 may have contributed to initiation of the landslide. Although the 1978 slide area was approximately 3.5 acres, it is suspected to be a portion of a larger, ancient landslide.

1979 Big Rock, California, Los Angeles County:

Cost, approximately \$1.08 billion (2000 dollars). California Highway 1 rockslide.

1980 Southern California slides:

\$1.1 billion in damage (2000 dollars) Heavy winter rainfall in 1979-90 caused damage in six Southern California counties. In 1980, the rainstorm started on February 8. A sequence of 5 days of continuous rain and 7 inches of precipitation had occurred by February 14. Slope failures were beginning to develop by February 15 and then very high-intensity rainfall occurred on February 16. As much as 8 inches of rain fell in a 6 hour period in many locations. Records and personal observations in the field on February 16 and 17 showed that the mountains and slopes literally fell apart on those 2 days.

1983 San Clemente, California, Orange County:

Cost, \$65 million (2000 dollars), California Highway 1. Litigation at that time involved approximately \$43.7 million (2000 dollars).

1983 Big Rock Mesa, California:

Cost, \$706 million (2000 dollars) in legal claims condemnation of 13 houses, and 300 more threatened rockslide caused by rainfall

1978-1979, 1980 San Diego County, California:

Experienced major damage from storms in 1978, 1979, and 1979-80, as did neighboring areas of Los Angeles and Orange County, California. One hundred and twenty landslides were reported to have occurred in San Diego County during these 2 years. Rainfall for the rainy seasons of 78-79 and 79-80 was 14.82 and 15.61 inches (37.6 and 39.6 cm) respectively, compared to a 125-year average (1850-1975) of 9.71 inches (24.7 cm). Significant landslides occurred in the Friars Formation, a unit that was noted as slide-prone in the Seismic Safety Study for the City of San Diego. Of the nine landslides that caused damage in excess of \$1 million, seven occurred in the Friars Formation, and two in the Santiago Formation in the northern part of San Diego County.

1994 Northridge, California Earthquake Landslides:

As a result of the magnitude 6.7 Northridge, California, earthquake, more than 11,000 landslides occurred over an area of 10,000 km². Most were in the Santa Susana Mountains and in mountains north of the Santa Clara River Valley. Destroyed dozens of homes, blocked roads, and damaged oil-field infrastructure. Caused deaths from Coccidioidomycosis (valley fever) the spore of which was released from the soil and blown toward the coastal populated areas. The spore was released from the soil by the landslide activity.

March 1995 Los Angeles and Ventura Counties, Southern California:

Above normal rainfall triggered damaging debris flows, deep-seated landslides, and flooding. Several deep-seated landslides were triggered by the storms, the most notable was the La Conchita landslide, which in combination with a local debris flow, destroyed or badly damaged 11 to 12 homes in the small town of La Conchita, about 20 km west of Ventura. There also was widespread debris-flow and flood damage to homes, commercial buildings, and roads and highways in areas along the Malibu coast that had been devastated by wildfire 2 years before.

Mission Viejo Landslides:

A significant portion of the City is vulnerable to landslides and liquefaction due to the hilly topography and soil composition. The seismic hazard map in appendix G identifies the areas that historically have experienced these conditions. The City experienced a large residential landslide between Ferrocarril and Encorvado Lane during the Winter 2005 storms. This landslide consisted of an approximate 300 ft wide by 70 ft high slope failure that occurred do to extreme rains that fell during the winter months. The failure occurred along a deep seated slide plan along a clay bed that was lubricated by water saturation.

As a result of the El Nino storm event in the winter of 1998/99, another slope failure occurred along the Mojave Slope/Open Space in the City. No structures were damaged; however, the failure threatened homes in the neighboring City of Lake Forest.

Landslide Characteristics

What is a Landslide?

A landslide is defined as, the movement of a mass of rock, debris, or earth, down a slope. Landslides are a type of “mass wasting” which denotes any down slope movement of soil and rock under the direct influence of gravity. The term “landslide” encompasses events such as rock falls, topples, slides, spreads, and flows. Landslides can be initiated by rainfall, earthquakes, volcanic activity, changes in groundwater, disturbance and change of a slope by man-made construction activities, or any combination of these factors.

Landslides can also occur underwater, causing tidal waves and damage to coastal areas. These landslides are called submarine landslides.

The size of a landslide usually depends on the geology and the initial cause of the landslide. Landslides vary greatly in their volume of rock and soil, the length, width, and depth of the area affected, frequency of occurrence, and speed of movement. Some characteristics that determine the type of landslide are slope of the hillside, moisture content, and the nature of the underlying materials. Landslides are given different names, depending on the type of failure and their composition and characteristics.

Slides move in contact with the underlying surface. These movements include rotational slides where sliding material moves along a curved surface, and translational slides where movement occurs along a flat surface. These slides are generally slow moving and can be deep. Slumps are small rotational slides that are generally shallow.

Slow-moving landslides can occur on relatively gentle slopes and can cause significant property damage, but are far less likely to result in serious injuries than rapidly moving landslides.

“Failure of a slope occurs when the force that is pulling the slope downward (gravity) exceeds the strength of the earth materials that compose the slope. They can move slowly, (millimeters per year) or can move quickly and disastrously, as is the case with debris-flows. Debris-flows can travel down a hillside of speeds up to 200 miles per hour (more commonly, 30 – 50 miles per hour), depending on the slope angle, water content, and type of earth and debris in the flow. These flows are initiated by heavy, usually sustained, periods of rainfall, but sometimes can happen as a result of short bursts of concentrated rainfall in susceptible areas. Burned areas charred by wildfires are particularly susceptible to debris flows, given certain soil characteristics and slope conditions.”

What is a Debris Flow ?

A debris or mud flow is a river of rock, earth and other materials, including vegetation that is saturated with water. This high percentage of water gives the debris flow a very rapid rate of movement down a slope. Debris flows often with speeds greater than 20 mile per hour, and can often move much faster. This high rate of speed makes debris flows extremely dangerous to people and property in its path.

Landslide Events and Impacts:

Landslides are a common hazard in California. Weathering and the decomposition of geologic materials produces conditions conducive to landslides and human activity further exacerbates many landslide problems. Many landslides are difficult to mitigate, particularly in areas of large historic movement with weak underlying geologic materials.

As communities continue to modify the terrain and influence natural processes, it is

City of Mission Viejo

Natural Hazards Mitigation Plan - Landslides

important to be aware of the physical properties of the underlying soils as they, along with climate, create landslide hazards. Even with proper planning, landslides will continue to threaten the safety of people, property, and infrastructure, but without proper planning, landslide hazards will be even more common and more destructive.

The increasing scarcity of build-able land, particularly in urban areas, increases the tendency to build on geologically marginal land. Additionally, hillside housing developments in Southern California are prized for the view lots that they provide.

In Mission Viejo, the landslide/slope failure that occurred as a result of the 2005 storms caused at least seven homes to be directly impacted by the earth movement. Homes were either red-tagged or yellow-tagged and the residents were displaced for several months. The single family homes experienced damage ranging from \$100,000 to \$700,000 per residence.

Rock falls occur when blocks of material come loose on steep slopes. Weathering, erosion, or excavations, such as those along highways, can cause falls where the road has been cut through bedrock. They are fast moving with the materials free falling or bouncing down the slope. In falls, material is detached from a steep slope or cliff. The volume of material involved is generally small, but large boulders or blocks of rock can cause significant damage.

Earth flows are plastic or liquid movements in which land mass (e.g. soil and rock) breaks up and flows during movement. Earthquakes often trigger flows. Debris flows normally occur when a landslide moves downslope as a semi-fluid mass scouring, or partially scouring soils from the slope along its path. Flows are typically rapidly moving and also tend to increase in volume as they scour out the channel. Flows often occur during heavy rainfall, can occur on gentle slopes, and can move rapidly for large distances.

Landslide Conditions:

Landslides are often triggered by periods of heavy rainfall. Earthquakes, subterranean water flow and excavations may also trigger landslides. Certain geologic formations are more susceptible to landslides than others. Human activities, including locating development near steep slopes, can increase susceptibility to landslide events. Landslides on steep slopes are more dangerous because movements can be rapid.

Although landslides are a natural geologic process, the incidence of landslides and their impacts on people can be exacerbated by human activities. Grading for road construction and development can increase slope steepness. Grading and construction can decrease the stability of a hill slope by adding weight to the top of the slope, removing support at the base of the slope, and increasing water content. Other human activities effecting landslides include: excavation, drainage and groundwater alterations, and changes in vegetation.


Wildland fires in hills covered with chaparral are often a precursor to debris flows in burned out canyons. The extreme heat of a wildfire can create a soil condition in which

City of Mission Viejo

Natural Hazards Mitigation Plan - Landslides

the earth becomes impervious to water by creating a waxy-like layer just below the ground surface. Since the water cannot be absorbed into the soil, it rapidly accumulates on slopes, often gathering loose particles of soil in to a sheet of mud and debris.

Debris flows can often originate miles away from unsuspecting persons, and approach them at a high rate of speed with little warning.



Natural Conditions:

Natural processes can cause landslides or re-activate historical landslide sites. The removal or undercutting of shoreline-supporting material along bodies of water by currents and waves produces countless small slides each year. Seismic tremors can trigger landslides on slopes historically known to have landslide movement. Earthquakes can also cause additional failure (lateral spreading) that can occur on gentle slopes above steep streams and riverbanks.

Particularly Hazardous Landslide Areas:

Locations at risk from landslides or debris flows include areas with one or more of the following conditions:

- ✓ On or close to steep hills;
- ✓ Steep road-cuts or excavations;
- ✓ Existing landslides or places of known historic landslides (such sites often have

- tilted power lines, trees tilted in various directions, cracks in the ground, and irregular-surfaced ground);
- ✓ Steep areas where surface runoff is channeled, such as below culverts, V-shaped valleys, canyon bottoms, and steep stream channels; and
 - ✓ Fan-shaped areas of sediment and boulder accumulation at the outlets of canyons.
 - ✓ Canyon areas below hillside and mountains that have recently (within 1-6 years) been subjected to a wildland fire.

Impacts of Development:

Although landslides are a natural occurrence, human impacts can substantially affect the potential for landslide failures in City of Mission Viejo. Proper planning and geotechnical engineering can be exercised to reduce the threat of safety of people, property, and infrastructure.

Excavation and Grading:

Slope excavation is common in the development of home sites or roads on sloping terrain. Grading these slopes can result in some slopes that are steeper than the pre-existing natural slopes. Since slope steepness is a major factor in landslides, these steeper slopes can be at an increased risk for landslides. The added weight of fill placed on slopes can also result in an increased landslide hazard. Small landslides can be fairly common along roads, in either the road cut or the road fill. Landslides occurring below new construction sites are indicators of the potential impacts stemming from excavation.

In Mission Viejo, many homes were built in the late sixties and early seventies when the building codes allowed for steeper slopes. Many of these slopes were engineered 2:1 slopes that may be subject to an increased threat of failure compared to slopes engineered under present code.

Drainage and Groundwater Alterations:

Water flowing through or above ground is often the trigger for landslides. Any activity that increases the amount of water flowing into landslide-prone slopes can increase landslide hazards. Broken or leaking water or sewer lines can be especially problematic, as can water retention facilities that direct water onto slopes. However, even lawn irrigation in landslide prone locations can result in damaging landslides. Ineffective storm water management and excess runoff can also cause erosion and increase the risk of landslide hazards. Drainage can be affected naturally by the geology and topography of an area. Development that results in an increase in impervious surface impairs the ability of the land to absorb water and may redirect water to other areas. Channels, streams, ponding, and erosion on slopes all indicate potential slope problems.

Road and driveway drains, gutters, downspouts, and other constructed drainage facilities can concentrate and accelerate flow. Ground saturation and concentrated velocity flow are major causes of slope problems and may trigger landslides.

Changes in Vegetation:

Removing vegetation from very steep slopes can increase landslide hazards. Areas that experience wildfire and land clearing for development may have long periods of increased landslide hazard. Also, certain types of ground cover have a much greater need for constant watering to remain green. Changing away from native ground cover plants may increase the risk of landslide.

Landslide Hazard Assessment

Hazard Identification:

Identifying hazardous locations is an essential step towards implementing more informed mitigation activities. The City's foothill areas are vulnerable to slope instability. Further, some of the residential construction in the foothills of Mission Viejo occurred prior to the development and enforcement of stronger grading codes in the 1970's, and before heightened awareness of slope stability issues that has resulted from the periodic intense rainstorms of the last 30 years. Consequently, there are older residences built in or near natural drainage courses and steep slopes that may be at risk from slope failures. The Seismic Hazard Map in Appendix G includes areas of earthquake induced landslides in Mission Viejo.

Vulnerability and Risk:

Vulnerability assessment for landslides will assist in predicting how different types of property and population groups will be affected by a hazard. Data that includes specific landslide-prone and debris flow locations in the city can be used to assess the population and total value of property at risk from future landslide occurrences.

The potential for slope failure is dependent on many factors and their interrelationships. Some of the most important factors include slope height, slope steepness, shear strength, and orientation of weak layers in the underlying geologic unity, as well as pore water pressures. Joints and shears, which weaken the rock fabric, allow penetration of water leading to deeper weathering of the rock along with increasing the pore pressures, increasing the plasticity of weak clays, and increasing the weight of the landmass. For engineering of earth materials, these factors are combined in calculations to determine if a slope meets a minimum safety standard. The generally accepted standard is a factor of safety of 1.5 or greater (where 1.0 equilibrium, and less than 1.0 is failure).

Although existing landslides are not widespread in the area, it is probable that many of the steeper hillsides do not meet the minimum factor of safety and slope stabilization may be needed if development reaches these areas.

Natural slopes, graded slopes, or graded/natural slope combinations must meet these minimum engineering standards where they impact planned homes, subdivisions, or other types of developments. Slopes adjacent to areas where the risk of economic losses from landsliding is small, such as parks and mountain roadways, are often allowed a lesser

factor of safety.

While a quantitative vulnerability assessment (an assessment that describes number of lives or amount of property exposed to the hazard) has not yet been conducted for City of Mission Viejo landslide events, there are many qualitative factors that point to potential vulnerability. There are approximately 32,000 housing units in Mission Viejo, of which many of these (especially in the southeastern portion of town) were built on engineered slopes – refer to Appendix G - Seismic Map. Actually damage experienced in the Ferrocarril/Encorvado Landslide in January 2005 reached an estimate of \$100,000 to \$750,000 in damages per household. Similar damage could be expected if landslides and/or slope failures occurred in areas where housing stock was built to older building code standards.

Landslides can impact major transportation arteries, blocking residents from essential services and businesses.

Factors included in assessing landslide risk include population and property distribution in the hazard area, the frequency of landslide or debris flow occurrences, slope steepness, soil characteristics, and precipitation intensity. This type of analysis could generate estimates of the damages to the city due to a specific landslide or debris flow event. At the time of publication of this plan, data was insufficient to conduct a risk analysis and the software needed to conduct this type of analysis was not available.

Community Landslide Issues

What is Susceptible to Landslides?

Landslides can affect utility services, transportation systems, and critical lifelines. Communities may suffer immediate damages and loss of service. Disruption of infrastructure, roads, and critical facilities may also have a long-term effect on the economy. Utilities, including potable water, wastewater, telecommunications, natural gas, and electric power are all essential to service community needs. Loss of electricity has the most widespread impact on other utilities and on the whole community. Natural gas pipes may also be at risk of breakage from landslide movements as small as an inch or two.

Roads and Bridges:

It is not cost effective to mitigate all slides because of limited funds and the fact that some historical slides are likely to become active again even with mitigation measures. The city Roads Division alleviates problem areas by grading slides, and by installing new drainage systems on the slopes to divert water from the landslides.

This type of response activity is often the most cost-effective in the short-term, but is only temporary. Unfortunately, many property owners are unaware of slides and the dangers associated with them.

Lifelines and Critical Facilities:


Lifelines and critical facilities should remain accessible, if possible, during a natural hazard event. The impact of closed transportation arteries may be increased if the closed road or bridge is critical for hospitals and other emergency facilities. Therefore, inspection and repair of critical transportation facilities and routes is essential and should receive high priority.

Losses of power and phone service are also potential consequences of landslide events.

Due to heavy rains, soil erosion in hillside areas can be accelerated, resulting in loss of soil support beneath high voltage transmission towers in hillsides and remote areas. Flood events can also cause landslides, which can have serious impacts on gas lines that are located in vulnerable soils.

Landslide Mitigation Activities:

Landslide mitigation activities include current mitigation programs and activities that are being implemented by local or city organizations.



The City of Mission Viejo Municipal Code addresses development on steep slopes in subsection 7.V. This section outlines standards for steep slope hazard areas on slopes of 20 percent or more. Generally, the ordinance requires soils and engineering geologic studies for developments proposed on slopes of 20 percent or greater. More detailed surface and subsurface investigations shall be warranted if indicated by engineering and geologic studies to sufficiently describe existing conditions. This may include soils, vegetation, geologic formations, and drainage patterns. Site evaluations may also occur where stability might be lessened by proposed grading/filling or land clearing.

Consideration of purchasing private properties, either residential and commercial, may provide the City with an opportunity to mitigate future repeat damage to an area prone to landslides. This would necessitate coordination with Federal and State agencies that offer funding to purchase uninhabitable structures.

Community Issues Summary:

Landslides can present a problem in the City of Mission Viejo, and may impact the city's infrastructure as well as private property. Appendix H: Page H-2, lists the known landslide hazard area(s), indicates if the slide(s) is active and the general boundaries.

Landslide Mitigation Action Items

The landslide mitigation action items provide direction on specific activities that the city, organizations, and residents in City of Mission Viejo can undertake to reduce risk and prevent loss from landslide events. Each action item is followed by ideas for implementation, which can be used by the steering committee and local decision makers in pursuing strategies for implementation.

Action items were selected by the Natural Hazards Mitigation Committee as they were deemed the most feasible after consideration of a range of factors such as costs, benefits, expected degree of public support, local capabilities, and potential environmental impacts.

Short Term - Landslide #1:

Improve knowledge of landslide hazard areas and understanding of vulnerability and risk to life and property in hazard-prone areas.

Ideas for Implementation:

- ✓ Conduct a landslide hazard mapping study in the City of Mission Viejo to
- ✓ Develop public information to emphasize economic risk when building on potential or historical landslide areas.

Coordinating Organization:

Hazard Mitigation Advisory Committee

Timeline:

1 -2 Years

Plan Goals Addressed:

Protect Life and Property

Constraints:

Pending Funding and Available Personnel

Short Term - Landslide #2:

Encourage construction and subdivision design that can be applied to steep slopes to reduce the potential adverse impacts from development.

Ideas for Implementation:

- ✓ Increase communication and coordination between the City's Departments.

Coordinating Organization: Hazard Mitigation Advisory Committee
Timeline: 1 – 2 Years
Plan Goals Addressed: Increase awareness of mitigation issues through the coordination of all City resources and departments.
Constraints: Pending Funding and Available Personnel

Short Term - Landslide #3:

Identify safe evacuation routes in high-risk debris flow and landslide areas. .

Ideas for Implementation:

- ✓ Identify potential debris removal resources.
- ✓ Increase participation in regional committee planning for emergency transportation routes.
- ✓ Identify and publicize information regarding emergency transportation routes.

Coordinating Organization: Mission Viejo Engineering and Building Department – Traffic Division
Timeline: 1 – 3 Years
Plan Goals Addressed: Protection of Life and more efficient response of emergency personnel.
Constraints: Pending Funding and Available Personnel

Short Term - Landslide #4:

Participate in Property Acquisition programs (i.e. FEMA, State and/or local programs) for areas that may be subject to repeat damage in a landslide area.

Ideas for Implementation:

- ✓ Identify potential structures to be demolished and removed.
- ✓ Coordinate property acquisition with property owners and mortgage lenders.
- ✓ Coordinate with FEMA, State and local officials the purchase of the properties that meet the criteria for acquisition.

Coordinating Organization: Mission Viejo Public Services Department
Timeline: 1 – 3 Years

City of Mission Viejo

Natural Hazards Mitigation Plan - Landslides

Plan Goals Addressed: Protection of Life and Property.
Constraints: Willingness of all parties to participate

Long Term - Landslide #1:

Review local ordinances regarding building and development in landslide prone areas.

Ideas for Implementation:

- ✓ Create committee of local stakeholders to study issue and make recommendations to staff.

Coordinating Organization: Mission Viejo Engineering and Building Department
Timeline: 3 – 5 Years
Plan Goals Addressed: Protect Life and Property
Constraints: Pending Funding and Available Personnel

Long Term - Landslide #2:

Limit activities in identified potential and historical landslide areas through regulation and public outreach.

Ideas for Implementation:

- ✓ Analyze existing regulations regarding development in landslide prone areas.
- ✓ Identify existing mechanisms for public outreach / develop new methods of outreach.

Coordinating Organization: Hazard Mitigation Advisory Committee
Timeline: 3 – 5 Years
Plan Goals Addressed: Protect Life and Property
Constraints: Pending Funding and Available Personnel

Landslide Resource Directory

County Resources:

County of Orange Resources and Development Management Department
300 North Flower Street
Santa Ana, CA 92703
Ph: 714-834-2300

State Resources:

California Department of Conservation: Southern California Regional Office

655 S. Hope Street, #700
Los Angeles, CA 90017-2321
Ph: 213-239-0878
Fax: 213-239-0984

California Division of Mines and Geology

801 K Street
Sacramento, CA 95814
Ph: 916-445-1825
Fax: 916-445-5718

California Division of Forestry

1416 9th Street
PO Box 944246
Sacramento, CA 94244-2460
Ph: 916-653-5123

California Department of Water Resources

1416 9th Street
Sacramento, CA 95814
Ph: 916-653-6192

Governor's Office of Emergency Services (OES)

P.O. Box 419047
Rancho Cordova, CA 95741-9047
Ph: 916-845-8911
Fax: 916-845-8910

California Department of Transportation (Cal Trans)

120 S. Spring Street
Los Angeles, CA 90012
Ph: 213-897-3656

Federal Resources and Programs:

Federal Emergency Management Agency (FEMA) – Region IX

1111 Broadway, Suite 1200
Oakland, CA 94607
Ph: 510-627-7100
Fax: 510-627-7112

City of Mission Viejo

Natural Hazards Mitigation Plan - Landslides

Natural Resource Conservation Service (NRCS)

PO Box 2890

Washington, DC 20013

Ph: 202-690-2621

US Geological Survey, National Landslide Information Center

345 Middlefield Road

Menlo Park, CA 94025

Ph: 650-853-8300

Publications:

Olshansky, Robert B., Planning for Hillside Development (1996) American Planning Association.

This document describes the history, purpose, and functions of hillside development and regulation and the role of planning, and provides excerpts from hillside plans, ordinances, and guidelines from communities throughout the US.

Olshansky, Robert B. & Rogers, J. David, Unstable Ground: Landslide Policy in the United States (1987) Ecology Law Quarterly.

This is about the history and policy of landslide mitigation in the US.

Public Assistance Debris Management Guide (July 2000) Federal Emergency Management Agency.

The Debris Management Guide was developed to assist local officials in planning, mobilizing, organizing, and controlling large-scale debris clearance, removal, and disposal operations. Debris management is generally associated with post-disaster recovery. While it should be compliant with local and city emergency operations plans, developing strategies to ensure strong debris management is a way to integrate debris management within mitigation activities. The Guide is available in hard copy or on the FEMA website.

USGS Landslide Program Brochure. National Landslide Information Center (NLIC), United States Geologic Survey.

The brochure provides good, general information in simple terminology on the importance of landslide studies and a list of databases, outreach, and exhibits maintained by the NLLC. The brochure also includes information on the types and causes of landslides, rock falls, and earth flows.

SECTION 9: - Wildfire -

Table of Contents

WHY ARE WILDFIRES A THREAT TO THE CITY OF MISSION VIEJO	9-2
Wildfire Characteristics	9-6
Wildfire Hazard Identification	9-9
Vulnerability and Risk	9-11
COMMUNITY WILDFIRE ISSUES	9-11
What Is Susceptible to Wildfire?	9-11
Wildfire Mitigation Activities	9-12
WILDFIRE MITIGATION ACTION ITEMS	9-18
WILDFIRE RESOURCE DIRECTORY	9-23
Local/County Resources	9-24
State Resources	9-25
Federal Resources and Programs	9-25
Additional Resources	9-26
Publications	9-27

Why are Wildfires a Threat to the City of Mission Viejo?

For thousands of years, fires have been a natural part of the ecosystem in southern California. However, wildfires present a substantial hazard to life and property in communities built within or adjacent to hillsides and mountainous areas. There is a huge potential for losses due to wildland/urban interface fires in southern California. According to the California Division of Forestry (CDF), there were over seven thousand reportable fires in California in 2003, with over one million acres burned. According to CDF statistics, in the October, 2003 Firestorms, over 4,800 homes were destroyed and 22 lives were lost.

Due to its weather, topography, and native vegetation, the entire southern California area is at risk from wildland fires. The extended droughts characteristic of California's Mediterranean climate result in large areas of dry vegetation that provide fuel for wildland fires. Furthermore, the native vegetation typically has a high oil content that makes it highly flammable. The area is also intermittently impacted by Santa Ana winds, the hot, dry winds that blow across southern California in the spring and late fall.

A wildfire that consumes thousands of acres of vegetated property can overwhelm local emergency response resources. Often, when a wildland fire encroaches onto the built environment, multiple ignitions develop as a result of "branding", the term for wind transport of burning cinders over a distance of a mile or more. If ignited structures sustain and transmit the fire from one building to the next, a catastrophic fire can ensure. Insurance carriers consider fire a catastrophe if it triggers at least \$25 million in claims or more than 1,000 individual claims. The Oakland Hills firestorm of October 1991 was such an event. Firestorms, especially in areas of wildland-urban interfaces can be particularly dangerous and complex, posing a severe threat to public and firefighter safety, and causing devastating losses of both life and property. Continuous planning, preparedness, and education are required to reduce the fire hazard potential, and to limit the destruction caused by fires.

The City of Mission Viejo contracts with the Orange County Fire Authority for firefighting and prevention.

The 2003 Southern California Fires

The fall of 2003 marked the most destructive wildfire season in California history. In a ten day period, 12 separate fires raged across Southern California in Los Angeles, Riverside, San Bernardino, San Diego and Ventura counties. The massive "Cedar" fire in San Diego County alone consumed of 2,800 homes and burned over a quarter of a million acres.

Table 9-1: October 2003 Firestorm Statistics

County	Fire Name	Date Began	Acres Burned	Homes Lost	Homes Damaged	Lives Lost
Riverside	Pass	10/21/03	2,397	3	7	0
Los Angeles	Padua	10/21/03	10,446	59	0	0
San Bernardino	Grand Prix	10/21/03	69,894	136	71	0
San Diego	Roblar 2	10/21/03	8,592	0	0	0
Ventura	Piru	10/23/03	63,991	8	0	0
Los Angeles	Verdale	10/24/03	8,650	1	0	0
Ventura	Simi	10/25/03	108,204	300	11	0
San Diego	Cedar	10/25/03	273,246	2,820	63	14
San Bernardino	Old	10/25/03	91,281	1,003	7	6
San Diego	Otay / Mine	10/26/03	46,000	6	11	0
Riverside	Mountain	10/26/03	10,000	61	0	0
San Diego	Paradise	10/26/03	56,700	415	15	2
Total Losses			749,401	4,812	185	22

Source: http://www.fire.ca.gov/php/fire_er_content/downloads/2003LargeFires.pdf

Historic Fires in Southern California:

Large fires have been part of the southern California landscape for millennia. “Written documents reveal that during the 19th century human settlement of southern California altered the fire regime of coastal California by increasing the fire frequency. This was an era of very limited fire suppression, and yet like today, large crown fires covering tens of thousands of acres were not uncommon. One of the largest fires in Los Angeles County (60,000 acres) occurred in 1878, and the largest fire in Orange County’s history, in 1889, was over half a million acres.”

Table 9-2 Large Historic Fires in California 1961-2003

	Fire Name	Date	County	Acres	Structures	Deaths
1	Tunnel	October 1991	Alameda	1,600	2,900	25
2	Cedar	October 2003	San Diego	273,246	2,820	14
3	Old	October 2003	San Bernardino	91,281	1,003	6
4	Jones	October 1999	Shasta	26,200	954	1
5	Paint	June 1990	Santa Barbara	4,900	641	1
6	Fountain	August 1992	Shasta	63,960	636	0
7	City of Berkeley	September 1923	Alameda	130	584	0
8	Bel Air	November 1961	Los Angeles	6,090	484	0
9	Laguna Fire	October 1993	Orange	14,437	441	0
10	Paradise	October 2003	San Diego	56,700	415	2
11	Laguna	September 1970	San Diego	175,425	382	5
12	Panorama	November 1980	San Bernardino	23,600	325	4
13	Topanga	November 1993	Los Angeles	18,000	323	3
14	49er	September 1988	Nevada	33,700	312	0
15	Simi	October 2003	Ventura	108,204	300	0
16	Sycamore	July 1977	Santa Barbara	805	234	0
17	Canyon	September 1999	Shasta	2,580	230	0
18	Kannan	October 1978	Los Angeles	25,385	224	0
19	Kinneloa	October 1993	Los Angeles	5,485	196	1
19	Grand Prix	October 2003	San Bernardino	59,448	196	0
20	Old Gulch	August 1992	Calaveras	17,386	170	0

<http://www.fire.ca.gov/FireEmergencyResponse/HistoricalStatistics/PDF/20LSTRUCTURES.pdf>

“Structures” is meant to include all loss - homes and outbuildings, etc.

During the 2002 fire season, more than 6.9 million acres of public and private lands burned in the US, resulting in loss of property, damage to resources and disruption of community services. Taxpayers spent more than \$1.6 billion to combat more than 88,400 fires nationwide. Many of these fires burned in wildland/urban interface areas and exceeded the fire suppression capabilities of those areas. Table 9-3 illustrates fire suppression costs for state, private and federal lands.

The City of Mission Viejo is subject to both wildland and urban fires. The natural vegetation in the area is highly prone to wildland fire. A large portion of undeveloped land in the southeastern portion of the City is within the Very High Fire Hazard Area.

There are some commercial properties and mostly residential communities in close proximity to the City’s undeveloped land and the unincorporated areas of the County. Commercial and residential properties that are in close proximity to Fire Hazard Areas are subject to the threat of a major wildland fire spreading into their areas. These areas are identified geographically in Appendix G – Fire Resources and Assessment Program Map.

Since incorporation in 1988, no wildland fire started outside the City has spread to and entered into the City. However, as recent as January 2007, a fire started in the arroyo east of the City near Oso Parkway and threatened homes along the city limits. This area remains susceptible to large wildfires during low moisture and high heat conditions. Approximately 1000 homes are adjacent to the historic fire corridor and are subject to wildfires.

Table 9-3: National Fire Suppression Costs

Year	Suppression Costs	Acres Burned	Structures Burned
2000	\$1.3 billion	8,422,237	861
2001	\$0.5 billion	3,570,911	731
2002	\$1.6 billion	6,937,584	815

http://research.yale.edu/gisf/assets/pdf/ppf/wildfire_report.pdf

Wildfire Characteristics:

There are three categories of interface fire: The classic wildland/urban interface exists where well-defined urban and suburban development presses up against open expanses of wildland areas; the mixed wildland/urban interface is characterized by isolated homes, subdivisions and small communities situated predominantly in wildland settings; and the occluded wildland/urban interface exists where islands of wildland vegetation occur inside a largely urbanized area. Certain conditions must be present for significant interface fires to occur. The most common conditions include: hot, dry and windy weather; the inability of fire protection forces to contain or suppress the fire; the occurrence of multiple fires that overwhelm committed resources; and a large fuel load (dense vegetation). Once a fire has started, several conditions influence its behavior, including fuel topography, weather, drought and development.

Southern California has two distinct areas of risk for wildland fire. The foothills and lower mountain areas are most often covered with scrub brush or chaparral. The higher

elevations of mountains also have heavily forested terrain. The lower elevations covered with chaparral create one type of exposure.

“Past fire suppression is not to blame for causing large shrubland wildfires, nor has it proven effective in halting them.” said Dr. Jon Keeley, a USGS fire researcher who studies both southern California shrublands and Sierra Nevada forests. “Under Santa Ana conditions, fires carry through all chaparral regardless of age class.

Therefore, prescribed burning programs over large areas to remove old stands and maintain young growth as bands of firebreaks resistant to ignition are futile at stopping these wildfires.”

The higher elevations of Southern California’s mountains are typically heavily forested. The magnitude of the 2003 fires is the result of three primary factors: (1) severe drought, accompanied by a series of storms that produce thousands of lightning strikes and windy conditions; (2) an infestation of bark beetles that has killed thousands of mature trees; and (3) the effects of wildfire suppression over the past century that has led to buildup of brush and small diameter trees in the forests.

When Lewis and Clark explored the Northwest, the forests were relatively open, with 20 to 25 mature trees per acre. Periodically, lightning would start fires that would clear out underbrush and small trees, renewing the forests.

Today's forests are completely different, with as many as 400 trees crowded onto each acre, along with thick undergrowth. This density of growth makes forests susceptible to disease, drought and severe wildfires. Instead of restoring forests, these wildfires destroy them and it can take decades to recover. This radical change in our forests is the result of nearly a century of well-intentioned but misguided management.

The Interface:

One challenge Southern California faces regarding the wildfire hazard is from the increasing number of houses being built on the urban/wildland interface. Every year the growing population has expanded further and further into the hills and mountains, including forest lands. The increased "interface" between urban/suburban areas and the open spaces created by this expansion has produced a significant increase in threats to life and property from fires and has pushed existing fire protection systems beyond original or current design and capability. Property owners in the interface are not aware of the problems and threats they face. Therefore, many owners have done very little to manage or offset fire hazards or risks on their own property. Furthermore, human activities increase the incidence of fire ignition and potential damage.

Fuel:

Fuel is the material that feeds a fire and is a key factor in wildfire behavior. Fuel is classified by volume and by type. Volume is described in terms of "fuel loading", or the amount of available vegetative fuel.

The type of fuel also influences wildfire. Chaparral is a primary fuel of Southern California wildfires, and this habitat is found along the easterly city limits between the communities of Mission Viejo, Ladera Ranch and Las Flores. Chaparral habitat ranges in elevation from near sea level to over 5,000' in Southern California. Chaparral communities experience long dry summers and receive most of their annual precipitation from winter rains.

Although chaparral is often considered as a single species, there are two distinct types; hard chaparral and soft chaparral. Within these two types are dozens of different plants, each with its own particular characteristics.

Fire has been important in the life cycle of chaparral communities for over 2 million years, however, the true nature of the "fire cycle" has been subject to interpretation. In a period of 750 years, it is generally thought that fire occurs once every 65 years in coastal drainages and once every 30 to 35 years inland.

The vegetation of chaparral communities has evolved to a point it requires fire to spawn regeneration. Many species invite fire through the production of plant materials with large surface-to-volume ratios, volatile oils and through periodic die-back of vegetation. These species have further adapted to possess special reproductive mechanisms following fire. Several species produce vast quantities of seeds which lie dormant until fire triggers germination. The parent plant which produces these seeds defends itself from fire by a thick layer of bark which allows enough of the plant to survive so that the plant can crown sprout following the blaze.

In general, chaparral community plants have adapted to fire through the following methods; a) fire induced flowering; b) bud production and sprouting subsequent to fire; c) in-soil seed storage and fire stimulated germination; and d) on plant seed storage and fire stimulated dispersal.

An important element in understanding the danger of wildfire is the availability of diverse fuels in the landscape, such as natural vegetation, manmade structures and combustible materials. A house surrounded by brushy growth rather than cleared space allows for greater continuity of fuel and increases the fire's ability to spread. After decades of fire suppression "dog-hair" thickets have accumulated, which enable high intensity fires to flare and spread rapidly.

In Mission Viejo, much of the easterly City limits south of Oso Parkway, to the southerly city limit is in the very high hazard severity zone as defined by the Fire Resource Assessment Program (FRAP) of the California Department of Forestry – see Appendix G FRAP Map.

Topography:

Topography influences the movement of air, thereby directing a fire course. For example, if the percentage of uphill slope doubles, the rate of spread in wildfire will

likely double. Gulches and canyons can funnel air and act as chimneys, which intensify fire behavior and cause the fire to spread faster.

Solar heating of dry, south-facing slopes produces up slope drafts that can complicate fire behavior. Unfortunately, hillsides with hazardous topographic characteristics are also desirable residential areas in many communities. This underscores the need for wildfire hazard mitigation and increased education and outreach to homeowners living in interface areas.

The Mission Viejo area encompasses grass and brush covered hillsides that facilitate the rapid spread of fire. In some portions of the City, there is significant topographic relief.

The Traffic in urban areas, and long travel distances in rural hillside areas often hinder fire department response time.

Weather:

Weather patterns combined with certain geographic locations can create a favorable climate for wildfire activity. Areas where annual precipitation is less than 30 inches per year are extremely fire susceptible. High-risk areas in Southern California share a hot, dry season in late summer and early fall when high temperatures and low humidity favor fire activity. The so-called “Santa Ana” winds, which are heated by compression as they flow down to Southern California from Utah create a particularly high risk, as they can rapidly spread what might otherwise be a small fire.

The Mission Viejo area typically has mild winters that lead to an annual growth of grasses and plants. This vegetation dries out during the hot summer months and is exposed to Santa Ana wind conditions in the fall. Winds in excess of 40 miles per hour are typical; gusts in excess of 100 miles per hour may occur locally. In the Mission Viejo area, these winds tend to travel from north to south. However, when combined with winds generated from burning vegetation, wind direction is likely to be extremely erratic.

Drought:

Recent concerns about the effects of climate change, particularly drought, are contributing to concerns about wildfire vulnerability. The term drought is applied to a period in which an unusual scarcity of rain causes a serious hydrological imbalance.

Unusually dry winters, or significantly less rainfall than normal, can lead to relatively drier conditions and leave reservoirs and water tables lower. Drought leads to problems with irrigation and may contribute to additional fires, or additional difficulties in fighting fires.

Development:

Growth and development in scrubland and forested areas is increasing the number of human-made structures in Southern California interface areas.

Wildfire has an effect on development, yet development can also influence wildfire. Owners often prefer homes that are private, have scenic views, are nestled in vegetation and use natural materials. A private setting may be far from public roads, or hidden behind a narrow, curving driveway. These conditions, however, make evacuation and fire fighting difficult. The scenic views found along mountain ridges can also mean areas of dangerous topography. Natural vegetation contributes to scenic beauty, but it may also provide a ready trail of fuel leading a fire directly to the combustible fuels of the home itself.

Wildfire Hazard Identification:

Wildfire hazard areas are commonly identified in regions of the wildland/urban interface. Ranges of the wildfire hazard are further determined by the ease of fire ignition due to natural or human conditions and the difficulty of fire suppression. The wildfire hazard is also magnified by several factors related to fire suppression/control such as the surrounding fuel load, weather, topography and property characteristics. Generally, hazard identification rating systems are based on weighted factors of fuels, weather and topography.

Table 9-4 illustrates a rating system to identify wildfire hazard risk (with a score of 3 equaling the most danger and a score of 1 equaling the least danger.)

Table 9-4: Sample Hazard Identification Rating System:

Category	Indicator	Rating
Roads and Signage	Steep; narrow; poorly signed	3
	One or two of the above	2
	Meets all requirements	1
Water Supply	None, except domestic	3
	Hydrant, tank, or pool over 500 feet away	2
	Hydrant, tank, or pool within 500 feet	1
Location of the Structure	Top of steep slope with brush/grass below	3
	Mid-slope with clearance	2
	Level with lawn, or watered groundcover	1
Exterior Construction	Combustible roofing, open eaves, Combustible siding	3
	One or two of the above	2
	Non-combustible roof, boxed eaves, non-combustible siding	1

In order to determine the "base hazard factor" of specific wildfire hazard sites and interface regions, several factors must be taken into account. Categories used to assess the base hazard factor include:

- ✓ Topographic location, characteristics and fuels;
- ✓ Site/building construction and design;
- ✓ Site/region fuel profile (landscaping);
- ✓ Defensible space;
- ✓ Accessibility;
- ✓ Fire protection response; and
- ✓ Water availability.

The use of Geographic Information System (GIS) technology in recent years has been a great asset to fire hazard assessment, allowing further integration of fuels, weather and topography data for such ends as fire behavior prediction, watershed evaluation, mitigation strategies and hazard mapping.

Vulnerability and Risk:

The eastern city limit of the City is adjacent to a historic wildfire corridor. Since incorporation in 1988, the City has not experienced any property loss due to a large wildfire. However, relatively small fires have started in the high fire zone area and have threatened residential housing that borders the fire corridor. Several older neighborhoods boarding the eastern city limit near the wildfire area were built with wood shake roofs and are at higher risk of loss than those built to today's fire code standards. Southern California residents are served by a variety of local fire departments as well as county, state and federal fire resources. Data that includes the location of interface areas in the county can be used to assess the population and total value of property at risk from wildfire and direct these fire agencies in fire prevention and response.

Key factors included in assessing wildfire risk include ignition sources, building materials and design, community design, structural density, slope, vegetative fuel, fire occurrence and weather, as well as occurrences of drought.

The National Wildland/Urban Fire Protection Program has developed the Wildland/Urban Fire Hazard Assessment Methodology tool for communities to assess their risk to wildfire. For more information on wildfire hazard assessment refer to <http://www.Firewise.org>.

Community Wildfire Issues

What is Susceptible to Wildfire?

Growth and Development in the Interface:

The hills and mountainous areas of Southern California are considered to be interface areas. The development of homes and other structures is encroaching onto the wildlands

and is expanding the wildland/urban interface. The interface neighborhoods are characterized by a diverse mixture of varying housing structures, development patterns, ornamental and natural vegetation and natural fuels.

In the event of a wildfire, vegetation, structures and other flammables can merge into unwieldy and unpredictable events. Factors important to the fighting of such fires include access, firebreaks, proximity of water sources, distance from a fire station and available firefighting personnel and equipment. Reviewing past wildland/urban interface fires shows that many structures are destroyed or damaged for one or more of the following reasons:

- ✓ Combustible roofing material;
- ✓ Wood construction;
- ✓ Structures with no defensible space;
- ✓ Fire department with poor access to structures;
- ✓ Subdivisions located in heavy natural fuel types;
- ✓ Structures located on steep slopes covered with flammable vegetation;
- ✓ Limited water supply; and
- ✓ Winds over 30 miles per hour.

Road Access:

Road access is a major issue for all emergency service providers. As development encroaches into the rural areas of the county, the number of houses without adequate turn-around space is increasing. In many areas, there is not adequate space for emergency vehicle turnarounds in single-family residential neighborhoods, causing emergency workers to have difficulty doing their jobs because they cannot access houses. As fire trucks are large, firefighters are challenged by narrow roads and limited access, when there is inadequate turn around space, the fire fighters can only work to remove the occupants, but cannot safely remain to save the threatened structures.

Water Supply:

Fire fighters in remote and rural areas are faced by limited water supply and lack of hydrant taps. Rural areas are characteristically outfitted with small diameter pipe water systems, inadequate for providing sustained fire fighting flows.

Interface Fire Education Programs and Enforcement:

Fire protection in urban/wildland interface areas may rely heavily more on the landowner's personal initiative to take measures to protect his or her own property. Therefore, public education and awareness may play a greater role in interface areas. In those areas with strict fire codes, property owners who are resist maintaining the minimum brush clearances may be cited for failure to clear brush.

The Need for Mitigation Programs:

Continued development into the interface areas will have growing impacts on the wildland/urban interface. Periodically, the historical losses from wildfires in Southern California have been catastrophic, with deadly and expensive fires going back decades.

The continued growth and development increases the public need for natural hazards mitigation planning in Southern California.

Wildfire Mitigation Activities:

Existing mitigation activities include current mitigation programs and activities that are being implemented by county, regional, state, or federal agencies or organizations.

Local Programs:

In Southern California there are dozens of independent local fire departments as well as large county wide consolidated fire districts. Although each district or department is responsible for fire related issues in specific geographic areas, they work together to keep Southern California residents safe from fire. Although fire agencies work together to fight urban/wildland interface fires, each separate agency may have a somewhat different set of codes to enforce for mitigation activities.

The fire departments and districts provide essential public services in the communities they serve and their duties far surpass extinguishing fires. Most of the districts and departments provide other services to their jurisdictions, including Emergency Medical Services who can begin treatment and stabilize sick and injured patients in emergency situations. All of the fire service providers in the county are dedicated to fire prevention and use their resources to educate the public to reduce the threat of the fire hazard, especially in the wildland/urban interface. Fire prevention professionals throughout the county have taken the lead in providing many useful and educational services to Southern California residents, such as:

- ✓ Home fire safety inspection;
- ✓ Assistance developing home fire escape plans;
- ✓ Business Inspections;
- ✓ Mission Viejo Emergency Response Training (PERT);
- ✓ Fire cause determination;
- ✓ Counseling for juvenile fire-setters;
- ✓ Teaching fire prevention in schools;
- ✓ Coordinating educational programs with other agencies, hospitals and schools;
and
- ✓ Answering citizens' questions regarding fire hazards.

The Threat of Urban Conflagration:

Although communities without an urban/wildland interface are much less likely to experience a catastrophic fire, in Southern California there is a scenario where any

community might be exposed to an urban conflagration similar to the fires that occurred following the 1906 San Francisco earthquake.

Large fires following an earthquake in an urban region are relatively rare phenomena, but have occasionally been of catastrophic proportions. The two largest peace-time urban fires in history, 1906 San Francisco and 1923 Tokyo, were both caused by earthquakes.

The fact that fire following earthquake has been little researched or considered in the United States is particularly surprising when one realizes that the conflagration in San Francisco after the 1906 earthquake was the single largest urban fire, and the single largest earthquake loss, in U.S. history. The loss over three days of more than 28,000 buildings within an area of 12 km² was staggering: \$250 million in 1906 dollars, or about \$5 billion at today's prices.

The 1989 Loma Prieta Earthquake, the 1991 Oakland hills fire, and Japan's recent Hokkaido Nansei-oki Earthquake all demonstrate the current, real possibility of a large fire, such as a fire following an earthquake, developing into a conflagration. In the United States, all the elements that would hamper fire-fighting capabilities are present: density of wooden structures, limited personnel and equipment to address multiple fires, debris blocking the access of fire-fighting equipment, and a limited water supply.

This in Southern California, this scenario highlights the need for fire mitigation activity in all sectors of the region, urban/wildland interface or not.

Fire Codes:

The Orange County Fire Authority shall enforce the brush clearance requirements specified in the Uniform Fire Code (2000 Edition). The Fire Code requirements include:

- ✓ Remove all flammable vegetation or other combustible growth within 30 feet of any structure, or in areas determined to be high hazard, the brush shall be cleared a minimum of 100 feet from any structure. Single trees, ornamental shrubbery or cultivated ground covers may be permitted provided they are maintained in such a manner that they do not easily transmit fire from the vegetation to the structure.
- ✓ For areas considered extremely hazardous, the inspecting fire officer, with the approval of the Fire Chief, may require an additional 100 feet of clearance for a total of 200 feet minimum away from any structure,
- ✓ For trees taller than 18 feet, lower branches shall be pruned with a minimum clearance of 6 feet from the ground. Dead branches shall be removed or pruned from living trees. Dead braches shall not be allowed within 10 feet of woodpiles or stacked wood.
- ✓ Woodpiles or stacked wood shall not be allowed within 30 feet of a structure. Flammable vegetation shall not be allowed within 10 feet of woodpiles or stacked wood.

- ✓ All dead leaves and flammable debris shall be removed from roofs and rain gutters.
- ✓ All chimneys and fireplaces shall be equipped with an approved metal or non-flammable spark arrestor consisting of a screen of ½ inch or smaller mesh.

It is the philosophy of the Orange County Fire Authority to prevent catastrophic brush fires through comprehensive code enforcement efforts and, when necessary, a rapid response of properly trained and equipped firefighters. Successfully preventing fires requires a partnership between the community and the Orange County Fire authority to maintain the hill areas free of hazardous brush and combustible vegetation.

Federal Programs:

The role of the federal land managing agencies in the wildland /urban interface is reducing fuel hazards on the lands they administer; cooperating in prevention and education programs; providing technical and financial assistance; and developing agreements, partnerships and relationships with property owners, local protection agencies, states and other stakeholders in wildland/urban interface areas. These relationships focus on activities before a fire occurs, which render structures and communities safer and better able to survive a fire occurrence.

Federal Emergency Management Agency (FEMA) Programs FEMA is directly responsible for providing fire suppression assistance grants and, in certain cases, major disaster assistance and hazard mitigation grants in response to fires. The role of FEMA in the wildland /urban interface is to encourage comprehensive disaster preparedness plans and programs, increase the capability of state and local governments and provide for a greater understanding of FEMA programs at the federal, state and local levels.

Fire Suppression Assistance Grants:

Fire Suppression Assistance Grants may be provided to a state with an approved hazard mitigation plan for the suppression of a forest or grassland fire that threatens to become a major disaster on public or private lands. These grants are provided to protect life and improved property and encourage the development and implementation of viable multi-hazard mitigation measures and provide training to clarify FEMA's programs. The grant may include funds for equipment, supplies and personnel. A Fire Suppression Assistance Grant is the form of assistance most often provided by FEMA to a state for a fire.

The grants are cost-shared with states. FEMA's US Fire Administration (USFA) provides public education materials addressing wildland/urban interface issues and the USFA's National Fire Academy provides training programs.

Hazard Mitigation Grant Program:

Following a major disaster declaration, the FEMA Hazard Mitigation Grant Program provides funding for long-term hazard mitigation projects and activities to reduce the

possibility of damages from all future fire hazards and to reduce the costs to the nation for responding to and recovering from the disaster.

National Wildland/Urban Interface Fire Protection Program:

Federal agencies can use the National Wildland/Urban Interface Fire Protection Program to focus on wildland/urban interface fire protection issues and actions. The Western Governors' Association (WGA) can act as a catalyst to involve state agencies, as well as local and private stakeholders, with the objective of developing an implementation plan to achieve a uniform, integrated national approach to hazard and risk assessment and fire prevention and protection in the wildland/urban interface.

The program helps states develop viable and comprehensive wildland fire mitigation plans and performance-based partnerships.

U.S. Forest Service:

The U. S. Forest Service (USFS) is involved in a fuel-loading program implemented to assess fuels and reduce hazardous buildup on forest lands. The USFS is a cooperating agency and, while it has little to no jurisdiction in the lower valleys, it has an interest in preventing fires in the interface, as fires often burn up the hills and into the higher elevation US forest lands.

Other Mitigation Programs and Activities:

Some areas of the country are facing wildland/urban issues collaboratively. These are model programs that include local solutions. Summit County, Colorado, has developed a hazard and risk assessment process that mitigates hazards through zoning requirements. In California, the Los Angeles County Fire Department has retrofitted more than 100 fire engines with fire retardant foam capability, the City of Mission Viejo has two fire engines with fire retardant foam capability, and Orange County is evaluating a pilot insurance grading and rating schedule specific to the wildland/urban interface. All are examples successful programs that demonstrate the value of pre-suppression and prevention efforts when combined with property owner support to mitigate hazards within the wildland/urban interface.

Prescribed Burning:

The health and condition of a forest will determine the magnitude of wildfire. If fuels - slash, dry or dead vegetation, fallen limbs and branches - are allowed to accumulate over long periods of time without being methodically cleared, fire can move more quickly and destroy everything in its path. The results are more catastrophic than if the fuels are periodically eliminated.

Prescribed burning is the most efficient method to get rid of these fuels. In California during 2003, various fire agencies conducted over 200 prescribed fires and burned over 33,000 acres to reduce the wildland fire hazard.

Firewise:

Firewise is a program developed within the National Wildland/ Urban Interface Fire Protection Program and it is the primary federal program addressing interface fire. It is administered through the National Wildfire Coordinating Group whose extensive list of participants includes a wide range of federal agencies. The program is intended to empower planners and decision makers at the local level. Through conferences and information dissemination, Firewise increases support for interface wildfire mitigation by educating professionals and the general public about hazard evaluation and policy implementation techniques. Firewise offers online wildfire protection information and checklists, as well as listings of other publications, videos and conferences.

The interactive home page allows users to ask fire protection experts questions and to register for new information as it becomes available.

FireFree Program:

FireFree is a unique private/public program for interface wildfire mitigation involving partnerships between an insurance company and local government agencies. It is an example of an effective non-regulatory approach to hazard mitigation. Originating in Bend, Oregon, the program was developed in response to the city's "Skeleton Fire" of 1996, which burned over 17,000 acres and damaged or destroyed 30 homes and structures. Bend sought to create a new kind of public education initiative that emphasized local involvement. SAFECO Insurance Corporation was a willing collaborator in this effort. Bend's pilot program included:

1. A short video production featuring local citizens as actors, made available at local video stores, libraries and fire stations;
2. Two city-wide yard debris removal events;
3. A 3D-minute program on a model FireFree home, aired on a local cable television station; and
4. Distribution of brochures, featuring a property owner evaluation checklist and a listing of fire-resistant indigenous plants.

Wildfire Mitigation Action Items

As stated in the Federal Wildland Fire Policy, “**The problem is not one of finding new solutions to an old problem but of implementing known solutions.** Deferred decision making is as much a problem as the fires themselves. If history is to serve us in the resolution of the wildland/urban interface problem, we must take action on these issues now. To do anything less is to guarantee another review process in the aftermath of future catastrophic fires.”

The wildfire mitigation action items provide direction on specific activities that organizations and residents in Southern California can undertake to reduce risk and prevent loss from wildfire events. Each action item is followed by ideas for implementation, which can be used by the steering committee and local decision makers in pursuing strategies for implementation.

Action items were selected by the Natural Hazards Mitigation Committee as they were deemed the most feasible after consideration of a range of factors such as costs, benefits, expected degree of public support, local capabilities, and potential environmental impacts.

Short Term – Wildfire #1:

Enhance emergency services to increase the efficiency of wildfire response and recovery activities.

Ideas for Implementation:

- ✓ Continue to develop Fire Watch programs and increase reporting stations/communications equipment (such as additional fire reporting phone lines) for better access and coverage.
- ✓ Continue to develop and increase training and outreach programs.
- ✓ Enhance internal and external notification systems that include all at-risk urban/wildland interface residents in the jurisdiction in order to contact them during evacuations.

Coordinating Organization:	Orange County Fire Authority, Mission Viejo Community Preparedness Academy
Timeline:	2 years
Plan Goals Addressed:	Emergency Services
Constraints:	Pending Funding and Available Personnel

Short Term – Wildfire #2:

Educate agency personnel on federal cost-share and grant programs, Fire Protection Agreements and other related federal programs so the full array of assistance available to local agencies is understood.

Ideas for Implementation:

- ✓ Investigate potential funding opportunities for individual mitigation projects; and
- ✓ Develop, approve and promote Fire Protection Agreements and partnerships to clarify roles and responsibilities and to provide for fire mitigation activities and suppression preparedness,

Coordinating Organization: Orange County Fire Authority
Timeline: 1-2 years
Plan Goals Addressed: Protect Life and Property, Public Awareness
Constraints: Pending Funding and Available Personnel

Short Term – Wildfire #3:

Inventory alternative firefighting water sources and encourage the development of additional sources.

Ideas for Implementation:

- ✓ Advocate for water storage facilities with fire-resistant electrical pump systems in developments outside of fire protection districts that are not connected to a community water or hydrant system; and
- ✓ Develop a protocol for fire jurisdictions and water districts to communicate all hydrant outages and water shortage information.

Coordinating Organization: Orange County Fire Authority, Mission Viejo
Planning and GIS Departments
Timeline: 1 year
Plan Goals Addressed: Protect Life and Property
Constraints: Pending Funding and Available Personnel

Long Term –Wildfire #1:

Encourage development and dissemination of maps relating to the fire hazard to help educate and assist builders and homeowners in being engaged in wildfire mitigation activities and to help guide emergency services during response.

Ideas for Implementation:

- ✓ Update wildland/urban interface maps.
- ✓ Conduct risk analysis and conduct a more thorough vulnerability assessment, incorporating data and the created hazard maps using GIS technology. to identify risk sites and further assist in prioritizing mitigation activities; and
- ✓ Encourage coordination between fire jurisdictions and sanitary districts to make sure that the most accurate elevation maps are being used.

Coordinating Organization:	Orange County Fire Authority
Timeline:	1-3 years
Plan Goals Addressed:	Protect Life and Property
Constraints:	Pending Funding and Available Personnel

Long Term – Wildfire #2:

Enhance outreach and education programs aimed at mitigating wildfire hazards and reducing or preventing the exposure of citizens, public agencies, private property owners and businesses to natural hazards.

Ideas for Implementation:

- ✓ Continue the hiring of fire prevention and education personnel to oversee education programs;
- ✓ Continue to train in all areas of fire prevention;
- ✓ Visit urban interface neighborhoods and rural areas and conduct education and outreach activities;
- ✓ Conduct specific community-based demonstration projects of fire prevention and mitigation in the urban interface;
- ✓ Establish neighborhood "drive-through" activities that pinpoint site-specific mitigation activities. Fire crews can give property owners personal suggestions and assistance; and
- ✓ Perform public outreach and information activities at fire stations by creating "Wildfire Awareness Week" activities, Fire stations can hold open houses and allow the public to visit, see the equipment and discuss wildfire mitigation with the station crews.

Coordinating Organization:	Orange County Fire Authority
Timeline:	Ongoing
Plan Goals Addressed:	Protect Life and Property, Public Awareness
Constraints:	Pending Funding and Available Personnel

Long Term – Wildfire #3:

Increase communication, coordination and collaboration between wildland/urban interface property owners, local and county planners and fire prevention crews and officials to address risks, existing mitigation measures and federal assistance programs.

Ideas for Implementation:

- ✓ Encourage single-family residences to have fire plans and practice evacuation routes;
- ✓ Encourage fire inspections in residential homes by fire departments to increase awareness among homeowners and potential fire responders;
- ✓ Encourage a standard for the State Fire Marshal to evaluate fire plans and emergency plans;
- ✓ Require fire department notification of new business applications to ensure that appropriate fire plans have been developed;
- ✓ Encourage local zoning and planning entities to work closely with landowners and/or developers who choose to build in the wildland/urban interface to identify and mitigate conditions that aggravate wildland/urban interface wildfire hazards, including:
 - Limited access for emergency equipment due to width and grade of roadways;
 - Inadequate water supplies and the spacing, consistency and species of vegetation around structures;
 - Inadequate fuel breaks, or lack of defensible space;
 - Highly flammable construction materials;
 - Building lots and subdivisions that are not in compliance with state and local land use and fire protection regulations;
 - Inadequate entry/escape routes;
 - Encourage all new homes and major remodels involving roofs additions that are located in the interface to have fire resistant roofs and residential sprinkler systems; and
 - Encourage the public to evaluate access routes to rural homes for fire-fighting vehicles and to develop passable routes if they do not exist.

Coordinating Organization:	Orange County Fire Authority, Mission Viejo Engineering and Building, Planning and Information Technology Departments
Timeline:	Ongoing
Plan Goals Addressed:	Protect Life and Property, Public Awareness, Emergency Services, Partnerships and Implementation
Constraints:	Pending Funding and Available Personnel

Long Term – Wildfire #4:

Encourage implementation of wildfire mitigation activities in a manner consistent with the goals of promoting sustainable ecological management and community stability.

Ideas for Implementation:

- ✓ Employ mechanical thinning to abate the risk of catastrophic fire and restore the more natural regime of high frequency, low-intensity burns. Prescribed burning can provide benefit to ecosystems by thinning hazardous vegetation and restoring ecological diversity to areas homogenized by invasive plants; and clear trimmings, trees, brush and other debris completely from sites when performing routine maintenance and landscaping to reduce fire risk.

- ✓ Enhance programs to coordinate and monitor adjacent areas who utilize prescribed burning techniques.

Coordinating Organization:	Orange County Fire Authority
Timeline:	Ongoing
Plan Goals Addressed:	Natural Systems
Constraints:	Pending Funding and Available Personnel

Wildfire Resource Directory


Local/County Resources:

The City of Mission Viejo contracts with the Orange County Fire Authority, which is responsible for fire suppression on all public and private lands within the City.


Orange County Fire Authority Headquarters
One Authority Road
Irvine, CA
969-881-2411
www.ocfa.org

Stations Serving the City of Mission Viejo:

- **Station 9** - 26312 Via Curacion, Mission Viejo 92691
- **Station 24** - 25862 Marguerite Pkwy., Mission Viejo 92692
- **Station 31** - 22426 Olympiad Rd., Mission Viejo 92692



City of Mission Viejo
Natural Hazards Mitigation Plan - Wildfires



Numerous other agencies are available to assist the City if needed. Several Federal agencies have roles in fire hazard mitigation, response, and recovery, Including:

- Fish and Wildlife Service
- National Park Service
- US Forest Service
- Bureau of Land Management
- Bureau of Indian Affairs

- Office of Aviation Services
- National Weather Service
- National Association of State Foresters
- California Department of Forestry

The State Office of Emergency Services can be called upon for further aid if necessary, as can Federal agencies, including:

- Department of Agriculture
- Department of the Interior
- Department of Defense (in extreme cases)

Private companies and individuals may also assist.

State Resources:

California Division of Forestry & Fire Protection
1416 9th Street
PO Box 944246
Sacramento California 94244-2460
(916)653-5123
<http://www.fire.ca.gov/php/index.php>

Office of the State Fire Marshal (OSFM)
1131 "S" Street
Sacramento, CA 95814
PO Box 944246
Sacramento, CA 94244-2460
Tel. (916) 445-8200
Fax. (916) 445-8509

Federal Resources and Programs:

Federal Wildland Fire Policy, Wildland/Urban Interface Protection

This is a report describing federal policy and interface fire. Areas of needed improvement are identified and addressed through recommended goals and actions.

<http://www.fs.fed.us/land/wdfire7c.htm>

National Fire Protection Association (NFPA)

This is the principal federal agency involved in the National Wildland/Urban Interface Fire Protection Initiative. NFPA has information on the Initiatives programs and documents.

Public Fire Protection Division

1 Battery March Park.

P.O. Box 9101

Quincy, MA 02269-9101

Phone: (617) 770-3000

National Interagency Fire Center (NIFC)

The NIFC in Boise, Idaho is the nation's support center for wildland firefighting. Seven federal agencies work together to coordinate and support wildland fire and disaster operations. These agencies include the Bureau of Indian Affairs, Bureau of Land Management, Forest Service, Fish and Wildlife Service, National Park Service, National Weather Service and Office of Aircraft

National Interagency Fire Center

3833 S. Development Ave.

Boise, Idaho 83705

(208) 387-5512

<http://www.nifc.gov/>

United States Fire Administration (USFA) of the Federal Emergency Management Agency (FEMA)

As an entity of the Federal Emergency Management Agency, the mission of the USFA is to reduce life and economic losses due to fire and related emergencies through leadership, advocacy, coordination and support.

USFA, Planning Branch, Mitigation Directorate

16825 S. Seton Ave.

Emmitsburg, MD 21727

(301) 447-1000

<http://www.fema.gov/hazards/fires/wildfires.shtm> - Wildfire Mitigation

<http://www.usfa.fema.gov/index.htm> - U.S. Fire Administration

Additional Resources:

Firewise - The National Wildland/Urban Interface Fire program
Firewise maintains a Website designed for people who live in wildfire prone areas, but it also can be of use to local planners and decision makers. The site offers online wildfire protection information and checklists, as well as listings of other publications, videos and conferences.

Firewise
1 Battery March Park.
P.O. Box 9101
Quincy, MA 02269-9101
Phone: (617) 770-3000
<http://www.firewise.org/>

Publications:

National Fire Protection Association Standard 299: Protection of Life and Property from Wildfire, National Wildland/Urban Interface Fire Protection Program, (1991), National Fire Protection Association, Washington, D.

This document, developed by the NFPA Forest and Rural Fire Protection Committee, provides criteria for fire agencies, land use planners, architects, developers and local governments to use in the development of areas that may be threatened by wildfire. To obtain this resource:

National Fire Protection Association Publications
(800) 344-3555
<http://www.nfpa.org> or <http://www.firewise.org>

An International Collection of Wildland- Urban Interface Resource Materials (Information Report NOR- 344). Hirsch, K., Pinedo, M., & Greenlee, J. (1996). Edmonton, Alberta: Canadian Forest Service.

This is a comprehensive bibliography of interface wildfire materials. Over 2,000 resources are included, grouped under the categories of general and technical reports, newspaper articles and public education materials. The citation format allows the reader to obtain most items through a library or directly from the publisher. The bibliography is available in hard copy or diskette at no cost. It is also available in downloadable PDF form.

Canadian Forest Service, Northern Forestry Centre, I-Zone Series
Phone: (780) 435-7210
<http://www.prefire.ucfpl.ucop.edu/uwibib.htm>

Wildland/Urban Interface Fire Hazard Assessment Methodology.
National Wildland/Urban Interface Fire Protection Program, (1998).
NFPA, Washington, D.C.
Firewise (NFPA Public Fire Protection Division)
Phone: (617) 984-7486
<http://www.firewise.org>

Fire Protection in the Wildland/Urban Interface: Everyone's Responsibility.
National Wildland/Urban Interface Fire Protection Program, (1998). Washington, D.
Firewise (NFPA Public Fire Protection Division)
Phone: (617) 984-7486
<http://www.firewise.org>

SECTION 10:

- Windstorms/Severe Weather -

Table of Contents

WHY ARE WINDSTORMS/SEVERE WEATHER A THREAT TO THE CITY OF MISSION VIEJO	10-2
Windstorms/Severe Weather Characteristics	10-2
History of Windstorms/Severe Weather in the City of Mission Viejo	10-2
HAZARD ASSESSMENT	10-9
Hazard Identification	10-9
Vulnerability and Risk	10-10
COMMUNITY WINDSTORMS/SEVERE WEATHER ISSUES	10-11
What Is Susceptible to Windstorms/Severe Weather	10-11
Existing Mitigation Activities.....	10-13
WINDSTORMS/SEVERE WEATHER MITIGATION ACTION ITEMS	10-15
WINDSTORMS/SEVERE WEATHER RESOURCE DIRECTORY.....	10-17
State Resources	10-17
Federal Resources and Programs	10-17
Additional Resources	10-17
Publications	10-18

Why are Windstorms/Severe Weather a Threat to the City of Mission Viejo?

Windstorms/Severe Weather:

Windstorms/Severe Weather pose a significant risk to life and property in the region by creating conditions that disrupt essential systems such as public utilities, telecommunications, and transportation routes. High winds can and do occasionally cause tornado-like damage to local homes and businesses. Severe windstorms can present a very destabilizing effect on the dry brush that covers local hillsides and urban wildland interface areas. High winds can have destructive impacts, especially to trees, power lines, and other utility services. In Mission Viejo, severe weather patterns, such as Santa Ana wind conditions or thunderstorm cells, impact the City every two to three years.

History of Windstorms/Severe Weather in Mission Viejo:

Mission Viejo is subject to the Santa Ana wind conditions that affect the entire southern California region. To this juncture, Mission Viejo has suffered from fallen trees/broken tree limbs, downed power lines, and minor damage to residences and businesses during windstorm activity. It is not uncommon for Santa Ana winds in Mission Viejo to reach winds up to 50 miles per hour. However, as studies indicate a higher probability of tornados and other windstorm activity possible in the future, the City is collecting data to improve future risk analysis efforts.

Windstorm/Severe Weather Characteristics in Southern California:

Santa Ana Winds and Tornado-Like Wind Activity:

Based on local history, most incidents of high winds in the City of Mission Viejo are the result of the Santa Ana wind conditions. While high impact incidents are not frequent in the area, significant Santa Ana Wind events and sporadic tornado activity have been known to negatively impact the local community.

What are Santa Ana Winds?

Santa Ana winds are generally defined as warm, dry winds that blow from the east or northeast (offshore). These winds occur below the passes and canyons of the coastal ranges of Southern California. Santa Ana winds often blow with exceptional speed in the Santa Ana Canyon (the canyon from which it derives its name). Forecasters at the National Weather Service offices in Oxnard and San Diego usually place speed minimums on these winds and reserve the use of “Santa Ana” for winds greater than 25 knots. These winds accelerate to speeds of 35 knots as they move through canyons and passes, with gusts to 50 or even 60 knots.

City of Mission Viejo

Natural Hazards Mitigation Plan – Windstorms/Severe Weather

The complex topography of southern California combined with various atmospheric conditions creates numerous scenarios that may cause widespread or isolated Santa Ana events.

Commonly, Santa Ana winds develop when a region of high pressure builds over the Great Basin (the high plateau east of the Sierra Mountains and west of the Rocky Mountains, including most of Nevada and Utah). Clockwise circulation around the center of this high pressure area forces air downslope from the high plateau. The air warms as it descends toward the California coast at the rate of 5 degrees Fahrenheit per 1000 feet due to compressional heating. Thus, compressional heating provides the primary source of warming. The air is dry since it originated in the desert, and it dries out even more as it is heated.

These regional winds typically occur from October to March, and, according to most accounts, are named either for the Santa Ana River Valley where they originate or for the Santa Ana Canyon, southeast of Lost Angeles, where they pick up speed.

What are Tornadoes?

Tornadoes are spawned when there is warm, moist air near the ground, cool air aloft, and winds that speed up and change direction. An obstruction, such as a house, in the path of the wind causes it to change direction. This change increases pressure on parts of the house, and the combination of increased pressures and fluctuating wind speeds creates stresses that frequently cause structural failures.

In order to measure the intensity and wind strength of a tornado, Dr. T. Theodore Fujita developed the Fujita Tornado Damage Scale. This scale compares the estimated wind velocity with the corresponding amount of suspected damage. The scale measures six

lassifications of tornados with increasing magnitude from an “F0” tornado to a “F6+” tornado.

Chart 10-3: Fujita Tornado Damage Scale:

Microbursts:

Unlike tornados, microbursts are strong, damaging winds which strike the ground and often give the impression a tornado has struck. They frequently occur during intense thunderstorms. The origin of a microburst is downward moving air from a thunderstorm’s core. But unlike a tornado, they affect only a rather small area.

University of Chicago storm researcher Dr. Ted Fujita first coined the term “downburst” to describe strong, downdraft winds flowing out of a thunderstorm cell that he believed were responsible for the crash of Eastern Airlines Flight 66 in June of 1975.

A downburst is a straight-direction surface wind in excess of 39 miles per hour caused by a small-scale, strong downdraft from the base of convective thundershowers and thunderstorms.

During Dr. Fujita’s investigations into the phenomena, he defined two sub-categories of downbursts: the larger macrobursts and small microbursts.

Macrobursts are downbursts with winds up to 117 miles per hour which spread across a path greater than 2.5 miles wide at the surface and which last from 5 to 30 minutes. The microburst, on the other hand, is confined to an even smaller area, less than 2.5 miles in diameter from the initial point of downdraft impact. An intense microburst can result in damaging winds near 170 miles per hour and often lasts for less than five minutes.

City of Mission Viejo

Natural Hazards Mitigation Plan – Windstorms/Severe Weather

Downbursts of all sizes descend from the upper regions of severe thunderstorms when the air accelerates downward through either exceptionally strong evaporative cooling or by very heavy rain, which drags dry air down with it. When the rapidly descending air strikes the ground, it spreads outward in all directions, like a fast running faucet stream hitting the bottom of the sink.

When the microburst wind hits an object on the ground such as a house, garage, or tree, it can flatten the buildings and strip limbs and branches from the tree. After striking the ground, the powerful outward running gust can wreak further havoc along its path.

Damage associated with a microburst is often mistaken for the work of a tornado, particularly directly under the microburst. However, damage patterns away from the impact area are characteristic of straight line winds rather than the twisted pattern of tornado damage.

Tornados, like those that occur every year in the Midwest and Southeast portions of the United States, are a rare phenomenon in most of California, with most tornado-like activity coming from microbursts.

Hail:

Inside of a thunderstorm are strong updrafts of warm air and downdrafts of cold air. If a water droplet is picked up by the updrafts it can be carried well above the freezing level. With temperatures below 32F, the water droplet freezes.

As the frozen droplet begins to fall, carried by cold downdrafts, it may thaw as it moves into warmer air toward the bottom of the thunderstorm

But the half-frozen droplet may also get picked up again by another updraft, carrying it back into very cold air and re-freezing it. With each trip above and below the freezing level the frozen droplet adds another layer of ice.

Finally, the frozen water droplet, with many layers of ice falls to the ground as hail. Even small hail can cause significant damage to buildings (broken glass), vehicles, and trees/plants.

Thunderstorms:

A thunderstorm is a storm with lightning and thunder, produced by a cumulonimbus cloud, usually producing gusty winds, heavy rain and sometimes hail. The typical thunderstorm is 15 miles in diameter and lasts an average of 30 minutes. A thunderstorm is formed from a combination of moisture, rapidly rising warm air and a force capable of lifting air such as a warm and cold front, a sea breeze or a mountain.

All thunderstorms are dangerous. About 10% of the thunderstorms that occur each year in the United States are classified as severe. (A thunderstorm is considered severe if it produces hail at least 3/4 inch in diameter, winds 58mph or greater or tornadoes.)

Every thunderstorm produces lightning, which kills more people each year than tornadoes. Heavy rain from thunderstorms can lead to flash flooding (which is the number one thunderstorm killer.) Strong winds, hail, and tornadoes are also dangers associated with some thunderstorms.

Extreme Heat (Heat Wave):

A period of extreme heat (also known as a ‘heat wave’) occurs when temperatures are 10 degrees or more than the average high temperature of the region.

City of Mission Viejo

Natural Hazards Mitigation Plan – Windstorms/Severe Weather

People living in urban areas may be at greater risk from the effects of a prolonged heat wave than people living in rural regions. An increased health problem, especially for those with respiratory difficulties, can occur when stagnant atmospheric conditions trap pollutants in urban areas, thus adding unhealthy air to excessively hot temperatures. In addition, asphalt and concrete store heat longer and gradually releases heat at night, which produces significantly higher nighttime temperatures in urban areas known as the “urban heat island effect.”

Drought:

A drought is a period of unusually persistent dry weather that persists long enough to cause serious problems such as crop damage and/or water supply shortages. The severity of the drought depends upon the degree of moisture deficiency, the duration, and the size of the affected area.

There are four specific definitions of drought:

Meteorological – A measure of departure of precipitation from normal.

Agricultural – A situation where the amount of moisture in the soil no longer meets the needs of a particular crop.

Hydrological – When surface and subsurface water supplies are below normal.

Socioeconomic – The situation that occurs when physical water shortages begin to affect people.

A severe drought can easily upset day-to-day routine and may cause panic. In a drought situation it would not be unreasonable for restrictions on washing cars, watering landscapes, and other conservation measures.

Mission Viejo has no commercial agriculture and would not be susceptible to severe economic loss in the event of a long standing drought condition. However, water supply shortages may necessitate water conservation efforts for the entire region. Droughts also contribute to high fire risk and this topic has been addressed in the Wildfire Section 9.

Local History of Windstorm Events:

While the effects of Santa Ana Winds are often overlooked, it should be noted that in 2003, two deaths in Southern California were directly related to the fierce condition. A falling tree struck one woman in San Diego and a second death occurred when a passenger in a vehicle was hit by a flying pickup truck cover launched by the Santa Ana winds.

Windstorm Hazard Assessment:

Hazard Identification:

A windstorm event in the region can range from short term microburst activity lasting only minutes, to a long duration Santa Ana wind condition which may last for several days. This was the case in a January 2003 Santa Ana wind event. Windstorms/Severe Weather in the City of Mission Viejo and surrounding area can cause extensive damage including the destruction of tree strands, road and highway infrastructure, and critical utility facilities.

With an analysis of the high wind and tornado events as depicted, we can deduce the common windstorm impact areas including the effect on life, property, utilities, infrastructure, and transportation. Additionally, if a windstorm disrupts power to local residential communities, the American Red Cross and City resources might be called upon for care and shelter duties. Displacing residents and utilizing City resources for shelter staffing and disaster cleanup can cause an economic hardship on the community.

Vulnerability and Risk:

With an analysis of the high wind and tornado events as depicted, it can be deduced that the common windstorm impact areas including the effect on life, property, utilities, infrastructure, and transportation. Mission Viejo has experienced severe weather conditions every 3 to 5 years due to the frequency of Santa Ana winds (annually), El Nino (1998 and 2005) and La Nina weather events. Historically, damage has been isolated to minor debris removal and utility service interruption sporadically throughout the City. It can be anticipated that the probability of similar widespread damage to affect the entire City. Additionally, if a windstorm/severe weather disrupts power to local residential communities, the American Red Cross and City resources might be called upon for care and shelter duties. Displacing residents and utilizing City resources for shelter staffing and disaster cleanup can cause an economic hardship on the community.

Santa Ana Wind Illustration

The illustration shows clearly the direction of the Santa Ana winds as they travel from the stable, high pressure weather system called the great Basin High through the canyons and towards the low pressure system off the Pacific. Clearly, the City of Mission Viejo is in the direct path of the ocean bound Santa Ana winds.

Community Windstorm Issues

What is Susceptible to Windstorms/Severe Weather?

Life and Property:

Based on the history of the region, windstorm events can be expected, perhaps annually, across widespread areas of the region. Obviously, the City and surrounding region can be adversely impacted during a windstorm event.

This can result in the involvement of the City of Mission Viejo’s emergency response personnel during a wide ranging windstorm or microburst tornadic activity.

Both residential and commercial structures with weak reinforcement are susceptible to damage. Wind pressure can create a direct and frontal assault on a structure, pushing walls, doors, and windows inward. Conversely, passing currents can create lift suction forces that pull building components and surfaces outward. With extreme wind forces, the roof or entire building can fail, causing considerable damage.

Debris carried along by extreme winds can directly contribute to loss of life and indirectly to the failure of protective building envelopes, siding, or walls. When Windstorms/Severe Weather strikes a community, downed trees, power lines, and damaged property can be major hindrances to emergency response and disaster recovery.

Utilities:

Historically, falling trees have been the major cause of power outages in the region. Windstorms such as strong microbursts and Santa Ana Wind conditions can cause flying debris and downed utility lines. For example, tree limbs breaking in winds of only 45 mph can be thrown over 75 feet. As such, overhead power lines can be damaged even in relatively minor windstorm events. Falling trees can bring electric power lines down to the pavement, creating the possibility of lethal electric shock. Rising population growth and new infrastructure in the region creates a higher probability for damage to occur from

City of Mission Viejo

Natural Hazards Mitigation Plan – Windstorms/Severe Weather

windstorms as more life and property are exposed to risk.

Infrastructure:

Windstorms/Severe Weather can damage buildings, power lines, and other property and infrastructure due to falling trees and branches. During wet winters, saturated soils cause trees to become less stable and more vulnerable to uprooting from high winds.

Windstorms/Severe Weather can result in collapsed or damaged buildings or blocked roads and bridges, damaged traffic signals, streetlights, and parks, among others. Roads blocked by fallen trees during a windstorm may have severe consequences to people who need access to emergency services. Emergency response operations can be complicated when roads are blocked or when power supplies are interrupted.

Industry and commerce can suffer losses from interruptions in electric services and from extended road closures. They can also sustain direct losses to buildings, personnel, and other vital equipment. There are direct consequences to the local economy resulting from Windstorms/Severe Weather related to both physical damages and interrupted services.

Increased Fire Threat:

Perhaps the greatest danger from windstorm activity in Southern California comes from the combination of the Santa Ana winds with the major fires that occur every few years in the urban/wildland interface. With the Santa Ana winds driving the flames, the speed and reach of the flames is even greater than in times of calm wind conditions. The higher fire hazard raised by a Santa Ana wind condition requires that even more care and attention be paid to proper brush clearances on property in the wildland/urban interface areas.

Transportation:

Windstorm activity can have an impact on local transportation in addition to the problems caused by downed trees and electrical wires blocking streets and highways. During periods of extremely strong Santa Ana winds, major highways can be temporarily closed to truck and recreational vehicle traffic.

However, typically these disruptions are not long lasting, nor do they carry a severe long term economic impact on the region.

Existing Windstorm Mitigation Activities:

As stated, one of the most common problems associated with Windstorms/Severe Weather is power outage.

High winds commonly occur during winter storms, and can cause trees to bend, sag, or

City of Mission Viejo

Natural Hazards Mitigation Plan – Windstorms/Severe Weather

fail (tree limbs or entire trees), coming into contact with nearby distribution power lines. Fallen trees can cause short-circuiting and conductor overloading. Wind-induced damage to the power system causes power outages to customers, incurs cost to make repairs, and in some cases can lead to ignitions that start wild land fires.

One of the strongest and most widespread existing mitigation strategies pertains to tree clearance. Currently, California State Law requires utility companies to maintain specific clearances (depending on the type of voltage running through the line) between electric power lines and all vegetation.

Enforcement of the following California Public Resource Code Sections provides guidance on tree pruning regulations.

4293: Power Line Clearance Required

4292: Power Line Hazard Reduction

4291: Reduction of Fire Hazards Around Buildings

4171: Public Nuisances

The following pertain to tree pruning regulations and are taken from the California Code of Regulations:

Title 14: Minimum Clearance Provisions

Sections: 1250 – 1258

General Industry Safety Orders

Title 8: Group 3: Articles 12, 13, 36,37, 38

California Penal Code: Section 385

Finally, the following California Public Utilities commission section has additional guidance:

California Public Utilities Commission

General Order 95: Rule 35

Homeowner Liability:

Failure to allow a utility company to comply with the law can result in liability to the homeowner for damages or injuries resulting from a vegetation hazard. Many insurance companies do not cover these types of damages if the policy owner has refused to allow the hazard to be eliminated.

The power companies, in compliance with the above regulations, collect data about tree failures and their impact on power lines. This mitigation strategy assist the power company in preventing future tree failures. From the collection of this data, the power company can advise residents as to the most appropriate vegetative planting and pruning

procedures. The local electric utility, Southern California Edison, provides extensive information on trees and power lines at their website: www.sce.com.

Windstorm Mitigation Action Items

The Windstorms/Severe Weather mitigation action items provide direction on specific activities that organizations and residents in the City of Mission Viejo can undertake to reduce risk and prevent loss from Windstorms/Severe Weather events. Each action item is followed by ideas for implementation, which can be used by the Hazard Mitigation Planning Committee and local decision makers in pursuing strategies for implementation.

Action items were selected by the Natural Hazards Mitigation Committee as they were deemed the most feasible after consideration of a range of factors such as costs, benefits, expected degree of public support, local capabilities, and potential environmental impacts.

Long Term - Windstorms/Severe Weather #1:

Public Awareness Campaign: To provide public education materials to City of Mission Viejo residents and all School District staff, parents and age-appropriate students with mitigation materials pertaining to the protection of life and property before, during, and after a windstorm.

Ideas for Implementation:

- ✓ Compile mitigation brochures from the following organizations: FEMA; California Public Utilities Commission; County of Los Angeles Public Works; Southern California Edison.
- ✓ Distribute these materials to City of Mission Viejo residents and school district members. Materials can be distributed at City Council Meetings, Commission Meetings, City Hall, Parks and Recreation Centers, Fire Departments, Police Departments, Chamber of Commerce Meetings, School Administration Offices and other appropriate venues.
- ✓ Create community PowerPoint seminar to be given at the Community Preparedness Academy/CERT joint hazard training event. Utilize presentation at future City Council Meetings or other public events as appropriate.

Coordinating Organization:

City of Mission Viejo Emergency
Preparedness Division

Timeline:

Ongoing

Plan Goals Addressed:

Public Awareness, Protection of Life and
Property

Constraints:

Pending Funding and Available Personnel

Long Term - Windstorms/Severe Weather #2:

Create local City and utility awareness of tree pruning and Fire Code Sections relevant to wind-resistant utility operations

Ideas for Implementation:

- ✓ City to work with local utility companies encouraging compliance with State and Local tree clearance and integrity guidelines.
- ✓ Compile comprehensive list of pertinent State and local regulations.
- ✓ Identify areas of repeat damage through the City’s complaint system in order to collect data to enhance vulnerability assessment.
- ✓ Send letters of encouragement from Hazard Mitigation Planning Committee and local City and School officials encouraging utility compliance with guidelines.

Coordinating Organization:	Mission Viejo Planning Department, Public Works Department, and Emergency Preparedness Division
Timeline:	Ongoing
Plan Goals Addressed:	Wildfire prevention, enhance public safety
Constraints:	Pending Funding and Available Personnel

Long Term - Windstorms/Severe Weather #3:

City to purchase and/or test backup power facilities for use during a power failure.
Create an equipment/testing log to ensure backup power equipment is in working service.

Ideas for Implementation:

- ✓ Gather all databases of backup power equipment for critical facilities.
- ✓ Test all critical facility backup power generators.
- ✓ Keep an accurate record of equipment specification and testing date information.

Coordinating Organization:	Mission Viejo Public Works and Emergency Preparedness Division
Timeline:	Ongoing.
Plan Goals Addressed:	Enhance public safety

Constraints:

Pending Funding and Available Personnel

Windstorms/Severe Weather Resource Directory

State Resources

California Division of Forestry & Fire Protection
1416 9th Street
PO Box 944246
Sacramento California 94244-2460
(916) 653-5123
<http://www.fire.ca.gov/php/index.php>

Federal Resources and Programs

National Weather Service
Los Angeles/Oxnard Weather Forecast Office
520 North Elevar Street
Oxnard, CA 93030
Forecast and weather info: (805) 988-6610
Administrative issues: (805) 988-6615
E-mail: Webmaster.LOX@noaa.gov
<http://weather.noaa.gov/>

Additional Resources

International Society of Arboriculture.
P.O. Box 3129
Champaign, IL 61826-3129
Phone: (217) 355-9411
Fax: (217) 355-9516
Web: www.isa-arbor.com
E-mail: isa@isa-arbor.com

Publications

WINDSTORMS: Protect Your Family and Property from the Hazards of Violent Windstorms

<http://emd.wa.gov/5-prep/trng/pubed/Windstrm.pdf>

Preparing Your Home for Severe Windstorms is available from

http://www.chubb.com/personal/html/helpful_tips_home_windstorm.html

Master Resource Directory

The Resource Directory provides contact information for local, regional, state, and federal programs that are currently involved in hazard mitigation activities. The Hazard Mitigation Advisory Committee may look to the organizations on the following pages for resources and technical assistance. The Resource Directory provides a foundation for potential partners in action item implementation.

The Hazard Mitigation Advisory Committee will continue to add contact information for organizations currently engaged in hazard mitigation activities. This section may also be used by various community members interested in hazard mitigation information and projects.

American Public Works Association			
Level: National	Hazard: Multi	http://www.apwa.net	
2345 Grand Boulevard		Suite 500	
Kansas City, MO 64108-2641		Ph: 816-472-6100	Fx: 816-472-1610
Notes: The American Public Works Association is an international educational and professional association of public agencies, private sector companies, and individuals dedicated to providing high quality public works goods and services.			
Association of State Floodplain Managers			
Level: Federal	Hazard: Flood	www.floods.org	
2809 Fish Hatchery Road			
Madison, WI 53713		Ph: 608-274-0123	Fx:
Notes: The Association of State Floodplain Managers is an organization of professionals involved in floodplain management, flood hazard mitigation, the National Flood Insurance Program, and flood preparedness, warning and recovery			
Building Seismic Safety Council (BSSC)			
Level: National	Hazard: Earthquake	www.bssconline.org	
1090 Vermont Ave., NW		Suite 700	
Washington, DC 20005		Ph: 202-289-7800	Fx: 202-289-109
Notes: The Building Seismic Safety Council (BSSC) develops and promotes building earthquake risk mitigation regulatory provisions for the nation.			

City of Mission Viejo*Natural Hazards Mitigation Plan – Appendix A “Resources”*

California Department of Transportation (CalTrans)			
Level: State	Hazard: Multi	http://www.dot.ca.gov/	
120 S. Spring Street			
Los Angeles, CA 90012		Ph: 213-897-3656	Fx:
Notes: CalTrans is responsible for the design, construction, maintenance, and operation of the California State Highway System, as well as that portion of the Interstate Highway System within the state's boundaries. Alone and in partnership with Amtrak, Caltrans is also involved in the support of intercity passenger rail service in California.			
California Resources Agency			
Level: State	Hazard: Multi	http://resources.ca.gov/	
1416 Ninth Street		Suite 1311	
Sacramento, CA 95814		Ph: 916-653-5656	Fx:
Notes: The California Resources Agency restores, protects and manages the state's natural, historical and cultural resources for current and future generations using solutions based on science, collaboration and respect for all the communities and interests involved.			
California Division of Forestry (CDF)			
Level: State	Hazard: Multi	http://www.fire.ca.gov/php/index.php	
210 W. San Jacinto			
Perris CA 92570		Ph: 909-940-6900	Fx:
Notes: The California Department of Forestry and Fire Protection protects over 31 million acres of California's privately-owned wildlands. CDF emphasizes the management and protection of California's natural resources.			
California Division of Mines and Geology (DMG)			
Level: State	Hazard: Multi	www.consrv.ca.gov/cgs/index.htm	
801 K Street		MS 12-30	
Sacramento, CA 95814		Ph: 916-445-1825	Fx: 916-445-5718
Notes: The California Geological Survey develops and disseminates technical information and advice on California's geology, geologic hazards, and mineral resources.			

City of Mission Viejo

Natural Hazards Mitigation Plan – Appendix A “Resources”

California Environmental Resources Evaluation System (CERES)		
Level: State	Hazard: Multi	http://ceres.ca.gov/
900 N St.		Suite 250
Sacramento, Ca. 95814		Ph: 916-653-2238 Fx:
Notes: CERES is an excellent website for access to environmental information and websites.		
California Department of Water Resources (DWR)		
Level: State	Hazard: Flood	http://www.dwr.water.ca.gov
1416 9th Street		
Sacramento, CA 95814		Ph: 916-653-6192 Fx:
Notes: The Department of Water Resources manages the water resources of California in cooperation with other agencies, to benefit the State's people, and to protect, restore, and enhance the natural and human environments.		
California Department of Conservation: Southern California Regional Office		
Level: State	Hazard: Multi	www.consrv.ca.gov
655 S. Hope Street		#700
Los Angeles, CA 90017-2321		Ph: 213-239-0878 Fx: 213-239-0984
Notes: The Department of Conservation provides services and information that promote environmental health, economic vitality, informed land-use decisions and sound management of our state's natural resources.		
California Planner's Information Network		
Level: State	Hazard: Multi	www.calpin.ca.gov
		Ph: Fx:
Notes: The Governor's Office of Planning and Research (OPR) publishes basic information on local planning agencies, known as the California Planners' Book of Lists. This local planning information is available on-line with new search capabilities and up-to-the- minute updates.		

City of Mission Viejo

Natural Hazards Mitigation Plan – Appendix A “Resources”

EPA, Region 9		
Level: Regional	Hazard: Multi	http://www.epa.gov/region09
75 Hawthorne Street		
San Francisco, CA 94105	Ph: 415-947-8000	Fx: 415-947-3553
Notes: The mission of the U.S. Environmental Protection Agency is to protect human health and to safeguard the natural environment through the themes of air and global climate change, water, land, communities and ecosystems, and compliance and environmental stewardship.		
Federal Emergency Management Agency, Region IX		
Level: Federal	Hazard: Multi	www.fema.gov
1111 Broadway		Suite 1200
Oakland, CA 94607	Ph: 510-627-7100	Fx: 510-627-7112
Notes: The Federal Emergency Management Agency is tasked with responding to, planning for, recovering from and mitigating against disasters.		
Federal Emergency Management Agency, Mitigation Division		
Level: Federal	Hazard: Multi	www.fema.gov/fima/planhowto.shtm
500 C Street, S.W.		
Washington, D.C. 20472	Ph: 202-566-1600	Fx:
Notes: The Mitigation Division manages the National Flood Insurance Program and oversees FEMA's mitigation programs. It has of a number of programs and activities of which provide citizens Protection, with flood insurance; Prevention, with mitigation measures and Partnerships, with communities throughout the country.		
Floodplain Management Association		
Level: Federal	Hazard: Flood	www.floodplain.org
P.O. Box 50891		
Sparks, NV 89435-0891	Ph: 775-626-6389	Fx: 775-626-6389
Notes: The Floodplain Management Association is a nonprofit educational association. It was established in 1990 to promote the reduction of flood losses and to encourage the protection and enhancement of natural floodplain values. Members include representatives of federal, state and local government agencies as well as private firms.		

City of Mission Viejo*Natural Hazards Mitigation Plan – Appendix A “Resources”*

Governor’s Office of Emergency Services (OES)			
Level: State	Hazard: Multi	www.oes.ca.gov	
P.O. Box 419047			
Rancho Cordova, CA 95741-9047		Ph: 916 845- 8911	Fx: 916 845-8910
Notes: The Governor's Office of Emergency Services coordinates overall state agency response to major disasters in support of local government. The office is responsible for assuring the state's readiness to respond to and recover from natural, manmade, and war-caused emergencies, and for assisting local governments in their emergency preparedness, response and recovery efforts.			
Landslide Hazards Program, USGS			
Level: Federal	Hazard: Landslide	http://landslides.usgs.gov/index.html	
12201 Sunrise Valley Drive		MS 906	
Reston, VA 20192		Ph: 703-648- 4000	Fx:
Notes: The NLIC website provides good information on the programs and resources regarding landslides. The page includes information on the National Landslide Hazards Program Information Center, a bibliography, publications, and current projects. USGS scientists are working to reduce long-term losses and casualties from landslide hazards through better understanding of the causes and mechanisms of ground failure both nationally and worldwide.			
National Wildland/Urban Interface Fire Program			
Level: Federal	Hazard: Wildfire	www.firewise.org/	
1 Batterymarch Park			
Quincy, MA 02169-7471		Ph: 617-770-3000	Fx: 617 770-0700
Notes: Firewise maintains a Website designed for people who live in wildfire- prone areas, but it also can be of use to local planners and decision makers. The site offers online wildfire protection information and checklists, as well as listings of other publications, videos, and conferences.			

City of Mission Viejo

Natural Hazards Mitigation Plan – Appendix A “Resources”

National Resources Conservation Service		
Level: Federal	Hazard: Multi	http://www.nrcs.usda.gov/
14th and Independence Ave., SW		Room 5105-A
Washington, DC 20250	Ph: 202-720-7246	Fx: 202-720-7690
Notes: NRCS assists owners of America's private land with conserving their soil, water, and other natural resources, by delivering technical assistance based on sound science and suited to a customer's specific needs. Cost shares and financial incentives are available in some cases.		
National Interagency Fire Center (NIFC)		
Level: Federal	Hazard: Wildfire	www.nifc.gov
3833 S. Development Ave.		
Boise, Idaho 83705-5354	Ph: 208-387- 5512	Fx:
Notes: The NIFC in Boise, Idaho is the nation’s support center for wildland firefighting. Seven federal agencies work together to coordinate and support wildland fire and disaster operations.		
National Fire Protection Association (NFPA)		
Level: National	Hazard: Wildfire	http://www.nfpa.org/catalog/home/index.asp
1 Batterymarch Park		
Quincy, MA 02169-7471	Ph: 617-770-3000	Fx: 617 770-0700
Notes: The mission of the international nonprofit NFPA is to reduce the worldwide burden of fire and other hazards on the quality of life by providing and advocating scientifically-based consensus codes and standards, research, training and education		
National Floodplain Insurance Program (NFIP)		
Level: Federal	Hazard: Flood	www.fema.gov/nfip/
500 C Street, S.W.		
Washington, D.C. 20472	Ph: 202-566-1600	Fx:
Notes: The Mitigation Division manages the National Flood Insurance Program and oversees FEMA's mitigation programs. It has of a number of programs and activities of which provide citizens Protection, with flood insurance; Prevention, with mitigation measures and Partnerships, with communities throughout the country.		

City of Mission Viejo

Natural Hazards Mitigation Plan – Appendix A “Resources”

National Oceanic /Atmospheric Administration		
Level: Federal	Hazard: Multi	www.noaa.gov
14th Street & Constitution Ave NW		Rm 6013
Washington, DC 20230		Ph: 202-482-6090 Fx: 202-482-3154
Notes: NOAA's historical role has been to predict environmental changes, protect life and property, provide decision makers with reliable scientific information, and foster global environmental stewardship.		
National Weather Service, Office of Hydrologic Development		
Level: Federal	Hazard: Flood	http://www.nws.noaa.gov/
1325 East West Highway		SSMC2
Silver Spring, MD 20910		Ph: 301-713-1658 Fx: 301-713-0963
Notes: The Office of Hydrologic Development (OHD) enhances National Weather Service products by: infusing new hydrologic science, developing hydrologic techniques for operational use, managing hydrologic development by NWS field office, providing advanced hydrologic products to meet needs identified by NWS customers		
National Weather Service		
Level: Federal	Hazard: Multi	http://www.nws.noaa.gov/
520 North Elevar Street		
Oxnard, CA 93030		Ph: 805-988- 6615 Fx:
Notes: The National Weather Service is responsible for providing weather service to the nation. It is charged with the responsibility of observing and reporting the weather and with issuing forecasts and warnings of weather and floods in the interest of national safety and economy. Briefly, the priorities for service to the nation are: 1. protection of life, 2. protection of property, and 3. promotion of the nation's welfare and economy.		
Sanitation Districts of Los Angeles County		
Level: County	Hazard: Flood	http://www.lacsd.ora/
1955 Workman Mill Road		
Whittier, CA 90607		Ph:562-699-7411 x2301 Fx:
Notes: The Sanitation Districts provide wastewater and solid waste management for over half the population of Los Angeles County and turn waste products into resources such as reclaimed water, energy, and recyclable materials.		

City of Mission Viejo

Natural Hazards Mitigation Plan – Appendix A “Resources”

South Coast Air Quality Management District (AQMD)			
Level: Regional	Hazard: Multi	www.aqmd.gov	
21865 E. Copley Drive			
Diamond Bar, CA 91765		Ph: 800-CUT-SMOG	Fx:
Notes: AQMD is a regional government agency that seeks to achieve and maintain healthful air quality through a comprehensive program of research, regulations, enforcement, and communication. The AQMD covers Los Angeles and Orange Counties and parts of Riverside and San Bernardino Counties.			
Southern California Earthquake Center (SCEC)			
Level: Regional	Hazard: Earthquake	www.scec.org	
3651 Trousdale Parkway		Suite 169	
Los Angeles, CA 90089-0742		Ph: 213-740-5843	Fx: 213/740-0011
Notes: The Southern California Earthquake Center (SCEC) gathers new information about earthquakes in Southern California, integrates this information into a comprehensive and predictive understanding of earthquake phenomena, and communicates this understanding to end-users and the general public in order to increase earthquake awareness, reduce economic losses, and save lives.			
Southern California Association of Governments (SCAG)			
Level: Regional	Hazard: Multi	www.scag.ca.gov	
818 W. Seventh Street		12th Floor	
Los Angeles, CA 90017		Ph: 213-236-1800	Fx: 213-236-1825
Notes: The Southern California Association of Governments functions as the Metropolitan Planning Organization for six counties: Los Angeles, Orange, San Bernardino, Riverside, Ventura and Imperial. As the designated Metropolitan Planning Organization, the Association of Governments is mandated by the federal government to research and draw up plans for transportation, growth management, hazardous waste management, and air quality.			

City of Mission Viejo

Natural Hazards Mitigation Plan – Appendix A “Resources”

State Fire Marshal (SFM)		
Level: State	Hazard: Wildfire	http://osfm.fire.ca.gov
1131 "S" Street		
Sacramento, CA 95814	Ph: 916-445-8200	Fx: 916-445-8509
<p>Notes: The Office of the State Fire Marshal (SFM) supports the mission of the California Department of Forestry and Fire Protection (CDF) by focusing on fire prevention. SFM regulates buildings in which people live, controls substances which may, cause injuries, death and destruction by fire; provides statewide direction for fire prevention within wildland areas; regulates hazardous liquid pipelines; reviews regulations and building standards; and trains and educates in fire protection methods and responsibilities.</p>		
The Community Rating System (CRS)		
Level: Federal	Hazard: Flood	http://www.fema.gov/nfip/crs.shtm
500 C Street, S.W.		
Washington, D.C. 20472	Ph: 202-566-1600	Fx:
<p>Notes: The Community Rating System (CRS) recognizes community floodplain management efforts that go beyond the minimum requirements of the NFIP. Property owners within the County would receive reduced NFIP flood insurance premiums if the County implements floodplain management practices that qualify it for a CRS rating. For further information on the CRS, visit FEMA’s website.</p>		
United States Geological Survey		
Level: Federal	Hazard: Multi	http://www.usgs.gov/
345 Middlefield Road		
Menlo Park, CA 94025	Ph: 650-853-8300	Fx:
<p>Notes: The USGS provides reliable scientific information to describe and understand the Earth; minimize loss of life and property from natural disasters; manage water, biological, energy, and mineral resources; and enhance and protect our quality of life.</p>		
US Army Corps of Engineers		
Level: Federal	Hazard: Multi	http://www.usace.army.mil
P.O. Box 532711		
Los Angeles CA 90053- 2325	Ph: 213-452- 3921	Fx:
<p>Notes: The United States Army Corps of Engineers work in engineering and environmental matters. A workforce of biologists, engineers, geologists, hydrologists, natural resource managers and other professionals provide engineering services to the nation including planning, designing, building and operating water resources and other civil works projects.</p>		

City of Mission Viejo*Natural Hazards Mitigation Plan – Appendix A “Resources”*

USDA Forest Service		
Level: Federal	Hazard: Wildfire	http://www.fs.fed.us
1400 Independence Ave. SW		
Washington, D.C. 20250-0002	Ph: 202-205-8333	Fx:
Notes: The Forest Service is an agency of the U.S. Department of Agriculture. The Forest Service manages public lands in national forests and grasslands.		
USGS Water Resources		
Level: Federal	Hazard: Multi	www.water.usgs.gov
6000 J Street		Placer Hall
Sacramento, CA 95819-6129	Ph: 916-278-3000	Fx: 916-278-3070
Notes: The USGS Water Resources mission is to provide water information that benefits the Nation's citizens: publications, data, maps, and applications software.		
Western States Seismic Policy Council (WSSPC)		
Level: Regional	Hazard: Earthquake	www.wsspc.org/home.html
125 California Avenue		Suite D201, #1
Palo Alto, CA 94306	Ph: 650-330-1101	Fx: 650-326-1769
Notes: WSSPC is a regional earthquake consortium funded mainly by FEMA. Its website is a great resource, with information clearly categorized - from policy to engineering to education.		

The Public Participation Process

Public participation is a key component to strategic planning processes. Citizen participation offers citizens the chance to voice their ideas, interests, and opinions. The Federal Emergency Management Agency also requires public input during the development of mitigation plans.

The City of Mission Viejo Natural Hazards Mitigation Plan integrates a cross-section of citizen input throughout the planning process. To accomplish this goal, the City of Mission Viejo Hazard Mitigation Advisory Committee developed a public participation process through three components: (1) developing a project steering committee comprised of knowledgeable individuals representative of the community; (2) conducting stakeholder interviews to target the specialized knowledge of individuals working with populations or areas at risk from natural hazards; and (3) conducting two public workshops to identify common concerns and ideas regarding hazard mitigation and to discuss specific goals and actions of the mitigation plan.

Integrating public participation during the development of the City of Mission Viejo Natural Hazards Mitigation Plan has ultimately resulted in increased public awareness. Through citizen involvement, the mitigation plan reflects community issues, concerns, and new ideas and perspectives on mitigation opportunities and plan action items.

Steering Committee:

Hazard Mitigation in the City of Mission Viejo is overseen by the Hazard Mitigation Advisory Committee, which consists of representatives from various city departments, representatives from local business and community organizations and the public. Steering committee members have an understanding of how the community is structured and how residents, businesses, and the environment may be affected by natural hazard events. The steering committee guided the development of the plan, and assisted in developing plan goals and action items, identifying stakeholders, and sharing local expertise to create a more comprehensive plan.

The table below lists the various people and organizations that participated on the City of Mission Viejo Natural Hazard Mitigation Planning Committee.

Hazard Mitigation Planning Committee:

PROJECT STEERING COMMITTEE:
City of Mission Viejo – Public Services Administrative Manager
Orange County Fire Authority (Contract City)
City of Mission Viejo Police Services (Orange County Sheriff’s Department Contract City)
City of Mission Viejo Planning Manager
City of Mission Viejo Public Works/City Engineer
City of Mission Viejo Building Department
Federal Emergency Management Agency – Review
Governor’s Office of Emergency Services – Review

Meeting #1:

The purpose of this meeting was to set in motion the process to create the Local Hazard Mitigation Plan for the City of Mission Viejo, as required by the Disaster Mitigation Act of 2000.

The function of the city in regards to the plan and public input and process was discussed. The scope of those considered “stakeholders” was discussed, and included not only all city departments, but the City council, school Districts, railroad, medical facilities, Chamber of Commerce, public utilities, and other members of the public.

Ways to gather public input, an important part of the process, were suggested, as was use of the City’s cable television channel, city newsletter, city’s website, and flyers for distribution to citizen groups. The need for citizen meetings was also discussed.

City of Mission Viejo

Natural Hazards Mitigation Plan – Appendix B “Public Process”

Goal areas and ideas discussed include:

Goal Area	Idea
Property Protection	Reduce insurance losses and repetitive claims for chronic hazard events while promoting insurance coverage for catastrophic hazards. Focus resources on activities involving property owners and that assist in protecting homes, structures, or property from natural hazards.
Natural Systems	Evaluate and make recommendations for city guidelines, codes, and permitting processes in addressing natural hazard mitigation and development in vulnerable areas. Link watershed planning, natural resource management, and land use planning with natural hazard mitigation activities to protect vital habitat and water quality. Preserve and rehabilitate natural systems to serve natural hazard mitigation functions.
Public Awareness	Develop and implement education programs that will increase property owners and developers awareness of natural hazards. Develop and conduct outreach programs to increase the number of local, county, and regional activities implemented by public and private sector organizations.
Partnerships	Strengthen communication and coordinate participation in and between public agencies, citizens, non-profit organizations, business, and industry. Document the process and resources that will reduce the administrative burden on the requestors/recipients of grant funds. Provoke congressional attention by identifying mitigation priorities.
Emergency Services	Establish policy to encourage mitigation for critical facilities, services, and infrastructure. Strengthen emergency operations by increasing collaboration and coordination among public agencies, non-profit organizations, business, and industry.
Implementation	Promote leadership within public agencies to implement natural hazard mitigation activities. Attain participation and funding to implement mitigation activities by creating a dynamic document, which is continually updated and revised.
Guide Development and Use of Vulnerable Areas	Identify a clear process by which planners can identify and illustrate to potential developers the natural hazards that are present, the threat they pose, and how their development will be mitigated, regulated, and possibly limited. Improve hazard identification, assessment and summarize hazards data and possible mitigation strategies to address those hazards in a palatable format

Public Meetings:

City of Mission Viejo coordinated two public workshops in the City to gather public ideas and opinions about the mitigation plan goals and activities.

First Public Workshop: Community Preparedness Academy Local Government Module in the Saddleback Room

The first public workshop provided information on the mitigation plan process to all interested parties and had information available on issues related to natural hazards in the community. This was held on February 15, 2005.

Invitation Process:

The Emergency Services Coordinator issued a press release that was submitted to local print media. Additionally, the chairperson sent letters of invitation through the Neighborhood Watch Program list. Information was listed on the City website.

Results:

All possible natural hazards were identified and how they would impact the ability of the City to respond effectively. The committee identified numerous natural hazards and ranked them according to threat. Hazards were profiled and critical hazards identified.

Second Public Workshop: Community Preparedness Academy Local Government Module in the Saddleback Room

The City of Mission Viejo held the second public workshop to gather public input on issues related to natural hazards in the city, as well as ideas for strategies to reduce risk. This was held at the Disaster Preparedness Academy workshop held on February 1, 2006.

Invitation Process:

The Emergency Services Coordinator issued a press release that was submitted to local print media. Additionally, the chairperson sent letters of invitation through the Neighborhood Watch Program list. Information was listed on the City website.

Results:

Information on the Natural Hazards Mitigation Plan was provided.

Economic Analysis of Natural Hazard Mitigation Projects

Benefit/cost analysis is a key mechanism used by the state Office of Emergency Services (OES), the Federal Emergency Management Agency, and other state and federal agencies in evaluating hazard mitigation projects, and is required by the Robert T. Stafford Disaster Relief and Emergency Assistance Act, Public Law 93-288, as amended.

This appendix outlines several approaches for conducting economic analysis of natural hazard mitigation projects. It describes the importance of implementing mitigation activities, different approaches to economic analysis of mitigation strategies, and methods to calculate costs and benefits associated with mitigation strategies. Information in this section is derived in part from: The Interagency Hazards Mitigation Team, State Hazard Mitigation Plan, (Oregon State Police – Office of Emergency Management, 2000), and Federal Emergency Management Agency Publication 331, Report on Costs and Benefits of Natural Hazard Mitigation.

This section is not intended to provide a comprehensive description of benefit/cost analysis, nor is it intended to provide the details of economic analysis methods that can be used to evaluate local projects. It is intended to (1) raise benefit/cost analysis as an important issue, and (2) provide some background on how economic analysis can be used to evaluate mitigation projects.

Why Evaluate Mitigation Strategies?

Mitigation activities reduce the cost of disasters by minimizing property damage, injuries, and the potential for loss of life, and by reducing emergency response costs, which would otherwise be incurred.

Evaluating natural hazard mitigation provides decision-makers with an understanding of the potential benefits and costs of an activity, as well as a basis upon which to compare alternative projects. Evaluating mitigation projects is a complex and difficult undertaking, which is influenced by many variables. First, natural disasters affect all segments of the communities they strike, including individuals, businesses, and public services such as fire, police, utilities, and schools.

Second, while some of the direct and indirect costs of disaster damages are measurable, some of the costs are non-financial and difficult to quantify in dollars. Third, many of the impacts of such events produce “ripple-effects” throughout the community, greatly increasing the disaster’s social and economic consequences.

While not easily accomplished, there is value, from a public policy perspective, in assessing the positive and negative impacts from mitigation activities, and obtaining an instructive benefit/cost comparison. Otherwise, the decision to pursue or not pursue various mitigation options would not be based on an objective understanding of the net benefit or loss associated with these actions.

What are Some Economic Analysis Approaches for Mitigation Strategies?

The approaches used to identify the costs and benefits associated with natural hazard mitigation strategies, measures, or projects fall into two general categories: benefit/cost analysis and cost-effectiveness analysis. The distinction between the two methods is the way in which the relative costs and benefits are measured. Additionally, there are varying approaches to assessing the value of mitigation for public sector and private sector activities.

Benefit/Cost Analysis:

Benefit/cost analysis is used in natural hazards mitigation to show if the benefits to life and property protected through mitigation efforts exceed the cost of the mitigation activity. Conducting benefit/cost analysis for a mitigation activity can assist communities in determining whether a project is worth undertaking now, in order to avoid disaster related damages later. Benefit/cost analysis is based on calculating the frequency and severity of a hazard, avoided future damages, and risk.

In benefit/cost analysis, all costs and benefits are evaluated in terms of dollars, and a net benefit/cost ratio is computed to determine whether a project should be implemented (i.e., if net benefits exceed net costs, the project is worth pursuing). A project must have a benefit/cost ratio greater than 1 in order to be funded.

Cost-Effectiveness Analysis:

Cost-effectiveness analysis evaluates how best to spend a given amount of money to achieve a specific goal. This type of analysis, however, does not necessarily measure costs and benefits in terms of dollars. Determining the economic feasibility of mitigating natural hazards can also be organized according to the perspective of those with an economic interest in the outcome. Hence, economic analysis approaches are covered for both public and private sectors as follows.

Investing in public sector mitigation activities:

Evaluating mitigation strategies in the public sector is complicated because it involves estimating all of the economic benefits and costs regardless of who realizes them, and potentially to a large number of people and economic entities. Some benefits cannot be evaluated monetarily, but still affect the public in profound ways. Economists have developed methods to evaluate the economic feasibility of public decisions that involve a diverse set of beneficiaries and nonmarket benefits.

Investing in private sector mitigation activities:

Private sector mitigation projects may occur on the basis of one of two approaches: it may be mandated by a regulation or standard, or it may be economically justified on its own merits. A building or landowner, whether a private entity or a public agency, required to conform to a mandated standard may consider the following options:

1. Request cost sharing from public agencies;
2. Dispose of the building or land either by sale or demolition;
3. Change the designated use of the building or land and change the hazard mitigation compliance requirement; or
4. Evaluate the most feasible alternatives and initiate the most cost effective hazard mitigation alternative.

The sale of a building or land triggers another set of concerns. For example, real estate disclosure laws can be developed which require sellers of real property to disclose known defects and deficiencies in the property, including earthquake weaknesses and hazards to prospective purchasers. Correcting deficiencies can be expensive and time consuming, but their existence can prevent the sale of the building. Conditions of a sale regarding the deficiencies and the price of the building can be negotiated between a buyer and seller.

How Can an Economic Analysis be Conducted?

Benefit/cost analysis and cost-effectiveness analysis are important tools in evaluating whether or not to implement a mitigation activity. A framework for evaluating alternative mitigation activities is outlined below:

Identify the Alternatives:

Alternatives for reducing risk from natural hazards can include structural projects to enhance disaster resistance, education and outreach, and acquisition or demolition of exposed properties, among others. Different mitigation project can assist in minimizing risk to natural hazards, but do so at varying economic costs.

Calculate the Costs and Benefits:

Choosing economic criteria is essential to systematically calculating costs and benefits of mitigation projects and selecting the most appropriate alternative. Potential economic criteria to evaluate alternatives include:

- ✓ **Determine the project cost.** This may include initial project development costs, and repair and operating costs of maintaining projects over time.

- ✓ **Estimate the benefits.** Projecting the benefits, or cash flow resulting from a project can be difficult. Expected future returns from the mitigation effort depend on the correct specification of the risk and the effectiveness of the project, which may not be well known.

Expected future costs depend on the physical durability and potential economic obsolescence of the investment. This is difficult to project.

These considerations will also provide guidance in selecting an appropriate salvage value. Future tax structures and rates must be projected. Financing alternatives must be researched, and they may include retained earnings, bond and stock issues, and commercial loans.

Consider Costs and Benefits to Society and the Environment:

These are not easily measured, but can be assessed through a variety of economic tools including existence value or contingent value theories. These theories provide quantitative data on the value people attribute to physical or social environments. Even without hard data, however, impacts of structural projects to the physical environment or to society should be considered when implementing mitigation projects.

- ✓ **Determine the correct discount rate.** Determination of the discount rate can just be the risk-free cost of capital, but it may include the decision maker’s time preference and also a risk premium. Including inflation should also be considered.

Analyze and Rank the Alternatives:

Once costs and benefits have been quantified, economic analysis tools can rank the alternatives. Two methods for determining the best alternative given varying costs and benefits include net present value and internal rate of return.

- ✓ **Net present value.** Net present value is the value of the expected future returns of an investment minus the value of expected future cost expressed in today’s dollars. If the net present value is greater than the project costs, the project may be determined feasible for implementation. Selecting the discount rate, and identifying the present and future costs and benefits of the project calculates the net present value of projects.
- ✓ **Internal Rate of Return.** Using the internal rate of return method to evaluate mitigation projects provides the interest rate equivalent to the dollar returns expected from the project. Once the rate has been calculated, it can be compared to rates earned by investing in alternative projects. Projects may be feasible to implement when the internal rate of return is greater than the total costs of the project.

Once the mitigation projects are ranked on the basis of economic criteria, decision-makers can consider other factors, such as risk; project effectiveness; and economic, environmental, and social returns in choosing the appropriate project for implementation.

How are Benefits of Mitigation Calculated?

Economic Returns of Natural Hazard Mitigation:

The estimation of economic returns, which accrue to building or land owner as a result of natural hazard mitigation, is difficult. Owners evaluating the economic feasibility of mitigation should consider reductions in physical damages and financial losses. A partial list follows:

- ✓ Building damages avoided
- ✓ Content damages avoided
- ✓ Inventory damages avoided
- ✓ Rental income losses avoided
- ✓ Relocation and disruption expenses avoided
- ✓ Proprietor’s income losses avoided

These parameters can be estimated using observed prices, costs, and engineering data. The difficult part is to correctly determine the effectiveness of the hazard mitigation project and the resulting reduction in damages and losses. Equally as difficult is assessing the probability that an event will occur. The damages and losses should only include those that will be borne by the owner.

The salvage value of the investment can be important in determining economic feasibility. Salvage value becomes more important as the time horizon of the owner declines. This is important because most businesses depreciate assets over a period of time.

Additional Costs from Natural Hazards:

Property owners should also assess changes in a broader set of factors that can change as a result of a large natural disaster. These are usually termed “indirect” effects, but they can have a very direct effect on the economic value of the owner’s building or land. They can be positive or negative, and include changes in the following:

- ✓ Commodity and resource prices
- ✓ Availability of resource supplies
- ✓ Commodity and resource demand changes
- ✓ Building and land values
- ✓ Capital availability and interest rates
- ✓ Availability of labor
- ✓ Economic structure

- ✓ Infrastructure
- ✓ Regional exports and imports
- ✓ Local, state, and national regulations and policies
- ✓ Insurance availability and rates

Changes in the resources and industries listed above are more difficult to estimate and require models that are structured to estimate total economic impacts. Total economic impacts are the sum of direct and indirect economic impacts. Total economic impact models are usually not combined with economic feasibility models. Many models exist to estimate total economic impacts of changes in an economy.

Decision makers should understand the total economic impacts of natural disasters in order to calculate the benefits of a mitigation activity. This suggests that understanding the local economy is an important first step in being able to understand the potential impacts of a disaster, and the benefits of mitigation activities.

Additional Considerations

Conducting an economic analysis for potential mitigation activities can assist decision-makers in choosing the most appropriate strategy for their community to reduce risk and prevent loss from natural hazards. Economic analysis can also save time and resources from being spent on inappropriate or unfeasible projects. Several resources and models are listed on the following page that can assist in conducting an economic analysis for natural hazard mitigation activities.

Benefit/cost analysis is complicated, and the numbers may divert attention from other important issues. It is important to consider the qualitative factors of a project associated with mitigation that cannot be evaluated economically. There are alternative approaches to implementing mitigation projects. Many communities are looking towards developing multi-objective projects. With this in mind, opportunity rises to develop strategies that integrate natural hazard mitigation with projects related to watersheds, environmental planning, community economic development, and small business development, among others. Incorporating natural hazard mitigation with other community projects can increase the viability of project implementation.

City of Mission Viejo

Natural Hazards Mitigation Plan – Appendix C “Economic Analysis”

Resources

CUREe Kajima Project, Methodologies For Evaluating The Socio-Economic Consequences Of Large Earthquakes, Task 7.2 Economic Impact Analysis, Prepared by University of California, Berkeley Team, Robert A. Olson, VSP Associates, Team Leader; John M. Eidinger, G&E Engineering Systems; Kenneth A. Goettel, Goettel and Associates Inc.; and Gerald L. Horner, Hazard Mitigation Economics Inc., 1997.

Federal Emergency Management Agency, Benefit/Cost Analysis of Hazard Mitigation Projects, Riverine Flood, Version 1.05, Hazard Mitigation Economics Inc., 1996.

Federal Emergency Management Agency Report on Costs and Benefits of Natural Hazard Mitigation. Publication 331, 1996.

Goettel & Horner Inc., Earthquake Risk Analysis Volume III: The Economic Feasibility of Seismic Rehabilitation of Buildings in The City of Portland, Submitted to the Bureau of Buildings, City of Portland, August 30, 1995.

Goettel & Horner Inc., Benefit/Cost Analysis of Hazard Mitigation Projects Volume V, Earthquakes, Prepared for FEMA’s Hazard Mitigation Branch, October 25, 1995.

Horner, Gerald, Benefit/Cost Methodologies for Use in Evaluating the Cost Effectiveness of Proposed Hazard Mitigation Measures, Robert Olson Associates, Prepared for Oregon State Police, Office of Emergency Management, July 1999.

Interagency Hazards Mitigation Team, State Hazard Mitigation Plan, (Oregon State Police – Office of Emergency Management, 2000).

Risk Management Solutions, Inc., Development of a Standardized Earthquake Loss Estimation Methodology, National Institute of Building Sciences, Volume I and II, 1994.

VSP Associates, Inc., A Benefit/Cost Model for the Seismic Rehabilitation of Buildings, Volumes 1 & 2, Federal Emergency Management Agency, FEMA, Publication Numbers 227 and 228, 1991.

VSP Associates, Inc., Benefit/Cost Analysis of Hazard Mitigation Projects: Section 404 Hazard Mitigation Program and Section 406 Public Assistance Program, Volume 3: Seismic Hazard Mitigation Projects, 1993.

VSP Associates, Inc., Seismic Rehabilitation of Federal Buildings: A Benefit/Cost Model, Volume 1, Federal Emergency Management Agency, FEMA, Publication Number 255, 1994.

Federal Acronyms

AASHTO	American Association of State Highway and Transportation Officials
ATC	Applied Technology Council
B/CA	Benefit/Cost Analysis
BFE	Base Flood Elevation
BLM	Bureau of Land Management
BSSC	Building Seismic Safety Council
CDBG	Community Development Block Grant
CFR	Code of Federal Regulations
CRS	Community Rating System
EDA	Economic Development Administration
EPA	Environmental Protection Agency
ER	Emergency Relief
EWP	Emergency Watershed Protection (NRCS Program)
FAS	Federal Aid System
FEMA	Federal Emergency Management Agency
FIRM	Flood Insurance Rate Map
FMA	Flood Mitigation Assistance (FEMA Program)
FTE	Full Time Equivalent
GIS	Geographic Information System
GNS	Institute of Geological and Nuclear Sciences (International)
GSA	General Services Administration
HAZUS	Hazards U.S.
HMGP	Hazard Mitigation Grant Program
HMST	Hazard Mitigation Survey Team
HUD	Housing and Urban Development (United States, Department of)
IBHS	Institute for Business and Home Safety
ICC	Increased Cost of Compliance
IHMT	Interagency Hazard Mitigation Team
NCDC	National Climate Data Center
NFIP	National Flood Insurance Program
NFPA	National Fire Protection Association
NHMP	Natural Hazard Mitigation Plan (also known as "409 Plan")
NIBS	National Institute of Building Sciences
NIFC	National Interagency Fire Center
NMFS	National Marine Fisheries Service
NOAA	National Oceanic and Atmospheric Administration
NPS	National Park Service
NRCS	Natural Resources Conservation Service
NWS	National Weather Service
SBA	Small Business Administration
SEAO	Structural Engineers Association of Oregon
SHMO	State Hazard Mitigation Officer
TOR	Transfer of Development Rights
UGB	Urban Growth Boundary
URM	Unreinforced Masonry

City of Mission Viejo

Natural Hazards Mitigation Plan – Appendix D “Acronyms”

USACE	United States Army Corps of Engineers
USBR	United States Bureau of Reclamation
USDA	United States Department of Agriculture
USFA	United States Fire Administration
USFS	United States Forest Service
USGS	United States Geological Survey
WSSPC	Western States Seismic Policy Council

California Acronyms

A&W	Alert and Warning
AA	Administering Areas
AAR	After Action Report
ARC	American Red Cross
ARP	Accidental Risk Prevention
ATC20	Applied Technology Council20
ATC21	Applied Technology Council21
BCP	Budget Change Proposal
BSA	California Bureau of State Audits
CAER	Community Awareness & Emergency Response
CalARP	California Accidental Release Prevention
CalBO	California Building Officials
CalEPA	California Environmental Protection Agency
CalREP	California Radiological Emergency Plan
CALSTARS	California State Accounting Reporting System
CalTRANS	California Department of Transportation
CBO	Community Based Organization
CD	Civil Defense
CDF	California Department of Forestry and Fire Protection
CDMG	California Division of Mines and Geology
CEC	California Energy Commission
CEPEC	California Earthquake Prediction Evaluation Council
CESRS	California Emergency Services Radio System
CHIP	California Hazardous Identification Program
CHMIRS	California Hazardous Materials Incident Reporting System
CHP	California Highway Patrol
CLETS	California Law Enforcement Telecommunications System
CSTI	California Specialized Training Institute
CUEA	California Utilities Emergency Association
CUPA	Certified Unified Program Agency
DAD	Disaster Assistance Division (of the state Office of Emergency Svcs)
DFO	Disaster Field Office
DGS	California Department of General Services
DHSRHB	California Department of Health Services, Radiological Health Branch
DO	Duty Officer
DOC	Department Operations Center
DOE	Department of Energy (U.S.)
DOF	California Department of Finance
DOJ	California Department of Justice
DPA	California Department of Personnel Administration
DPIG	Disaster Preparedness Improvement Grant
DR	Disaster Response
DSA	Division of the State Architect
DSR	Damage Survey Report
DSW	Disaster Service Worker

City of Mission Viejo

Natural Hazards Mitigation Plan – Appendix D “Acronyms”

DWR	California Department of Water Resources
EAS	Emergency Alerting System
EDIS	Emergency Digital Information System
EERI	Earthquake Engineering Research Institute
EMA	Emergency Management Assistance
EMI	Emergency Management Institute
EMMA	Emergency Managers Mutual Aid
EMS	Emergency Medical Services
EOC	Emergency Operations Center
EOP	Emergency Operations Plan
EPA	Environmental Protection Agency (U.S.)
EPEDAT	Early Post Earthquake Damage Assessment Tool
EPI	Emergency Public Information
EPIC	Emergency Public Information Council
ESC	Emergency Services Coordinator
FAY	Federal Award Year
FDAA	Federal Disaster Assistance Administration
FEAT	Governor's Flood Emergency Action Team
FEMA	Federal Emergency Management Agency
FFY	Federal Fiscal Year
FIR	Final Inspection Reports
FIRESCOPE	Firefighting Resources of So. Calif Organized for Potential Emergencies
FMA	Flood Management Assistance
FSR	Feasibility Study Report
FY	Fiscal Year
GIS	Geographical Information System
HAZMAT	Hazardous Materials
HAZMIT	Hazardous Mitigation
HAZUS	Hazards United States (an earthquake damage assessment prediction tool)
HAD	Housing and Community Development
HEICS	Hospital Emergency Incident Command System
HEPG	Hospital Emergency Planning Guidance
HIA	Hazard Identification and Analysis Unit
HMEP	Hazardous Materials Emergency Preparedness
HMGP	Hazard Mitigation Grant Program
IDE	Initial Damage Estimate
IA	Individual Assistance
IFG	Individual & Family Grant (program)
IRG	Incident Response Geographic Information System
IPA	Information and Public Affairs (of state Office of Emergency Services)
LAN	Local Area Network
LEMMA	Law Enforcement Master Mutual Aid
LEPC	Local Emergency Planning Committee
MARAC	Mutual Aid Regional Advisory Council
MHID	Multihazard Identification
MOU	Memorandum of Understanding
NBC	Nuclear, Biological, Chemical

City of Mission Viejo

Natural Hazards Mitigation Plan – Appendix D “Acronyms”

NEMA	National Emergency Management Agency
NEMIS	National Emergency Management Information System
NFIP	National Flood Insurance Program
NOAA	National Oceanic and Atmospheric Association
NPP	Nuclear Power Plant
NSF	National Science Foundation
NWS	National Weather Service
OA	Operational Area
OASIS	Operational Area Satellite Information System
OCC	Operations Coordination Center
OCD	Office of Civil Defense
OEP	Office of Emergency Planning
OES	California Governor's Office of Emergency Services
OSHPD	Office of Statewide Health Planning and Development
OSPR	Oil Spill Prevention and Response
PA	Public Assistance
PC	Personal Computer
PDA	Preliminary Damage Assessment
PIO	Public Information Office
POST	Police Officer Standards and Training
PPA/CA	Performance Partnership Agreement/Cooperative Agreement (FEMA)
PSA	Public Service Announcement
PTAB	Planning and Technological Assistance Branch
PTR	Project Time Report
RA	Regional Administrator (OES)
RADEF	Radiological Defense (program)
RAMP	Regional Assessment of Mitigation Priorities
RAPID	Railroad Accident Prevention & Immediate Deployment
RDO	Radiological Defense Officer
RDMHC	Regional Disaster Medical Health Coordinator
REOC	Regional Emergency Operations Center
REPI	Reserve Emergency Public Information
RES	Regional Emergency Staff
RIMS	Response Information Management System
RMP	Risk Management Plan
RPU	Radiological Preparedness Unit (OES)
RRT	Regional Response Team
SAM	State Administrative Manual
SARA	Superfund Amendments & Reauthorization Act
SAVP	Safety Assessment Volunteer Program
SBA	Small Business Administration
SCO	California State Controller's Office
SEMS	Standardized Emergency Management System
SEPIC	State Emergency Public Information Committee
SLA	State and Local Assistance
SONGS	San Onofre Nuclear Generating Station
SOP	Standard Operating Procedure

City of Mission Viejo

Natural Hazards Mitigation Plan – Appendix D “Acronyms”

SWEPC	Statewide Emergency Planning Committee
TEC	Travel Expense Claim
TRU	Transuranic
TTT	Train the Trainer
UPA	Unified Program Account
UPS	Uninterrupted Power Source
USAR	Urban Search and Rescue
USGS	United States Geological Survey
WC	California State Warning Center
WAN	Wide Area Network
WIPP	Waste Isolation Pilot Project

Acceleration	The rate of change of velocity with respect to time. Acceleration due to gravity at the earth's surface is 9.8 meters per second squared. That means that every second that something falls toward the surface of earth its velocity increases by 9.8 meters per second.
Asset	Any manmade or natural feature that has value, including, but not limited to people; buildings; infrastructure like bridges, roads, and sewer and water systems; lifelines like electricity and communication resources; or environmental, cultural, or recreational features like parks, dunes, wetlands, or landmarks.
Base Flood	Flood that has a 1 percent probability of being equaled or exceeded in any given year. Also known as the 100-year flood.
Base Flood Elevation (BFE)	Elevation of the base flood in relation to a specified datum, such as the National Geodetic Vertical Datum of 1929. The Base Flood Elevation is used as the standard for the National Flood Insurance Program.
Bedrock	The solid rock that underlies loose material, such as soil, sand, clay, or gravel.
Building	A structure that is walled and roofed, principally above ground and permanently affixed to a site. The term includes a manufactured home on a permanent foundation on which the wheels and axles carry no weight.
Coastal High Hazard Area	Area, usually along an open coast, bay, or inlet, that is subject to inundation by storm surge and, in some instances, wave action caused by storms or seismic sources.
Coastal Zones	The area along the shore where the ocean meets the land as the surface of the land rises above the ocean. This land/water interface includes barrier islands, estuaries, beaches, coastal wetlands, and land areas having direct drainage to the ocean.
Community Rating System (CRS)	An NFIP program that provides incentives for NFIP communities to complete activities that reduce flood hazard risk. When the community completes specified activities, the insurance premiums of policyholders in these communities are reduced.
Computer-Aided Design And Drafting (CADD)	A computerized system enabling quick and accurate electronic 2-D and 3-D drawings, topographic mapping, site plans, and profile/cross-section drawings.
Contour	A line of equal ground elevation on a topographic (contour) map.

City of Mission Viejo

Natural Hazards Mitigation Plan – Appendix E “Glossary”

Critical Facility	Facilities that are critical to the health and welfare of the population and that are especially important following hazard events. Critical facilities include, but are not limited to, shelters, police and fire stations, and hospitals.
Debris	The scattered remains of assets broken or destroyed in a hazard event. Debris caused by a wind or water hazard event can cause additional damage to other assets.
Digitize	To convert electronically points, lines, and area boundaries shown on maps into x, y coordinates (e.g., latitude and longitude, universal transverse mercator (UTM), or table coordinates) for use in computer applications.
Displacement Time	The average time (in days) which the building's occupants typically must operate from a temporary location while repairs are made to the original building due to damages resulting from a hazard event.
Duration	How long a hazard event lasts.
Earthquake	A sudden motion or trembling that is caused by a release of strain accumulated within or along the edge of earth's tectonic plates.
Erosion	Wearing away of the land surface by detachment and movement of soil and rock fragments, during a flood or storm or over a period of years, through the action of wind, water, or other geologic processes.
Erosion Hazard Area	Area anticipated to be lost to shoreline retreat over a given period of time. The projected inland extent of the area is measured by multiplying the average annual long-term recession rate by the number of years desired.
Essential Facility	Elements that are important to ensure a full recovery of a community or state following a hazard event. These would include: government functions, major employers, banks, schools, and certain commercial establishments, such as grocery stores, hardware stores, and gas stations.
Extent	The size of an area affected by a hazard or hazard event.
Extratropical Cyclone	Cyclonic storm events like Nor'easters and severe winter low-pressure systems. Both West and East coasts can experience these non-tropical storms that produce gale-force winds and precipitation in the form of heavy rain or snow. These cyclonic storms, commonly called Nor'easters on the East Coast because of the direction of the storm winds, can last for several days and can be very large – 1,000-mile wide storms are not uncommon.

Fault	A fracture in the continuity of a rock formation caused by a shifting or dislodging of the earth's crust, in which adjacent surfaces are differentially displaced parallel to the plane of fracture.
Federal Emergency Management Agency (FEMA)	Independent agency created in 1978 to provide a single point of accountability for all Federal activities related to disaster mitigation and emergency preparedness, response and recovery.
Fire Potential Index (FPI)	Developed by USGS and USFS to assess and map fire hazard potential over broad areas. Based on such geographic information, national policy makers and on-the-ground fire managers established priorities for prevention activities in the defined area to reduce the risk of managed and wildfire ignition and spread. Prediction of fire hazard shortens the time between fire ignition and initial attack by enabling fire managers to pre-allocate and stage suppression forces to high fire risk areas.
Flash Flood	A flood event occurring with little or no warning where water levels rise at an extremely fast rate.
Flood	A general and temporary condition of partial or complete inundation of normally dry land areas from (1) the overflow of inland or tidal waters, (2) the unusual and rapid accumulation or runoff of surface waters from any source, or (3) mudflows or the sudden collapse of shoreline land.
Flood Depth	Height of the flood water surface above the ground surface.
Flood Elevation	Elevation of the water surface above an established datum, e.g. National Geodetic Vertical Datum of 1929, North American Vertical Datum of 1988, or Mean Sea Level.
Flood Hazard Area	The area shown to be inundated by a flood of a given magnitude on a map.
Flood Insurance Rate Map (FIRM)	Map of a community, prepared by the Federal Emergency Management Agency, that shows both the special flood hazard areas and the risk premium zones applicable to the community.
Flood Insurance Study (FIS)	A study that provides an examination, evaluation, and determination of flood hazards and, if appropriate, corresponding water surface elevations in a community or communities.
Floodplain	Any land area, including watercourse, susceptible to partial or complete inundation by water from any source.

Frequency	A measure of how often events of a particular magnitude are expected to occur. Frequency describes how often a hazard of a specific magnitude, duration, and/or extent typically occurs, on average. Statistically, a hazard with a 100-year recurrence interval is expected to occur once every 100 years on average, and would have a 1 percent chance – its probability – of happening in any given year. The reliability of this information varies depending on the kind of hazard being considered.
Fujita Scale of Tornado Intensity	Rates tornadoes with numeric values from F0 to F5 based on tornado windspeed and damage sustained. An F0 indicates minimal damage such as broken tree limbs or signs, while and F5 indicated severe damage sustained.
Functional Downtime	The average time (in days) during which a function (business or service) is unable to provide its services due to a hazard event.
Geographic Area Impacted	The physical area in which the effects of the hazard are experienced.
Geographic Information Systems (GIS)	A computer software application that relates physical features on the earth to a database to be used for mapping and analysis.
Ground Motion	The vibration or shaking of the ground during an earthquake. When a fault ruptures, seismic waves radiate, causing the ground to vibrate. The severity of the vibration increases with the amount of energy released and decreases with distance from the causative fault or epicenter, but soft soils can further amplify ground motions
Hazard	A source of potential danger or adverse condition. Hazards in this how to series will include naturally occurring events such as floods, earthquakes, tornadoes, tsunamis, coastal storms, landslides, and wildfires that strike populated areas. A natural event is a hazard when it has the potential to harm people or property.
Hazard Event	A specific occurrence of a particular type of hazard.
Hazard Identification	The process of identifying hazards that threaten an area.
Hazard Mitigation	Sustained actions taken to reduce or eliminate long-term risk from hazards and their effects.
Hazard Profile	A description of the physical characteristics of hazards and a determination of various descriptors including magnitude, duration, frequency, probability, and extent. In most cases, a community can most easily use these descriptors when they are recorded and displayed as maps.

City of Mission Viejo

Natural Hazards Mitigation Plan – Appendix E “Glossary”

HAZUS (Hazards U.S.)	A GIS-based nationally standardized earthquake loss estimation tool developed by FEMA.
Hurricane	An intense tropical cyclone, formed in the atmosphere over warm ocean areas, in which wind speeds reach 74-miles-per-hour or more and blow in a large spiral around a relatively calm center or "eye." Hurricanes develop over the north Atlantic Ocean, northeast Pacific Ocean, or the south Pacific Ocean east of 160°E longitude. Hurricane circulation is counter-clockwise in the Northern Hemisphere and clockwise in the Southern Hemisphere.
Hydrology	The science of dealing with the waters of the earth. A flood discharge is developed by a hydrologic study.
Infrastructure	Refers to the public services of a community that have a direct impact on the quality of life. Infrastructure includes communication technology such as phone lines or Internet access, vital services such as public water supplies and sewer treatment facilities, and includes an area's transportation system such as airports, heliports; highways, bridges, tunnels, roadbeds, overpasses, railways, bridges, rail yards, depots; and waterways, canals, locks, seaports, ferries, harbors, drydocks, piers and regional dams.
Intensity	A measure of the effects of a hazard event at a particular place.
Landslide	Downward movement of a slope and materials under the force of gravity.
Lateral Spreads	Develop on gentle slopes and entail the sidelong movement of large masses of soil as an underlying layer liquefies in a seismic event. The phenomenon that occurs when ground shaking causes loose soils to lose strength and act like viscous fluid. Liquefaction causes two types of ground failure: lateral spread and loss of bearing strength.
Liquefaction	Results when the soil supporting structures liquefies. This can cause structures to tip and topple.
Lowest Floor	Under the NFIP, the lowest floor of the lowest enclosed area (including basement) of a structure.
Magnitude	A measure of the strength of a hazard event. The magnitude (also referred to as severity) of a given hazard event is usually determined using technical measures specific to the hazard.

City of Mission Viejo

Natural Hazards Mitigation Plan – Appendix E “Glossary”

Mitigation Plan	A systematic evaluation of the nature and extent of vulnerability to the effects of natural hazards typically present in the state and includes a description of actions to minimize future vulnerability to hazards.
National Flood Insurance Program (NFIP)	Federal program created by Congress in 1968 that makes flood insurance available in communities that enact minimum floodplain management regulations in 44 CFR §60.3.
National Geodetic Vertical Datum of 1929 (NGVD)	Datum established in 1929 and used in the NFIP as a basis for measuring flood, ground, and structural elevations, previously referred to as Sea Level Datum or Mean Sea Level. The Base Flood Elevations shown on most of the Flood Insurance Rate Maps issued by the Federal Emergency Management Agency are referenced to NGVD.
National Weather Service (NWS)	Prepares and issues flood, severe weather, and coastal storm warnings and can provide technical assistance to Federal and state entities in preparing weather and flood warning plans.
Nor'easter	An extra-tropical cyclone producing gale-force winds and precipitation in the form of heavy snow or rain.
Outflow	Follows water inundation creating strong currents that rip at structures and pound them with debris, and erode beaches and coastal structures.
Planimetric	Describes maps that indicate only man-made features like buildings.
Planning	The act or process of making or carrying out plans; the establishment of goals, policies and procedures for a social or economic unit.
Probability	A statistical measure of the likelihood that a hazard event will occur.
Recurrence Interval	The time between hazard events of similar size in a given location. It is based on the probability that the given event will be equaled or exceeded in any given year.
Repetitive Loss Property	A property that is currently insured for which two or more National Flood Insurance Program losses (occurring more than ten days apart) of at least \$1000 each have been paid within any 10-year period since 1978.
Replacement Value	The cost of rebuilding a structure. This is usually expressed in terms of cost per square foot, and reflects the present-day cost of labor and materials to construct a building of a particular size, type and quality.
Richter Scale	A numerical scale of earthquake magnitude devised by seismologist C.F. Richter in 1935.

City of Mission Viejo

Natural Hazards Mitigation Plan – Appendix E “Glossary”

Risk	The estimated impact that a hazard would have on people, services, facilities, and structures in a community; the likelihood of a hazard event resulting in an adverse condition that causes injury or damage. Risk is often expressed in relative terms such as a high, moderate or low likelihood of sustaining damage above a particular threshold due to a specific type of hazard event. It also can be expressed in terms of potential monetary losses associated with the intensity of the hazard.
Riverine	Of or produced by a river.
Scale	A proportion used in determining a dimensional relationship; the ratio of the distance between two points on a map and the actual distance between the two points on the earth's surface.
Scarp	A steep slope.
Scour	Removal of soil or fill material by the flow of flood waters. The term is frequently used to describe storm-induced, localized conical erosion around pilings and other foundation supports where the obstruction of flow increases turbulence.
Seismicity	Describes the likelihood of an area being subject to earthquakes.
Special Flood Hazard Area (SFHA)	An area within a floodplain having a 1 percent or greater chance of flood occurrence in any given year (100-year floodplain); represented on Flood Insurance Rate Maps by darkly shaded areas with zone designations that include the letter A or V.
Stafford Act	The Robert T. Stafford Disaster Relief and Emergency Assistance Act, PL 100-107 was signed into law November 23, 1988 and amended the Disaster Relief Act of 1974, PL 93-288. The Stafford Act is the statutory authority for most Federal disaster response activities, especially as they pertain to FEMA and its programs.
State Hazard Mitigation Officer (SHMO)	The representative of state government who is the primary point of contact with FEMA, other state and Federal agencies, and local units of government in the planning and implementation of pre- and postdisaster mitigation activities.
Storm Surge	Rise in the water surface above normal water level on the open coast due to the action of wind stress and atmospheric pressure on the water surface.
Structure	Something constructed. (See also Building)
Substantial Damage	Damage of any origin sustained by a structure in a Special Flood Hazard Area whereby the cost of restoring the structure to its before-damaged condition would equal or exceed 50 percent of the market value of the structure before the damage.

Super Typhoon	A typhoon with maximum sustained winds of 150 mph or more.
Surface Faulting	The differential movement of two sides of a fracture – in other words, the location where the ground breaks apart. The length, width, and displacement of the ground characterize surface faults.
Tectonic Plate	Torsionally rigid, thin segments of the earth's lithosphere that may be assumed to move horizontally and adjoin other plates. It is the friction between plate boundaries that cause seismic activity.
Topographic	Characterizes maps that show natural features and indicate the physical shape of the land using contour lines. These maps may also include manmade features.
Tornado	A violently rotating column of air extending from a thunderstorm to the ground.
Tropical Cyclone	A generic term for a cyclonic, low-pressure system over tropical or subtropical waters.
Tropical Depression	A tropical cyclone with maximum sustained winds of less than 39 mph.
Tropical Storm	A tropical cyclone with maximum sustained winds greater than 39 mph and less than 74 mph.
Tsunami	Great sea wave produced by submarine earth movement or volcanic eruption.
Typhoon	A special category of tropical cyclone peculiar to the western North Pacific Basin, frequently affecting areas in the vicinity of Guam and the North Mariana Islands. Typhoons whose maximum sustained winds attain or exceed 150 mph are called super typhoons.
Vulnerability	Describes how exposed or susceptible to damage an asset is. Vulnerability depends on an asset's construction, contents, and the economic value of its functions. Like indirect damages, the vulnerability of one element of the community is often related to the vulnerability of another. For example, many businesses depend on uninterrupted electrical power – if an electric substation is flooded, it will affect not only the substation itself, but a number of businesses as well. Often, indirect effects can be much more widespread and damaging than direct ones.
Vulnerability Assessment	The extent of injury and damage that may result from a hazard event of a given intensity in a given area. The vulnerability assessment should address impacts of hazard events on the existing and future built environment.

City of Mission Viejo

Natural Hazards Mitigation Plan – Appendix E “Glossary”

Water Displacement	When a large mass of earth on the ocean bottom sinks or uplifts, the column of water directly above it is displaced, forming the tsunami wave. The rate of displacement, motion of the ocean floor at the epicenter, the amount of displacement of the rupture zone, and the depth of water above the rupture zone all contribute to the intensity of the tsunami.
Wave Runup	The height that the wave extends up to on steep shorelines, measured above a reference level (the normal height of the sea, corrected to the state of the tide at the time of wave arrival).
Wildfire	An uncontrolled fire spreading through vegetative fuels, exposing and possibly consuming structures.
Zone	A geographical area shown on a Flood Insurance Rate Map (FIRM) that reflects the severity or type of flooding in the area.

City of Mission Viejo

Natural Hazards Mitigation Plan – Appendix F “California Disasters”

California Disasters Since 1950

Hazard Type	Disaster Name	Disaster #	Year	Counties and Cities Declared	State Declaration	Federal Declaration	# of Deaths	# of Injuries	Cost of Damage
Flood	Floods	OCD 50-01	1950	Statewide	11/21/50	Not declared	9		\$32,183,000
Flood	Fire, Flood, and Erosion	DR-28	1954	Los Angeles, San Bernardino	2/5/54	2/5/54			Not Avail
Flood	Floods	DR-47	1955	Statewide	12/22/55	12/23/55	74		\$200,000,000
Fire	Fires	DR-65	1956	Los Angeles (Malibu area), Ventura		12/29/56	1	Several hundred	\$70,000,000
Severe Storm, Economic	Unseasonal and Heavy Rainfall	N/A	1957	Cherry producing areas of Northern California	5/20/57	Not declared		2	\$6,000,000
Fire	Fires	CDO 58-01	1958	Los Angeles	1/3/58	Not declared	1	23	Not available
Tsunami	High Tides	CDO 58-02	1958	City of Imperial Beach, San Diego County	1/31/58	Not declared			Not available
Flood	Storm & Flood Damage	CDO 58-03	1958	Northern California (Southern boundaries of Santa Cruz, Santa Clara, Stanislaus, Tuolumne, Alpine counties to the Oregon border)	2/26/58	Not declared			Not available
Flood	Storm & Flood Damage	N/A	1958	Statewide	4/2/58	82	13		\$24,000,000
Flood, Landslide	Potential Flood Damage and Landslides as a Result of Fires	CDO 59-01	1959	Los Angeles	1/8/59	Not declared			Not applicable
Severe Storm	Unseasonal and Heavy Rainfall	N/A	1959	Tokay grape producing areas of Northern California	9/17/59	Not declared	2		\$100,000
Fire	Major and Widespread Fires	N/A	1960	Los Angeles, San Bernardino	7/21-22/60	Not declared		12	\$10,000,000
Fire	Major and Widespread Fires	N/A	1960	Lassen Plumas, Shasta, Sierra, Tehama	8/16/60	Not declared			\$3,075,000
Fire	Bel Air Fires	DR-119	1961	Los Angeles		11/16/61		103	Between \$50,000,000 - \$100,000,000
Fire	Widespread Fires	N/A	1961	Amador, Butte, El Dorado, Napa, Nevada, Placer, San Diego, Sonoma, Tehama	9/8/61	Not declared			\$5,696,813
Flood	High Tides and Waves Caused By Storms At Sea	N/A	1961	Ventura	1/16/61	Not declared			Not available
Flood	Flood and Rainstorm	DR-122	1962	Los Angeles, Ventura	2/16/62 & 2/23/62	3/6/62			Not available
Fire	Fires and Explosions	N/A	1962	Alameda	9/14/62	Not declared	1	12	\$500,000
Flood	Flood and Rainstorm		1962	Alameda, Butte, Contra Costa, Modoc, Napa San Mateo, Sierra, Sutter, Yuba, Placer, Trinity, Lassen	10/17/62, 10/25/62, 10/30/62, & 11/4/62	138 (10/24/62)			\$4,000,000
Flood	Baldwin Hills Dam Failure	DR-161	1963	Los Angeles	12/16/63	12/21/63			\$5,233,203
Flood	High Tides and Heavy Surf	N/A	1963	Orange, City of Redondo Beach		Not declared	5		\$500,000

City of Mission Viejo

Natural Hazards Mitigation Plan – Appendix F “California Disasters”

Hazard Type	Disaster Name	Disaster #	Year	Counties and Cities Declared	State Declaration	Federal Declaration	# of Deaths	# of Injuries	Cost of Damage
Severe Storm, Flood	Abnormally Heavy and Continuous Rainfall	N/A	1963	Northern California (boundaries of San Luis Obispo, Ventura, Los Angeles, and San Bernardino counties to the Oregon State Line)	2/14/64	Not declared			Not Available
Flood	Flood and Rainstorm	Unknown	1963	Alpine, Nevada, Placer, Plumas, Sierra, Amador, Colusa, El Dorado, Glenn, Lake, Lassen, Tehama, Santa Clara, Santa Cruz, Siskiyou, Yolo, Tulare, Mono, Trinity, Yuba	2/7/63, 2/26/63, 2/29/63, & 4/22/63	145 (2/25/63)			Not available
Fire	Major Widespread Fires (Weldon Fire)	N/A	1964	Los Angeles	3/16/64	Not declared			\$2,000,000
Fire, Windstorm	Major and Widespread Fires and Excessively High Winds	N/A	1964	Napa, Sonoma, Santa Barbara	9/22/64, 9/23/64, & 9/25/64	Not declared			\$16,500,000
Flood	Storms	N/A	1964	Los Angeles	4/3/64	Not declared			1,610,300
Severe Storm, Flood	Abnormally Heavy and Continuous Rainfall	N/A	1964	Humboldt	2/10/64	Not declared			\$1,407,000
Tsunami	Tsunami Caused by 1964 Earthquake in Alaska	N/A	1964	Marin	9/15/64	Not declared			Not applicable
Flood	1964 Late Winter Storms	Unknown	1964	Del Norte, Humboldt, Shasta, Mendocino, Colusa, Glenn, Lassen, Plumas, Sierra, Siskiyou, Sonoma, Sutter, Tehama, Trinity, Amador, Butte, El Dorado, Modoc, Nevada, Placer, Yuba, Alpine, Lake, Sacramento, Yolo, Marin	12/22/64, 12/23/64, 12/28/64, 1/5/65, & 1/1/65	12/29/64			\$213,149,000
Tsunami	Tsunami Caused by Alaska Earthquake	Unknown	1964	Del Norte	3/28/64	169 (4/1/64)	12		\$10,000,000
Civil Unrest	Riots	N/A	1965	Los Angeles	8/14/65	Not declared	32	874	\$44,991,000
Fire	Major and Widespread Fires	N/A	1965	Marin, Napa, Placer, Solano, Sonoma	9/18/65	Not declared			Not available
Flood, Landslide	Flooding and Hill Slides Caused by Heavy Rains	N/A	1965	City of Burbank, Los Angeles	1/5/65	Not declared			Not Available
Landslide	Slide Damage	N/A	1965	City of Los Angeles	6/21/65	Not declared			\$6,488,600
Flood, Severe Storm	1965 Heavy Rainfall		1965	Riverside, San Bernardino, Ventura, San Diego	11/24/65, 11/26/65, 12/23/65	12/7/65			\$21,843,739
Flood	Continuous Rainfall	DR-211	1966	Humboldt	1/14/66	212 (1/22/66)			\$6,918,000.00
Civil Unrest	Riots	N/A	1966	San Francisco	9/27/66	Not declared		42	Not available
Landslide	Earth slides	N/A	1966	Redwood City	12/16/66	Not declared			\$100,000

City of Mission Viejo

Natural Hazards Mitigation Plan – Appendix F “California Disasters”

Hazard Type	Disaster Name	Disaster #	Year	Counties and Cities Declared	State Declaration	Federal Declaration	# of Deaths	# of Injuries	Cost of Damage
Flood	1966 Winter Storms	Unknown	1966	Kern, Riverside, Tulare, San Bernardino, San Luis Obispo, Monterey, City of Escondido, Inyo	12/9/66, 12/13/66, 12/16/66, 12/16/66, & 12/23/66	1/2/67			\$28,761,041.00
Fire	Major and Widespread Fires	N/A	1967	Los Angeles, Orange, San Diego, Ventura	1/7/67	Not declared			\$11,345,000
Civil Unrest	Riots and Other Conditions	N/A	1968	City of Richmond	8/2/68	Not declared			Not applicable
Civil Unrest	Riots	N/A	1969	City of Berkeley	2/5/69	Not declared	0	20	Not available
Freeze	Extremely Severe Weather; Freezing	N/A	1969	San Diego	2/5/69	Not declared			\$10,000,000
HazMat	Major Oil Spill	N/A	1969	Coastal Areas of Southern California		Not declared			Not available
Flood	1969 Storms	Unknown	1969	Los Angeles, San Luis Obispo, Fresno, Inyo, Riverside, San Bernardino, Santa Barbara, Tulare, Ventura, Amador, El Dorado, Kern, Kings, Madera, Modoc, Mono, Monterey, Orange, Placer, Sacramento, San Joaquin, Shasta, Solano, Stanislaus, Tuolumne, Mariposa, Merced, Calaveras, San Benito, Sierra, Contra Costa, Humboldt, Mendocino, Sonoma, Plumas, Tehama, Yuba, Butte, Marin, Yolo	1/23/69, 1/25/69, 1/28/69, 1/29/69, 2/8/69, 2/10/69, 2/16/69, 3/12/69	1/26/69	47	161	\$300,000,000
Flood	Heavy Snow Runoff		1969	Kings	1/28/96	8/15/69			\$2,812,500.00
Civil Unrest	Riots and Disorders	N/A	1970	Santa Barbara	2/26/70	Not declared		12+	\$300,000
Fire	Large Fire	N/A	1970	City of Sonora, Tuolumne	2/26/70	Not declared			\$2,300,000
Fire	Widespread Fires	N/A	1970	Riverside	12/22/70	Not declared			\$3,200,000
Flood	Storms and Floods	N/A	1970	Contra Costa	4/10/70	Not declared			Not available
Freeze	Freezing Conditions	N/A	1970	Napa, Sonoma, Mendocino, San Joaquin, Lake	5/1/70, 5/19/70, 6/8/70, 6/10/70, 7/24/70	Not declared			\$19,749,200
Landslide	Slide Damage Caused by Heavy Rains and Storms	N/A	1970	City of Oakland	2/10/70	Not declared			\$11,500,000
Landslide	Slide Damage Caused by Heavy Rains and Storms	N/A	1970	City of Los Angeles	3/10/70	Not declared			\$8,500,000
Flood	Northern California Flooding	Unknown	1970	Butte, Colusa, Glenn, Lake, Lassen, Marin, Modoc, Plumas, Shasta, Siskiyou, Tehama, Trinity, Sutter, Yuba, Del Norte, Alameda, El Dorado,	1/26/60, 2/3/60, 2/10/60, 3/2/60	2/16/70			\$27,657,478

City of Mission Viejo

Natural Hazards Mitigation Plan – Appendix F “California Disasters”

Hazard Type	Disaster Name	Disaster #	Year	Counties and Cities Declared	State Declaration	Federal Declaration	# of Deaths	# of Injuries	Cost of Damage
Fire	Statewide Fires		1970	Mendocino City of Oakland, Los Angeles, Ventura, San Diego, Kern, San Bernardino, Monterey, Riverside	9/24/70, 9/28/70, 10/1/70, 10/2/70, 10/20/70, 11/14/70	9/29/70	19		\$223,611,000
Earthquake	San Fernando Earthquake	DR-299	1971	Los Angeles	2/9/71	2/9/71	58	2,000	\$483,957,000
Fire	Widespread Fires	N/A	1971	Santa Barbara	10/13/71	Not declared	4		\$9,000,000
Flood	High Ocean Tides and Wind-driven Waves	N/A	1971	Ventura	5/19/71	Not declared			\$250,000
Flood	1972 Storms	DR-316	1972	Santa Barbara	1/3/72	2/11/72			\$2,660,000
Flood	Andrus island Levee Break	DR-342	1972	Sacramento	6/21/72	6/27/72			\$23,681,630
Agricultural	Exotic Newcastle Disease Epidemic	N/A	1972	Los Angeles, Orange, Riverside, San Bernardino, San Diego, Ventura, Santa Barbara	4/10/72, 5/22/72	Not declared			\$10,000,000
Drought	Drought Conditions	N/A	1972	Glenn, San Benito, Santa Clara	7/73	Not declared			\$8,000,000
Flood	Heavy Rains and Mud Slides	N/A	1972	Monterey	10/24/72	Not declared			\$720,000
Severe Storm	Severe Weather Conditions	N/A	1972	Sutter	9/3/72	Not declared			\$2,004,300
Severe Storm, Freeze	Freeze and Severe Weather Conditions	N/A	1972	Fresno, Kings, Tulare, Merced, Kern, Madera, San Benito, Stanislaus, El Dorado, Tehama, Placer, Nevada, San Joaquin, Colusa, Siskiyou, Modoc, Santa Clara	4/17/72, 5/22/72, 5/22/72, 5/31/72	Not declared			\$111,517,260
Flood	1972 Continuing Storms		1972	Del Norte, Humboldt	2/28/72	4/5/72			\$6,817,618
Flood	Coastal Flooding	DR-364	1973	Marin, San Luis Obispo, City of South San Francisco, Santa Barbara, Solano, Ventura	1/23/73, 1/30/73, 2/8/73, 2/28/73	2/3/73			\$17,998,250
Fire	Southern Pacific Railroad Fires and Explosions (Roseville)	N/A	1973	Sacramento, placer	4/30/73	Not declared	0	37	\$2,925,000
Fire	Boulder Fire	N/A	1973	San Diego	12/12/73	Not declared	0		\$215,700
Flood	High Ocean Tides and Wind-driven Waves	N/A	1973	Ventura	2/1/73	Not declared			\$1,027,000
Flood	Storms and Floods	N/A	1973	Colusa, Glenn, Napa, Placer, Sutter, Yuba	2/28/73	Not declared			\$1,864,000
Flood	Storms and Floods	N/A	1973	Mendocino	3/15/73	Not declared			\$1,523,200
Flood	Storms and Floods	N/A	1973	City of Pacifica	4/11/73	Not declared			\$700,000
Freeze	Freeze	N/A	1973	Butte	2/28/73	Not declared			\$300,000
Freeze, Economic	Eucalyptus Tree Freeze	Unknown	1973	Alameda, Contra Costa	4/4/73	5/25/73			\$8,000,000 to \$10,000,000

City of Mission Viejo

Natural Hazards Mitigation Plan – Appendix F “California Disasters”

Hazard Type	Disaster Name	Disaster #	Year	Counties and Cities Declared	State Declaration	Federal Declaration	# of Deaths	# of Injuries	Cost of Damage
Fire	Fires	N/A	1973	Los Angeles	7/16/73	Not declared			\$1,300,000
Flood	Storms	DR-412	1974	Humboldt, Shasta, Siskiyou, Trinity, Glenn, Mendocino, Tehama	1/17/74, 1/18/74	1/25/74			\$35,192,500
Flood	Storms	DR-432	1974	Mendocino	4/23/74	5/7/74			\$4,475,900
Economic	Gasoline Purchasing Problems	N/A	1974	Alameda, Contra Costa, Los Angeles, Orange, Riverside, San Mateo, Solano, Santa Clara, Ventura	2/28/74, 3/4/74, 3/10/74	Not declared			
Flood	Storms	N/A	1974	Santa Cruz	2/28/74	Not declared			\$763,267
Fire	Fires	N/A	1975	Los Angeles	11/24/75	Not declared			\$19,486,960
Drought	Drought	N/A	1976	Alpine, Calaveras, Colusa, Fresno, Glenn, Madera, Merced, San Diego, San Joaquin, Solano, Stanislaus, Sutter, Tuolumne, Alameda, Butte, Contra Costa, Kings, Los Angeles, Riverside, San Luis Obispo, Tulare, Yolo, Amador, Monterey, Napa, Nevada, San Benito, San Bernardino, Tehama, San Mateo, Marin	2/9/76, 2/13/76, 2/24/76, 3/26/76, 7/6/76	Not declared			\$2,664,000,000
Severe Storm	1976 High Winds and Flooding	DR-521	1976	Imperial, Riverside, San Bernardino, San Diego	9/13/76, 9/22/76	9/21/76			\$120,132,771
Fire	Sycamore Fire	N/A	1977	Santa Barbara	7/27/77	Not declared	0		\$25,540,755
Flood	Imperial County Flooding	N/A	1977	Imperial	8/23/77	Not declared			\$28,498,469
Flood, Landslide	Threat of Floods/Mud Slides	N/A	1977	Monterey, Riverside	9/8/77	Not declared			\$6,110,000
Severe Storm	Storms	N/A	1977	San Diego, Kern, Humboldt, City of Arvin	1/10/78, 12/23/77, 1/22/77, 12/21/77	Not declared			\$38,009,035
Landslide	Laguna Landslide	DR-566	1978	City of Laguna Beach	10/5/78	10/9/78			\$16,595,000
Fire	1978 Los Angeles Fire	EM-3067	1978	Los Angeles	10/24/78	10/29/78	1		\$61,279,374
Earthquake	Santa Barbara Earthquake	N/A	1978	Santa Barbara	8/15/78	Not declared	0	65	\$12,987,000
Miscellaneous	PSA Air Crash	N/A	1978	City of San Diego	1/15/79	Not declared	150		
Severe Storm	Storms	N/A	1978	Humboldt, Mendocino, Santa Cruz	1/27/78, 1/20/78	Not declared			\$6,126,409
Severe Storm	Storms	Unknown	1978	Inyo, Mono, San Diego, San Luis Obispo, Kings, Monterey, Kern, Los Angeles, Orange, Riverside, San Bernardino, Santa Barbara, Tulare, Ventura	3/9/78, 2/27/78, 2/13/78	2/15/78	14	21	\$117,802,785
Severe Storm	Severe Storms	DR-594	1979	Riverside	7/26/80	7/27/79			\$25,867,100
Earthquake	Imperial Earthquake	DR-609	1979	Imperial	10/16/79	10/16/79	0	91	\$21,197,250
Economic	Gasoline Shortage	N/A	1979	Alameda, Contra Costa, Los Angeles, Marin,	5/8/79 - 11/13/79	Not declared			

City of Mission Viejo

Natural Hazards Mitigation Plan – Appendix F “California Disasters”

Hazard Type	Disaster Name	Disaster #	Year	Counties and Cities Declared	State Declaration	Federal Declaration	# of Deaths	# of Injuries	Cost of Damage
	Emergency			Monterey, Orange, Riverside, San Francisco, San Diego, Santa Clara, Santa Cruz, San Mateo, Ventura, San Bernardino, Sonoma, Contra Costa, Los Angeles, Orange, Santa Clara					
Fire	Fires	N/A	1979	Santa Barbara, Ventura, Los Angeles, El Dorado	9/28/79, 9/21/79, 9/20/79	Not declared			\$9,970,119
Flood	1980 Winter Storms	DR-615	1980	Santa Barbara, Los Angeles, Orange, Riverside, Ventura, San Bernardino, San Diego	2/21/80, 2/7/80	2/21/80			
Flood	Jones Tract Levee Break	DR-633	1980	San Joaquin	9/30/80	9/30/80			\$21,510,956
Fire	Southern California Fires	DR-635	1980	San Bernardino, Los Angeles, Orange, Riverside	11/18/80	11/18/80			\$64,795,200
Flood	Delta Levee Break	EM-3078	1980	Contra Costa, Sacramento, San Joaquin	1/23/80	1/23/80			\$17,388,013
Earthquake	Owens Valley Earthquake	N/A	1980	Mono	5/28/80	Not declared	0	9	\$2,000,000
Flood	Storms	N/A	1980	Stanislaus, Monterey, Solano, Santa Cruz	3/5/80	Not declared			\$316,640,817
Economic	Mediterranean Fruit Fly Infestation	N/A	1981	Contra Costa, Los Angeles, San Benito, Stanislaus, Santa Cruz, San Mateo	8/8/81 - 9/25/81	Not declared			\$22,000,000
Fire	Atlas Peak Fire	N/A	1981	Napa	6/24/81	Not declared	0		\$31,000,000
Flood	1982 Winter Storms	DR-651	1982	Alameda, Santa Clara, Solano, San Joaquin, Contra Costa, Humboldt, Marin, San Mateo, Santa Cruz, Sonoma	1/5/82 - 1/9/82	1/7/82	33	481	\$273,850,000
Fire	Orange Fire	DR-657	1982	Orange, City of Redondo Beach	4/21/82	4/21/82			\$50,877,040
Flood	McDonald Island Levee Break	DR-669	1982	MacDonald Island	8/24/82	8/24/82			\$11,561,870
Flood, Severe Storm	1982-83 Winter Storms	DR-677	1982	Contra Costa, San Joaquin, Sacramento, Marin, San Mateo, Los Angeles, San Diego, Alameda, Orange, San Benito, Santa Barbara, Santa Clara, Santa Cruz, Shasta, Sonoma, Ventura, Trinity, Colusa, Lake, Mendocino, Monterey, San Luis Obispo, Solano, Yolo, Butte, Glenn, Kern, Kings, San Bernardino, Sutter, Tehama, Merced, Del Norte, Fresno, Madera, Napa, Placer, Riverside, Stanislaus, Tulare, Humboldt, Mariposa, Nevada, Yuba	1982, 1983	2/9/83	0	0	\$523,617,032
Agricultural	Rains Causing Agricultural Losses	N/A	1982	Fresno, Madera, Merced, Monterey, Kern, Tulare, Sacramento, San Joaquin, Solano, Stanislaus, Yolo	10/26/82	Not declared			\$345,195,974
Fire	Dayton Hills	N/A	1982	Los Angeles, Orange,	10/10/82	Not	0		\$19,277,102

City of Mission Viejo

Natural Hazards Mitigation Plan – Appendix F “California Disasters”

Hazard Type	Disaster Name	Disaster #	Year	Counties and Cities Declared	State Declaration	Federal Declaration	# of Deaths	# of Injuries	Cost of Damage
	Fire			Ventura		declared			
Flood, Windstorm	High Tides, Strong Winds, and Rains	N/A	1982	Contra Costa, Sacramento, San Joaquin	12/8/82	Not declared			\$6,964,998
Severe Storm, Flood	Heavy Rains/ Flooding	N/A	1982	Inyo	9/27/82	Not declared			\$6,161,320
Flood	Winter Storms	Unknown	1982	Contra Costa, San Joaquin, Sacramento, Marin, San Mateo, Los Angeles, San Diego, Alameda, orange, San Benito, Santa Barbara, Santa Clara, Santa Cruz, Shasta, Sonoma, Ventura, Trinity, Colusa, Lake Mendocino, Monterey, San Luis Obispo, Solano, Yolo, Butte, Glenn, Kern, Kings, San Bernardino, Sutter, Tehama, Merced, Del Norte, Fresno, Madera, Napa, Placer, Riverside, Stanislaus, Tulare, Humboldt, Mariposa, Nevada, Yuba	12/8/82-3/21/83	2/9/83			\$523,617,032
Earthquake	Coalinga Earthquake	DR-682	1983	Fresno	5/2/83	5/3/83	0	47	\$31,076,300
Flood	Colorado River Flooding	DR-682	1983	Riverside, San Bernardino, Imperial	6/23/83, 6/28/83	7/1/83			\$4,640,315
Flood	1983 Summer Storms	DR-690	1983	Inyo, Riverside, San Bernardino	8/29/83	8/29/83	3		\$34,689,155
Economic	Mexican Fruit Fly	N/A	1983	Los Angeles	11/4/83	Not declared			
Severe Storm, Flood	Levee Failure, High Winds, High Tides, Floods, Storms, Wind Driven Water	N/A	1983	Contra Costa, Alameda	12/9/83, 1/18/84	Not declared			\$10,909,785
Earthquake	Morgan Hill Earthquake	EM-4043	1984	Santa Clara		4/25/84	0	27	\$7,265,000
Severe Storm	Storms	N/A	1984	Kern, Riverside, Tulare, San Bernardino, San Luis Obispo, Monterey, City of Escondido, Inyo		Not declared			\$1,600,000
Fire	Statewide Fires	DR-739	1985	San Diego, City of Lost Angeles, San Luis Obispo, Monterey, Santa Clara, Santa Cruz, Ventura	7/1/85 - 7/11/85	4/25/84	3	470	\$64,845,864
Fire	Wheeler Fire	N/A	1985	Ventura	10/14/85	Not declared	1	2	
Miscellaneous	Hydrilla Proliferation	N/A	1985	Shasta	9/13/85	Not declared			
Severe Storm	Storms	DR-758	1986	Humboldt, Napa, Sonoma, Glenn, Lake, Marin, Modoc, Sacramento, Santa Clara, Santa Cruz, Solano, Yuba, Alpine, Amador, Butte, Calaveras, Colusa, El Dorado, Lassen, Mendocino, Nevada, Placer, Plumas, San Joaquin, Sierra, Sutter, Tehama,	2/18-86 - 3/12/86	2/18/86	13		\$407,538,904

City of Mission Viejo

Natural Hazards Mitigation Plan – Appendix F “California Disasters”

Hazard Type	Disaster Name	Disaster #	Year	Counties and Cities Declared	State Declaration	Federal Declaration	# of Deaths	# of Injuries	Cost of Damage
				Tuolumne, Yolo, Fresno, Madera, San Mateo, Alameda, Contra Costa, Del Norte, Trinity, Mono, San Benito, Shasta					
Flood	Heavy Rains	N/A	1986	Monterey, Siskiyou	3/26/86	Not declared			\$400,000
Miscellaneous	Plane Crash	N/A	1986	City of Cerritos	8/31/86	Not declared	67	2	
Earthquake	Whittier Earthquake	DR-799	1987	Monterey park, City of Whittier, Los Angeles, Orange	10/2/87 - 10/5/87	10/7/87	9	200	\$358,052,144
Earthquake	Imperial County Earthquake	N/A	1987	Imperial	11/23/87	Not declared	0	94	\$2,638,833
Economic	Mediterranean Fruit Fly	N/A	1987	Los Angeles	8/25/87	Not declared			
Fire	Forest Fire - Del Norte Fire, Pebble Beach	N/A	1987	Monterey		Not declared	0	8	\$15,000,000
Fire	Acorn Fire	N/A	1987	Alpine	8/3/87	Not declared	0	3	\$8,500,000
Fire	Wildland Fires	N/A	1987	Colusa, Del Norte, Butte, Fresno, Humboldt, Inyo, Kern, Lake, Lassen, Mariposa, Mendocino, Modoc, Mono, Nevada, Placer, Plumas, Riverside, San Bernardino, Shasta, Sierra, Siskiyou, Trinity, Tulare, Tuolumne	9/10/87, 9/3/87	Not declared	3	76	\$18,000,000
Fire	Wildfires/ Flooding/ Mud Slides	N/A	1987	San Diego	11/19/87	Not declared			\$5,371,150
Severe Storm	Coastal Storms	DR-812	1988	Los Angeles, Orange, San Diego	1/21/88	2/5/88	0		
Fire	Fires - 49er, Miller, and Fern	DR-815	1988	Shasta, Solano, Yuba, Nevada	9/11/88- 9/20/88	9/13/88	0		\$31,247,534
Economic	Mediterranean Fruit Fly	N/A	1988	Los Angeles	7/21/88	Not declared			
Fire	Wildland Fires	N/A	1988	Calaveras	7/21/88	Not declared			
Fire, Windstorm	Fire and Wind Driven Waves	N/A	1988	City of Redondo Beach	6/15/88	Not declared	0		\$25,000,000
Fire, Windstorm	Fires/ High Winds	N/A	1988	Los Angeles	12/9/88	Not declared	0	2	\$12,400,000
Severe Storm	Storms	N/A	1988	Santa Barbara, City of San Buenaventura	1/26/88	Not declared			\$49,416,200
Earthquake	Loma Prieta Earthquake	DR-845	1989	Alameda, Monterey, San Benito, San Mateo, Santa Clara, Santa Cruz, San Francisco, Contra Costa, Marin, City of Isleton, City of Tracy, Solano	10/18/89 - 10/30/89	10/18/89	63	3,757	\$5,900,000,000
Economic	Mediterranean Fruit Fly	N/A	1989	Los Angeles	8/9/89	Not declared			
Economic	Mediterranean Fruit Fly	N/A	1989	Santa Clara	9/6/89	Not declared			
Economic	Mediterranean Fruit Fly	N/A	1989	San Bernardino	10/3/89	Not declared			
Economic	Mediterranean Fruit Fly	N/A	1989	Orange	11/20/89	Not declared			
Fire	Santa Barbara Fires	DR-872	1990	Los Angeles, Santa Barbara, Riverside, San Bernardino	6/28/90, 6/29/90	6/30/90	3	89	\$300,000,000
Freeze	Freeze	DR-894	1990	Santa Cruz, Fresno, Glenn, imperial, Kern, Mendocino, Monterey,	12/19/90- 1/18/91	2/11/91			\$856,329,675

City of Mission Viejo

Natural Hazards Mitigation Plan – Appendix F “California Disasters”

Hazard Type	Disaster Name	Disaster #	Year	Counties and Cities Declared	State Declaration	Federal Declaration	# of Deaths	# of Injuries	Cost of Damage
				Riverside, San Benito, San Bernardino, San Diego, San Mateo, Santa Barbara, Santa Clara, Solano, Sonoma, Tulare, Ventura, Alameda, Butte, Colusa, Los Angeles, Madera, Marin, Merced, Napa, San Joaquin, San Luis Obispo, Sutter, Yolo, Yuba, Stanislaus, Tehama					
Drought	Drought	N/A	1990	City of Santa Barbara	7/17/90	Not declared			
Drought	Drought	N/A	1990	Santa Barbara	11/13/90	Not declared			
Earthquake	Upland Earthquake	N/A	1990	Los Angeles, San Bernardino	3/9/90, 3/13/90	Not declared	0	38	\$12,034,150
Economic	Mediterranean Fruit Fly	N/A	1990	Riverside	4/18/90	Not declared			
Economic	Mexican Fruit Fly	N/A	1990	Los Angeles, San Diego	5/14/90	Not declared			
Fire	Finley Fire/ Yosemite Fire	N/A	1990	Mariposa, Kern, Tehama	8/13/90, 8/14/90	Not declared	1	84	\$548,000,000
Severe Storm	Severe Storms	N/A	1990	Butte, Nevada	2/22/90	Not declared	1	17	\$11,500,000
Fire	East Bay Hills Fire	DR-919	1991	Alameda County	10/20/91	10/22/91	25	150	\$1,700,000,000
Economic	Sweet potato Whitefly	N/A	1991	Imperial, Riverside		Not declared			\$120,567,949
HazMat	Cantara Spill	N/A	1991	Shasta, Siskyou				300	\$38,000,000
Severe Storm	1992 Winter Storms	DR-935	1992	Los Angeles, Ventura, City of Los Angeles, kern, orange, San Bernardino	2/12/92, 2/19/92	2/25/92	5		\$123,240,531
Civil Unrest	Los Angeles Civil Disorder	DR-942	1992	Los Angeles	4/29/92	5/22/92	53	2,383	\$800,000,000
Earthquake	Cape Mendocino Earthquakes	DR-943	1992	Humboldt	4/25/92	5/5/92	0	356	\$48,271,137
Earthquake	Big Bear - Landers Earthquakes	DR-947	1992	Riverside, San Bernardino	6/28/92	6/28/92	1	\$402	\$91,079,376
Fire	Shasta/Calaveras Fire	DR-958	1992	Calaveras, Shasta	8/21/92	8/29/92	0	\$8	\$54,108,500
Flood	1992 Late Winter Storms	DR-979	1992	Alpine, Los Angeles, Humboldt, Napa, Santa Barbara, Culver City, City of Los Angeles, Contra Costa, Mendocino, Sonoma, Fresno, imperial, Madera, Monterey, San Bernardino, Sierra, Tehama, Trinity, Tulare, Modoc, Orange, Riverside, Lassen, Siskiyou, Plumas, San Diego	1/7/93 - 2/19/93	1/15/93	20	10	\$600,000,000
HazMat	Sewage Spill	N/A	1992	San Diego, City of Chula Vista, City of Coronado, San Diego	2/6/92, 2/7/92	Not declared			
Fire	Southern California Firestorms	DR-1005	1993	Los Angeles, Ventura, San Diego, Orange, Riverside, San Bernardino	10/27/93, 10/28/93	10/28/93	4	162	\$1,000,000,000
Economic	Mediterranean Fruit Fly	N/A	1993	Riverside	5/21/94	Not declared			
HazMat	Tijuana River Pollution	N/A	1993	San Diego	9/10/93	Not declared			
HazMat	New River	N/A	1993	Imperial	10/6/93	Not			

City of Mission Viejo

Natural Hazards Mitigation Plan – Appendix F “California Disasters”

Hazard Type	Disaster Name	Disaster #	Year	Counties and Cities Declared	State Declaration	Federal Declaration	# of Deaths	# of Injuries	Cost of Damage
	Pollution					declared			
Earthquake	Northridge Earthquake	DR-1008	1994	Los Angeles, Ventura, Orange	1/17/94, 1/24/94	1/17/94	57	11,846	\$40,000,000,000
Economic	Salmon fisheries	DR-1038	1994	Del Norte, Humboldt, Mendocino, Sonoma	5/20/94	9/20/94			\$28,300,000
Earthquake	Humboldt Earthquake	N/A	1994	Humboldt	12/29/94	Not declared			\$1,300,000
Economic	Mediterranean Fruit Fly	N/A	1994	Ventura	10/7/94	Not declared			
Fire	San Luis Obispo Fire - Hwy 41	N/A	1994	San Luis Obispo	8/24/94	Not declared		12	\$6,382,235
Severe Storm	Severe Winter Storms	DR-1044	1995	Los Angeles, Orange, Humboldt, Lake, Sonoma, Butte, Colusa, Contra Costa, Del Norte, Glenn, Kern, Lassen, Mendocino, Modoc, Monterey, Napa, Placer, Plumas, San Luis Obispo, Santa Barbara, Santa Clara, Santa Cruz, Tehama, Ventura, Yolo, Yuba, Alpine, Amador, Nevada, Riverside, Sacramento, San Bernardino, San Mateo, Shasta, Sutter, Trinity, San Diego, Alameda, Marin, Fresno, Kings, El Dorado, Madera, Solano, Siskiyou	1/6/95 - 3/14/95	1/13/95	11		\$741,400,000
Severe Storm, Flood	Late Winter Storms	DR-1046	1995	All counties except Del Norte		1/10/95	17		\$1,100,000,000
Fire	Southern California Firestorms	EM-3120	1996	Los Angeles, Orange, San Diego	10/1/96			5	\$40,000,000
Flood	January 1997 Floods		1997	Alpine, Amador, Butte, Colusa, Del Norte, El Dorado, Glenn, Humboldt, Lake, Lassen, Modoc, Napa, Nevada, Plumas, Sacramento, San Joaquin, Sierra, Siskiyou, Solano, Sonoma, Sutter, Tehama, Trinity, Yuba, Calaveras, Madera, Mono, Monterey, Placer, San Benito, San Luis Obispo, San Mateo, Santa Cruz, Shasta, Stanislaus, Tuolumne, Yolo, Contra Costa, Fresno, Marin, Tulare, Mariposa, Merced, Santa Clara, Alameda, San Francisco, Kings,	1/2/97 - 1/31/97		8		\$1,800,000,000
Flood	El Nino		1998	Alameda, Amador, Butte, Calaveras, Colusa, Contra Costa, Fresno, Glenn, Humboldt, Kern, Kings, Lake, Los Angeles, Marin, Mendocino, Merced, Monterey, Napa, Orange, Riverside, Sacramento, San Benito, San Bernardino, San Diego, San Francisco, San			17		\$550,000,000

City of Mission Viejo

Natural Hazards Mitigation Plan – Appendix F “California Disasters”

Hazard Type	Disaster Name	Disaster #	Year	Counties and Cities Declared	State Declaration	Federal Declaration	# of Deaths	# of Injuries	Cost of Damage
				Joaquin, San Luis Obispo, San Mateo, Santa Barbara, Santa Clara, Santa Cruz, Siskiyou, Solano, Sonoma, Stanislaus, Sutter, Tehama, Trinity, Tulare, Ventura, Yolo, Yuba					
Freeze	Freeze		1998	Fresno, Kern, Kings, Madera, Merced, Monterey, Tulare, Ventura	2/9/99				
Fire	Fire		1999	Various Counties	8/26/99				
	Road Damage		1999	Sonoma	3/29/99				
Earthquake	Earthquake		2000	Napa	9/6/00				
Drought	Water Shortage		2001	City of Rio Dell	3/16/01				
Fire	California Wildfires	DR-1498	2003	Ventura, LA, San Bernardino, Riverside, San Diego		DR1498			
Earthquake	Sierra Madre Earthquake	N/A	2003	Los Angeles	7/5/91	Not declared	1	30	\$33,500,000
Fire	Widespread Fires	N/A	2003	Madera		Not declared	2		Not available
Severe Storm, Freeze	Freeze and Snow Conditions	N/A	2003	Lake	7/13/72	Not declared			\$357,000
Drought	Drought		2003	Modoc, Siskiyou	5/4/01				
Economic	Exotic Newcastle Disease Epidemic		2003	15 Northern Counties	2/21/03				
Economic	Bark Beetle Infestation		2003	San Bernardino, San Diego, Riverside	3/7/03				
Fire	Wildfire		2003	Calaveras	9/10/01				
Fire	Southern California Wildfires	DR-1498	2003	Ventura, Los Angeles, San Bernardino, Riverside, San Diego	10/24-26/03	10/27/03			
Earthquake	San Simeon Earthquake	DR-1505	2003	San Luis Obispo, Santa Barbara	12/23/03	1/13/04			Estimated \$55 million

Appendix G

Map - Source

Seismic Hazard Zones – General Plan

Seismic Hazard Zones – City GIS

Fault Map – General Plan

Flood Hazard Zones – General Plan

FIRM – City GIS

Very High Fire Hazard Map – General Plan

Very High Hazards Severity Zones – FRAP

Emergency Facilities Map – General Plan

References

Brabb, E.E., and B.L. Harrod. (Eds) *Landslides: Extent and Economic significance. Proceedings of the 28th International Geological Congress Symposium on Landslides.* (1989). Washington D.C.

Burby, R. (Ed.). *Cooperating With Nature: Confronting Natural Hazards with Land Use Planning for Sustainable Communities.* (1998). Washington D.C.: Joseph Henry Press.

Highland, L.M., and Suchster, R.L., *Significant Landslide Events in the United States.* (No Date). USGS, Washington D.C.

Interagency Hazard Mitigation Team, *State Hazard Mitigation Plan.* (2000). Oregon Emergency Management.

Mileti, Dennis, *Disasters by Design: A Reassessment of Natural Hazards in the United States* (1999). Joseph Henry Press, Washington D.C.

Planning for Natural Hazards: *The Oregon technical Resource Guide.* (2000). Department of Land Conservation and Development, Chapter 5.

<http://www.census.gov>

<http://www.consrv.ca.gov>

<http://www.cpuc.ca.gov>

<http://www.data.scec.org>

<http://www.eqe.com>

<http://www.esri.com>

<http://www.fema.gov>

<http://www.fema.gov/hazus>

<http://www.fire.ca.gov>

<http://www.gps.caltech.edu>

<http://lacofd.org>

<http://www.lalc.k12.ca.us>

<http://www.latimes.com>

City of Mission Viejo

Natural Hazards Mitigation Plan – Appendix H “References”

<http://www.losangelesalmanac.com>

<http://www.nifc.gov>

<http://www.oes.ca.gov>

<http://pubs.usgs.gov>

<http://www.seismic.ca.gov>

<http://www.usc.edu/isd/archives>

<http://www.usgs.gov>

<http://www.sce.com>